



# Christmas Island Housing Support – Silver City - Environmental Assessment Report (EAR)

Shire of Christmas Island

Report

JBS&G 67277 | 167,617

10 February 2026





**We acknowledge the Traditional Custodians of Country throughout Australia and their connections to land, sea and community.**

We pay respect to Elders past and present and in the spirit of reconciliation, we commit to working together for our shared future.

Caring for Country The Journey of JBS&G  
Artist: Patrick Caruso, Eastern Arrernte

## Table of Contents

|           |                                                                     |           |
|-----------|---------------------------------------------------------------------|-----------|
| <b>1.</b> | <b>Introduction .....</b>                                           | <b>4</b>  |
| 1.1       | Background.....                                                     | 4         |
| 1.2       | Purpose, scope and structure of this document .....                 | 4         |
| <b>2.</b> | <b>Legislation, policies, and guidelines.....</b>                   | <b>6</b>  |
| 2.1       | Federal Legislation .....                                           | 6         |
| 2.1.1     | Environment Protection and Biodiversity Conservation Act 1999 ..... | 6         |
| 2.2       | State Legislation .....                                             | 6         |
| 2.2.1     | <i>Environmental Protection Act 1986</i> .....                      | 7         |
| 2.2.2     | <i>Biodiversity Conservation Act 2016</i> .....                     | 7         |
| 2.3       | Environmental Protection Authority (EPA) guidance .....             | 7         |
| 2.3.1     | State Planning Policies.....                                        | 7         |
| 2.4       | Local government policies, strategies and guidance .....            | 8         |
| <b>3.</b> | <b>Overview of existing environmental attributes.....</b>           | <b>9</b>  |
| 3.1       | Land use .....                                                      | 9         |
| 3.2       | Climate .....                                                       | 9         |
| 3.3       | Soils and Landforms .....                                           | 9         |
| 3.4       | Hydrology.....                                                      | 13        |
| 3.5       | Regional Vegetation.....                                            | 13        |
| 3.6       | Significant Communities, Flora and Fauna.....                       | 16        |
| 3.6.1     | Ecological Communities.....                                         | 16        |
| 3.6.2     | Significant Flora .....                                             | 16        |
| 3.6.3     | Significant Fauna.....                                              | 19        |
| 3.7       | Conservation Areas .....                                            | 22        |
| 3.8       | Contamination .....                                                 | 24        |
| 3.9       | Heritage.....                                                       | 24        |
| 3.9.1     | Indigenous heritage .....                                           | 24        |
| 3.9.2     | European heritage .....                                             | 24        |
| 3.10      | Landscape Features .....                                            | 24        |
| 3.11      | View Shed.....                                                      | 24        |
| <b>4.</b> | <b>Potential impacts and proposed management measures .....</b>     | <b>25</b> |
| 4.1       | Benthic communities and habitats .....                              | 25        |
| 4.2       | Coastal processes.....                                              | 25        |
| 4.3       | Marine environmental quality .....                                  | 25        |
| 4.4       | Marine fauna.....                                                   | 25        |



|        |                                         |    |
|--------|-----------------------------------------|----|
| 4.5    | Flora and Vegetation.....               | 26 |
| 4.5.1  | Potential impacts.....                  | 26 |
| 4.5.2  | Policy and management objectives.....   | 26 |
| 4.5.3  | Proposed Management .....               | 26 |
| 4.5.4  | Predicted Environmental Outcomes .....  | 26 |
| 4.6    | Terrestrial Fauna .....                 | 30 |
| 4.6.1  | Potential impacts.....                  | 30 |
| 4.6.2  | Policy and management objectives.....   | 30 |
| 4.6.3  | Proposed Management .....               | 33 |
| 4.6.4  | Predicted Environmental Outcomes .....  | 33 |
| 4.7    | Landforms .....                         | 33 |
| 4.7.1  | Potential impacts.....                  | 33 |
| 4.7.2  | Policy and management objectives.....   | 33 |
| 4.7.3  | Proposed Management .....               | 34 |
| 4.7.4  | Predicted Environmental Outcomes .....  | 34 |
| 4.8    | Terrestrial environmental quality ..... | 34 |
| 4.8.1  | Potential impacts.....                  | 34 |
| 4.8.2  | Policy and management objectives.....   | 34 |
| 4.8.3  | Proposed Management .....               | 34 |
| 4.8.4  | Predicted Environmental Outcomes .....  | 34 |
| 4.9    | Inland Waters.....                      | 34 |
| 4.9.1  | Potential impacts.....                  | 34 |
| 4.9.2  | Policy and management objectives.....   | 34 |
| 4.9.3  | Proposed Management .....               | 34 |
| 4.9.4  | Predicted Environmental Outcomes .....  | 35 |
| 4.10   | Subterranean fauna .....                | 35 |
| 4.10.1 | Potential impacts.....                  | 35 |
| 4.10.2 | Policy and management objectives.....   | 35 |
| 4.10.3 | Proposed Management .....               | 35 |
| 4.10.4 | Predicted Environmental Outcomes .....  | 36 |
| 4.11   | Air quality.....                        | 36 |
| 4.11.1 | Potential impacts.....                  | 36 |
| 4.11.2 | Policy and management objectives.....   | 36 |
| 4.11.3 | Proposed Management .....               | 36 |
| 4.11.4 | Predicted Environmental Outcomes .....  | 36 |
| 4.12   | Greenhouse gas emissions.....           | 36 |
| 4.13   | Social surroundings .....               | 36 |



|                             |           |
|-----------------------------|-----------|
| 4.14 Human health .....     | 37        |
| <b>5. Conclusion.....</b>   | <b>38</b> |
| <b>6. Limitations .....</b> | <b>39</b> |
| <b>7. References .....</b>  | <b>40</b> |

## List of Tables

|                                                                                      |    |
|--------------------------------------------------------------------------------------|----|
| Table 3.1 Geological units within the Survey Area (Geoscience Australia, 2003) ..... | 10 |
| Table 3.2 Vegetation of Christmas Island .....                                       | 15 |
| Table 3.3 Significant flora likelihood of occurrence .....                           | 17 |
| Table 3.4 Database search results .....                                              | 21 |
| Table 4.1 Structure Plan areas .....                                                 | 25 |
| Table 4.2 Management measures for vegetation and flora .....                         | 26 |
| Table 4.3 Management requirements for terrestrial fauna .....                        | 33 |
| Table 4.4 Management requirements for inland waters. ....                            | 35 |
| Table 5.1 Proposed management provisions .....                                       | 38 |

## List of Figures

|                                                                                   |    |
|-----------------------------------------------------------------------------------|----|
| Figure 1-1 Site Location .....                                                    | 5  |
| Figure 3-1 Climate data from Christmas Island Aero weather station (200790) ..... | 9  |
| Figure 3-2 Diagrammatic cross-section of Christmas Island.....                    | 10 |
| Figure 3-3 Topography.....                                                        | 11 |
| Figure 3-4 Soils and Landforms.....                                               | 12 |
| Figure 3-5 Regional vegetation.....                                               | 14 |
| Figure 3-6 Desktop Significant Flora .....                                        | 18 |
| Figure 3-7 Desktop significant fauna .....                                        | 20 |
| Figure 3-8 Christmas Island National Park.....                                    | 23 |
| Figure 4-1 Vegetation – Silver City .....                                         | 28 |
| Figure 4-2 Vegetation Condition – Silver City.....                                | 29 |
| Figure 4-3 Significant fauna .....                                                | 31 |
| Figure 4-4 Fauna habitat.....                                                     | 32 |

## Appendices

Appendix A Christmas Island Housing Support Flora, Fauna and Vegetation Assessment

# 1. Introduction

## 1.1 Background

The Shire of Christmas Island, through the Australian Government's Housing Support Program Stream 1, have received funds to implement preliminary works to support the development of its Christmas Island Housing Futures Masterplan. The proposed works are to safeguard the future of Christmas Islanders, by providing social housing, affordable housing and alternative housing locations to facilitate the ultimate relocation of the Kampong community, which is currently at risk from sea level rises, cyclonic storm surge induced inundations and landslides/rockfalls caused by heavy monsoon rains. This approach requires the formation of a Structure Plan at Silver City (Figure 1-1) as per the requirements of the Western Australian Planning Commission (WAPC) and aligns with the Commonwealth Department of Home Affairs and Australian Institute for Disaster Resilience (2020) *Land Use Planning for Disaster Resilient Communities*.

## 1.2 Purpose, scope and structure of this document

This Environmental Assessment Report (EAR) has been prepared to support the Local Structure Plan for the Silver City proposed development.

The purpose of this EAR is to demonstrate that all environmental considerations associated with the future land use and development scenarios can be managed in accordance with policy requirements. As such the EAR addresses:

- applicable legislation, policy, and guidance;
- the environmental, bushfire, and heritage values of the site;
- potential impacts to the above characteristics associated with the proposed development; and
- the spatial and management response of the development to ensure that any identified potential impacts can be mitigated or managed to avoid 'significant' impacts.





|                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                  |                |                                                                                                                      |                        |                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------|
| <div><div><div><div></div></div><div>Structure Plan Boundary</div></div><div><div></div></div><div>Cadastral boundary (LGATE-002)</div><div><div></div></div><div>Mining Lease (DMIRS-003)</div><div><div></div></div><div>Ramsar site</div><div><div></div></div><div>Christmas Island National Park</div></div> <div><div><div>Roads (LGATE-195)</div><div>Minor road</div><div>Track</div></div></div> | <div></div> |                | <div><div>0200metres</div></div>                                                                                     |                        | <div>Silver City, Christmas Island</div> |
|                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                  |                | <div><div></div></div>                                                                                               |                        | <div>SITE LOCATION</div>                 |
|                                                                                                                                                                                                                                                                                                                                                                                                           | Job Number: 67277                                                                                |                | Scale 1:8,000 at A3 <div></div> |                        |                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                           | Client: Shire of Christmas Island                                                                |                | Coord. Sys. GDA2020 MGA Zone 48                                                                                      |                        |                                          |
| Drawn By: droberts                                                                                                                                                                                                                                                                                                                                                                                        | Checked By: RP                                                                                   | Version: Rev A | Date: 10-Feb-2026                                                                                                    | <div>FIGURE: 1.1</div> |                                          |



## 2. Legislation, policies, and guidelines

The legislative framework for Christmas Island is complex. The *Christmas Island Act 1958* outlines the governance arrangements for the island. Section 8E of the Act makes provision for all laws of Western Australia and the Commonwealth to apply in Christmas Island. The Minister lists selected Western Australian laws to be excluded or amended in the *Applied Laws (Implementation) Ordinance 1992*. The island is governed under Commonwealth legislation and administered by the Department of Infrastructure, Transport, Regional Development, Communications and the Arts (DITRDCA). Applied Western Australian laws are administered by the relevant Commonwealth Minister, by Commonwealth officers acting under ministerial delegations, or by State officers exercising delegated power and acting pursuant to inter-government service agreements under Section 8h of the Act. The community is represented in the Federal Parliament by the Member for Lingiari in the House of Representatives and the two Senators for the Northern Territory in the Senate with local Government (i.e. Shire of Christmas Island) utilising Western Australia legislation.

### 2.1 Federal Legislation

#### 2.1.1 Environment Protection and Biodiversity Conservation Act 1999

The *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) is administered by the Department of Climate Change, Energy, the Environment and Water (DCCEEW). The EPBC Act aims to protect and manage nine Matters of National Environmental Significance (MNES) throughout Australia including:

- World Heritage Properties;
- National Heritage Places;
- wetlands of international importance (listed under the Ramsar Convention);
- listed threatened species and ecological communities;
- migratory species protected under international agreements;
- Commonwealth Marine Areas;
- Great Barrier Reef Marine Park;
- nuclear actions (including uranium mines); and
- a water resource, in relation to coal seam gas development and large coal mining development.

### 2.2 State Legislation

The key environmental legislation in Western Australia is detailed below:

- *Environmental Protection Act 1986* (EP Act) and Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (Clearing Regulations);
- *Biodiversity Conservation Act 2016* (BC Act);
- *Biosecurity and Agriculture Management Act 2007* (BAM Act);
- *Rights in Water and Irrigation Act 1914* (RIWI Act);
- *Metropolitan Water Supply, Sewerage and Drainage Act 1909* (MWSSD Act);
- *Aboriginal Heritage Act 1972* (AH Act);
- *Contaminated Sites Act 2003* (CS Act) and Regulations (2006); and
- *Planning and Development Act 2005* (PD Act).

### 2.2.1 Environmental Protection Act 1986

The EP Act is the primary environmental legislation in Western Australia and is administered by the Environmental Protection Authority (EPA) and the Department of Water and Environmental Regulation (DWER). The Act provides for the prevention, control and abatement of pollution and environmental harm, for the conservation, preservation, protection, enhancement and management of the environment and for matters incidental to or connected with the foregoing.

Part IV of the EP Act makes provisions for the EPA to undertake environmental impact assessment of significant proposals, strategic proposals and land use planning schemes. The EPA uses environmental principles, factors and associated objectives as the basis for assessing whether a proposal or land use planning scheme's impact on the environment is acceptable.

### 2.2.2 Biodiversity Conservation Act 2016

The BC Act has replaced the *Wildlife Conservation Act 1950*. On 3 December 2016, several parts of the new Act were enacted by the State Governor. The remaining parts of the Act and the associated Regulations came into effect on 1 January 2019.

In addition to providing for the protection of flora and fauna, the *Biodiversity Conservation Act 2016* includes provisions for threatened ecological communities, threatening processes, critical habitats and environmental pests.

## 2.3 Environmental Protection Authority (EPA) guidance

EPA regulatory guidance that is given consideration during the assessment process is listed below:

- *Environmental Factor Guideline – Social Surroundings* (EPA, 2023);
- *Environmental Factor Guideline – Human Health* (EPA, 2016b);
- *Environmental Factor Guideline – Inland Waters* (EPA, 2018a);
- *Environmental Factor Guideline – Terrestrial Fauna* (EPA, 2016d);
- *Environmental Factor Guideline – Terrestrial Environmental Quality* (EPA, 2016c);
- *Environmental Factor Guideline – Landforms* (EPA, 2018b);
- *Environmental Factor Guideline – Flora and Vegetation* (EPA, 2016a);
- *Technical Guidance – Terrestrial Vertebrate Fauna Surveys for Environmental Impact Assessment* (EPA, 2020);
- *Technical Guidance – Flora and Vegetation Surveys for Environmental Impact Assessment* (EPA, 2016e);
- *Guidance Statement No. 33 Environmental Guidance for Planning and Development* (EPA, 2008); and
- *Guidance for planning and development: Protection of naturally vegetated areas in urban and peri-urban areas* (EPA, 2021).

### 2.3.1 State Planning Policies

The WAPC prepares and adopts state planning policies under statutory procedures set out in Part 3 of the *Planning and Development Act 2005* (WAPC, 2005). State planning policies relevant to the project are listed below:

- State Planning Policy 2.0: *Environment and natural resources policy* (SPP 2.0) (WAPC, 2003);



- State Planning Policy 2.9 *Planning for Water* (SPP 2.9) (WAPC, 2025) and *Planning for Water Guidelines* (WAPC, 2025); and
- State Planning Policy 3.0 *Urban Growth and Settlement* (SPP 3.0) (WAPC, 2006).

## 2.4 Local government policies, strategies and guidance

The Shire of Christmas Island has developed numerous policies, strategies and guidelines relevant to planning and the environment, as listed below. Reference to these documents has been made throughout the report where applicable to a specific environmental factor.

- Shire of Christmas Island Local Planning Strategy 2015; and
- Shire of Christmas Island Local Planning Scheme No. 2.

The Shire of Christmas Island Local Planning Strategy was endorsed in May 2015. Local Planning Scheme No. 2 received approval in accordance with the requirements of the *Planning and Development Act 2005* (WA) (CI) in February 2016. The new scheme includes a stated objective “to enhance and diversify the island’s economic base through the provision of land for a range of economic activities,” (Shire of Christmas Island, 2016) which also included urban development and possible new tourism opportunities.


### 3. Overview of existing environmental attributes

#### 3.1 Land use

The current land use for the development area is “unimproved”. The site is zoned “Residential” and “Urban development”. Road reserve connection through the proposed Future Environmental Conservation area is also planned to provide connection through to the existing road network.

#### 3.2 Climate

Christmas Island lies on the southern edge of the inter-tropical convergence zone and the climate is dominated by a low-pressure trough that seasonally circles the equator. The Island has a tropical monsoonal climate with distinct wet and dry seasons and little seasonal variation in temperature. The dry season (May to November) is dominated by low and sporadic rainfall (see Figure 3-1) with consistent south-east trade winds (BOM, 2024). The wet season generally occurs from December to April with the Island receiving most of its rainfall during this period.



**Figure 3-1 Climate data from Christmas Island Aero weather station (200790)**


#### 3.3 Soils and Landforms

Christmas Island is one of a series of submarine seamounts that rise above the 5,500 m deep abyssal areas of the West Australian Basin. The topography of the Survey Area is shown in Figure 3-3. At the core of the Island are volcanic rocks, mainly composed of basalt with a layer of limestone generally covering these volcanic rocks (Figure 3-2) which occasionally outcrops, particularly along the present coastline (Grimes, 2001).

The Island is characterised by sea cliffs that rise via a series of terraces to a central plateau (Figure 3-2) which peaks at approximately 361 m above sea level (Grimes, 2001). The shoreline is dominated by cliffs and



extensive shore platforms with a few small beaches and Flying Fish Cove, which has a relatively large beach and shallow platform, being the only safe harbour for much of the year. The Island's natural landscape is dominated by karstic surface landforms and cave systems (Grimes, 2001).



**Figure 3-2 Diagrammatic cross-section of Christmas Island**

Terrace areas on the Island reflect the height above sea level in different geologic periods. Renewed vulcanism and a series of geological uplifts at different periods have resulted in a tiered effect. The oldest limestones near the peak of the Island formed during the Eocene period (Grimes, 2001). Most the Island's limestone deposits were formed during the Tertiary (late Oligocene to mid Miocene age), with the youngest limestones deposited on the lowest terrace in the late Quaternary (Grimes, 2001).

The limestone is mixed with dolomite sediments, basalts and tuffs. A layer of phosphate-rich soil material covers the limestone over about half of the Island. Marine sediments and guano deposition have formed the Island's phosphatic soils.

The red crab (*Gecarcoidea natalis*) is the principle agent of organic matter turnover and incorporation into the soil, with consequent low levels of leaf litter on the island. Crab activity is a key feature of water and nutrient availability in the subsoil, with burrows also providing a preferred pathway for water drainage into the soil (Hollingsworth, 2003).

The proposed clearing areas range from the island's older terraces to the plateau. These areas contain a combination of exposed limestone and deeper phosphatic soils. Geoscience Australia has mapped the JBS&G (2025) Survey Areas as being dominated by limestone pinnacles with varying amounts of soil (Table 3.1 and Figure 3-4). The broader Structure Plan area was composed of the same two geological units (Geoscience Australia, 2003).

**Table 3.1 Geological units within the Survey Area (Geoscience Australia, 2003)**

| Geological Unit                                                                    | Silver City     |
|------------------------------------------------------------------------------------|-----------------|
| Tz: Limestone - undifferentiated                                                   | 4.26 ha         |
| Tzp: Pinnacles of limestone with variable amounts of unconsolidated material (Czp) | 7.06 ha         |
| <b>Total</b>                                                                       | <b>11.32 ha</b> |


Christmas island is not included in Western Australian soil-landscape mapping.





|                                                                                                                                                                                                                                      |  |                                   |                |                                 |                   |                               |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------|----------------|---------------------------------|-------------------|-------------------------------|--|
| <b>Legend</b><br>Structure Plan Boundary<br>Clearing Area<br>Future Environmental Conservation<br>JBS&G (2025) Survey Area<br>Cadastral boundary (LGATE - 002)<br>Topographic contours in m AHD (DataWA-2011)<br>Minor road<br>Track |  |                                   |                | 0 200 metres                    |                   | Silver City, Christmas Island |  |
|                                                                                                                                                                                                                                      |  | Job Number: 67277                 |                | Scale 1:6,000 at A3             |                   | TOPOGRAPHY                    |  |
|                                                                                                                                                                                                                                      |  | Client: Shire of Christmas Island |                | Coord. Sys. GDA2020 MGA Zone 48 |                   |                               |  |
|                                                                                                                                                                                                                                      |  | Drawn By: droberts                | Checked By: RP | Version: Rev A                  | Date: 10-Feb-2026 | <b>FIGURE: 3.3</b>            |  |





|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                |                                                                                                           |                   |                                                                                       |  |                                                                        |                   |  |                                                                                                           |  |                                   |  |                                 |  |                    |                |                |                   |                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------|--|------------------------------------------------------------------------|-------------------|--|-----------------------------------------------------------------------------------------------------------|--|-----------------------------------|--|---------------------------------|--|--------------------|----------------|----------------|-------------------|--------------------|
| <b>Legend</b><br><div><div><div></div><div>Structure Plan Boundary</div></div><div><div></div><div>Clearing Area</div></div><div><div></div><div>Future Environmental Conservation</div></div><div><div></div><div>JBS&amp;G (2025) Survey Area</div></div><div>Geology</div><div><div></div><div>Czl,Pellet limestone, contains pellets and pebbles of phosphate rock</div></div></div> <div><div></div><div>Czp,Unconsolidated material - mostly phosphatic soil containing &gt;20% P2O5</div><div><div></div><div>Limestone/Talus,Limestone/Talus</div><div><div></div><div>Tb,Volcanics - mostly basalt, some tuff, scoria - undifferentiated</div><div><div></div><div>Tz,Limestone - undifferentiated</div><div><div></div><div>Tzp,Pinnacles of limestone with variable amounts of unconsolidated material (Czp)</div></div></div></div></div><tr><td colspan="2"></td><td colspan="2"></td><td rowspan="3"><b>Silver City, Christmas Island</b><br/><br/><b>SOILS AND LANDFORMS</b></td></tr><tr><td colspan="2">Job Number: 67277</td><td colspan="2">Scale 1:6,000 at A3 </td></tr><tr><td colspan="2">Client: Shire of Christmas Island</td><td colspan="2">Coord. Sys. GDA2020 MGA Zone 48</td></tr><tr><td>Drawn By: droberts</td><td>Checked By: RP</td><td>Version: Rev A</td><td>Date: 10-Feb-2026</td><td><b>FIGURE: 3.4</b></td></tr></div> |                |                      |                   |  |  | <b>Silver City, Christmas Island</b><br><br><b>SOILS AND LANDFORMS</b> | Job Number: 67277 |  | Scale 1:6,000 at A3  |  | Client: Shire of Christmas Island |  | Coord. Sys. GDA2020 MGA Zone 48 |  | Drawn By: droberts | Checked By: RP | Version: Rev A | Date: 10-Feb-2026 | <b>FIGURE: 3.4</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |                      |                   | <b>Silver City, Christmas Island</b><br><br><b>SOILS AND LANDFORMS</b>                |  |                                                                        |                   |  |                                                                                                           |  |                                   |  |                                 |  |                    |                |                |                   |                    |
| Job Number: 67277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                | Scale 1:6,000 at A3  |                   |                                                                                       |  |                                                                        |                   |  |                                                                                                           |  |                                   |  |                                 |  |                    |                |                |                   |                    |
| Client: Shire of Christmas Island                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                | Coord. Sys. GDA2020 MGA Zone 48                                                                           |                   |                                                                                       |  |                                                                        |                   |  |                                                                                                           |  |                                   |  |                                 |  |                    |                |                |                   |                    |
| Drawn By: droberts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Checked By: RP | Version: Rev A                                                                                            | Date: 10-Feb-2026 | <b>FIGURE: 3.4</b>                                                                    |  |                                                                        |                   |  |                                                                                                           |  |                                   |  |                                 |  |                    |                |                |                   |                    |



### 3.4 Hydrology

A major feature of the Christmas Island geomorphology is the lack of surface drainage. Rainfall mostly infiltrates the land surface and is utilised by plants, contributes to soil water stores or recharges to groundwater. There is therefore no significant surface drainage network except down gradient of springs that arise at the interface between limestone and basalt formations.

Christmas Island's soils are generally highly permeable and there is consequently little runoff or erosion (Hollingsworth, 2003). In the Wet Season when the soils are saturated, runoff can occur during heavy rainfall providing some risk of erosion and sedimentation. However, given the high natural infiltration rates the risk of erosion and sedimentation is generally localised to compacted areas such as roads and stockpile pads. Infiltration tests by Puhlovich et al. (2003) indicate that soil infiltration rates are typically substantially higher than hourly rainfall intensities.

There are three key hydrogeological units on the Island; shallow, residual soils, which overlie fractured, unconfined – semi-confined aquifers within the karstic limestone rocks, which in turn overlie relatively impermeable volcanic basement rocks (Puhlovich et al., 2003). Groundwater levels on the Island are reflected by the location of the unconfined water table within the karst limestone aquifers. Limestone aquifers can be recharged when rainfall permeates through the soil zone into the underlying aquifers or by direct runoff of rainfall into karst features such as dolines and sinkholes that occur across the Island (Puhlovich et al., 2003). Assessments suggest that approximately half of all incident rainfall passes through the soil zone and recharges the underlying limestone aquifers (Hollingsworth, 2003; Falkland, 1999). Groundwater discharge occurs at surface springs such as Hosnie's Spring and offshore springs such as those found at Flying Fish Cove (Puhlovich et al., 2003). The complex behaviour and extent of weathered/fractured rock aquifers on the Island are not well understood.

Perennial (permanent) surface aquatic habitats (freshwater) on Christmas Island are limited to a number of spring-fed streams found along coastal or sloping areas of the Island. Hosnie's Spring and The Dales are both listed as a Wetland of International Importance under the Convention on Wetlands of International Importance, Water Fowl Habitat 1971 (known as the 'Ramsar Convention') and are listed in the Directory of Important Wetlands in Australia. These two sites are approximately 6.3 km and 14.1 km respectively from the Silver City proposal area at closest point. Neither wetland is expected to be impacted due to any potential surface flow from the development area, which is likely to flow away from Hosnie's Spring, and the distance to The Dales.


### 3.5 Regional Vegetation

JBS&G (2025) prepared a *Christmas Island Housing Support Flora, Fauna and Vegetation Assessment*. The report identified that three features of the ecology of the Island's native vegetation are notable (Environment Australia, 2014):

- The occurrence of many of the widespread Indo-Malesian species in habitats that would be considered extremely atypical elsewhere in their natural ranges, and associated with this, the exceptionally large stature of some of these species;
- The low diversity of canopy and sub-canopy species and the lack of structural complexity (e.g. relatively poor development of robust woody vines and rattans, the absence of aroids and of gingers in the understorey) in the Island's rainforests; and
- The very low diversity and lack of speciation amongst plant genera that elsewhere in the region is characteristic of early successional, and frequently disturbed, rainforest environments (e.g. *Macaranga*, *Claoxylon* and *Pipturus*).

In contrast to mainland vegetation, plant species occurring on Christmas Island are not sclerophyllous, have a high moisture content, larger leaves and fewer volatile organic compounds.





|                                       |                                   |                                 |                                      |
|---------------------------------------|-----------------------------------|---------------------------------|--------------------------------------|
| <b>Legend</b>                         |                                   |                                 | <b>Silver City, Christmas Island</b> |
| Structure Plan Boundary               | Job Number: 67277                 | Scale 1:6,000 at A3             | <b>REGIONAL VEGETATION</b>           |
| Clearing Area                         | Client: Shire of Christmas Island | Coord. Sys. GDA2020 MGA Zone 48 |                                      |
| Future Environmental Conservation     | Drawn By: droberts                | Version: Rev A                  | <b>FIGURE 3.5</b>                    |
| JBS&G (2025) Survey Area              | Checked By: RP                    | Date: 10-Feb-2026               |                                      |
| Closed canopy evergreen forest (tall) |                                   |                                 |                                      |



The geology, geomorphology and climate on Christmas Island create the biophysical environment and constraints for the vegetation communities. These factors determine the soil nutrient status, the seasonal availability of moisture and the degree of exposure to wind, which in turn control the distribution, structure and functioning of the natural vegetation (Director of National Parks, 2014a).

Vegetation mapping of the Island was initially undertaken by Mitchell (1985) for the Australian Nature Conservation Agency. This mapping had limited use due to its broad scale and spatial inaccuracy. Flora of Australia Volume 50 (Du Puy, 1993) listed eight vegetation types for the Island.

A vegetation mapping project was undertaken from 2011 to 2014 to attempt to map vegetation with better spatial accuracy, to determine height categories and to apply these consistently across the Island. The process included a Light Detection and Ranging (LiDAR) survey, review of historic aerial photography which captured past clearing, and ground truthing. Additional categories were added to include wetland vegetation and regrowth in cleared areas. The Christmas Island Vegetation and Clearing Map was developed through a collaborative project by Geoscience Australia, Christmas Island Phosphates, Christmas Island National Park and the Commonwealth Department of the Environment (Geoscience Australia, 2014). The map classified the full extent of Christmas Island into vegetation and land cover classes (Table 3.2 and Figure 3-5) though boundaries are not always perfectly geographically accurate. Flora of Australia's vegetation types, which are still referred to in some documents, were recategorized thus:

- 'Primary rainforest' became closed canopy evergreen forest;
- 'Marginal rainforest' became semi-deciduous forest;
- 'Areas with surface water' became perennial wetland forest;
- 'Open forest, scrubby forest and vine forest' and 'inland cliffs' became semi-deciduous scrub;
- 'Coastal fringe' and 'shore cliffs and spray zone' became coastal fringe vegetation; and
- 'Mined areas' became rehabilitation, regrowth and weed dominated veg and pioneer regrowth.

Some 25% of the Island's original vegetation has been cleared for mining and infrastructure (Director of National Parks, 2014a).

**Table 3.2 Vegetation of Christmas Island**

| Level 1                        | Level 2                                           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Closed canopy evergreen forest | Closed canopy evergreen forest (tall or moderate) | Generally found on the plateau and terraces, with a closed uneven canopy up to 40 m in height. Some trees emerge up to 10 m above the canopy. Often supports ferns and orchids, young palms and lilies in the understorey.<br><b>Indicator species:</b> <i>Bolbitis heteroclita</i> , <i>Syzygium nervosum</i> , <i>Hernandia ovigera</i> , <i>Planchonella nitida</i> , <i>Pisonia umbellifera</i> , <i>Corymborkis veratrifolia</i> , <i>Ehretia javanica</i> |
| Semi-deciduous forest          | Semi-deciduous forest                             | Generally found on the slopes and terraces down to the coast - and some plateau areas. Higher occurrence of semi-deciduous trees compared to Closed Canopy Evergreen, which lose a portion of leaves during the dry season. Tree height generally 10-25 m.<br><b>Indicator species:</b> <i>Terminalia</i> , <i>Gyrocarpus</i> , <i>Erythrina variegata</i> , <i>Premna serratifolia</i> , <i>Pisonia grandis</i> , <i>Ochrosia ackeringae</i>                   |
| Semi-deciduous scrub           | Semi-deciduous scrub                              | Found on the terraces, steep slopes and inland cliffs. Semi-deciduous canopy with vines and shrub understorey Tree height generally <10 m.<br><b>Indicator species:</b> <i>Colubrina pedunculata</i> , <i>Canavalia cathartica</i> , <i>Carmona retusa</i> , Cycads                                                                                                                                                                                             |



| Level 1                                 | Level 2                            | Description                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Perennial wetland forest                | <i>Inocarpus fagifer</i> dominant  | Areas of fresh water runoff on the lower terraces dominated by <i>Inocarpus fagifer</i> .<br><b>Indicator species:</b> <i>Inocarpus fagifer</i>                                                                                                                                                                                                                                                                          |
|                                         | <i>Hibiscus tiliaceus</i> dominant | Areas of fresh water runoff on the shore terrace dominated by <i>Hibiscus tiliaceus</i> .<br><b>Indicator species:</b> <i>Hibiscus tiliaceus</i>                                                                                                                                                                                                                                                                         |
|                                         | <i>Bruguiera</i> dominant          | A single patch of vegetation dominated by <i>Bruguiera</i> at Hosnie's Spring. Occurring in an area of fresh water runoff on the shore terrace.<br><b>Indicator species:</b> <i>Bruguiera gymnorhiza</i>                                                                                                                                                                                                                 |
| Coastal fringe vegetation               | Coastal herbland                   | Found between the coastal scrub and coastal cliffs in exposed areas. Class is dominated by low-lying herbs, sedges and grasses.<br><b>Indicator species:</b> <i>Portulaca tuberosa</i> , <i>Ischaemum nativitatis</i> , <i>Oplismenus compositus</i> , <i>Sporobolus virginicus</i>                                                                                                                                      |
|                                         | Coastal shrubland                  | Dense salt-tolerant vegetation growing between the coastal herbland and the terrace cliffs.<br><b>Indicator species:</b> <i>Pandanus christmatensis</i> , <i>Scaevola</i> , <i>Pemphis</i> , <i>Argusia argentea</i> , <i>Cordia cordata</i> , <i>Guettarda</i>                                                                                                                                                          |
| Rehabilitation                          | Rehabilitation                     | Areas where forest rehabilitation has taken place. The standard of forest varies depending on the type of rehabilitation completed, species planted and management regime.<br><b>Indicator species:</b> A mix of up to 30 native tree species when initially planted, dependent on characteristic of the site and year of rehabilitation. <i>Macaranga</i> , <i>Dysoxylum</i> , <i>Calophyllum</i> , <i>Tristiropsis</i> |
| Regrowth                                | Regrowth                           | Generally well-developed regrowth vegetation over 5 m mean tree height. May include some introduced or weed species.<br><b>Indicator species:</b> Various species – dependent on adjacent vegetation                                                                                                                                                                                                                     |
| Weed dominated veg and pioneer regrowth | <i>*Leucaena leucocephala</i>      | Monoculture of <i>*Leucaena leucocephala</i> . Often occurring as regrowth in previously cleared areas.<br><b>Indicator species:</b> <i>*Leucaena leucocephala</i>                                                                                                                                                                                                                                                       |
|                                         | Fern field                         | Expanse of low-lying ferns often growing on limestone pinnacles.<br><b>Indicator species:</b> <i>Nephrolepis biserrata</i> , <i>Microsorium scolopendria</i> , <i>Psilotum nudum</i>                                                                                                                                                                                                                                     |
|                                         | Mixed weed and pioneer regrowth    | Regrowth vegetation with a mean tree height of <5 m. Can vary between native and introduced species depending on the location and time since clearing. Tends to have a higher occurrence of weed species compared to the 'Regrowth' category.<br><b>Indicator species:</b> <i>*Muntingia calabura</i> , <i>*Psidium</i> sp. (guava), <i>*Mimosa</i> , Passionfruit, <i>Macaranga</i>                                     |

Sources: Du Puy, 1993a and Geoscience Australia (2014)

## 3.6 Significant Communities, Flora and Fauna

### 3.6.1 Ecological Communities

There are no Threatened Ecological Communities (TEC's) listed under the EPBC Act or BC Act occurring on Christmas Island.

### 3.6.2 Significant Flora

Three conservation-significant vascular terrestrial flora taxa were identified by PMST searches (DBCA does not maintain records of significant flora on Christmas Island) as potentially occurring within the JBS&G (2025) Survey Area (refer to Figure 2.8 of Appendix 1). The likelihood of these taxa occurring within the JBS&G (2025)



Survey Area was assessed against their habitat preferences and regional distribution. Of the three, two were considered as possibly occurring within the JBS&G (2025) Survey Area (refer to Table 3-3).

**Table 3.3 Significant flora likelihood of occurrence**

| Genus<br>(& Family)                                           | Conservation<br>Status |               | Description                                                                                                                                                                                                                                         | Likelihood of<br>Occurrence                                                                          |
|---------------------------------------------------------------|------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
|                                                               | EPBC<br>Act            | BC Act        |                                                                                                                                                                                                                                                     |                                                                                                      |
| <i>Asplenium listeri</i><br>(Aspleniaceae)                    | CR                     | Not<br>listed | A lithophytic fern with short erect fronds, 3.5–9 cm long, which grow in a crown. Occurs in Limestone rock crevices in dry, exposed areas.                                                                                                          | <b>Possible</b> – preferred habitat occurs within the Survey Area                                    |
| <i>Tectaria devexa</i> var. <i>minor</i><br>(Dryopteridaceae) | EN                     | Not<br>listed | A small, tufted, terrestrial fern with pale green fronds. Occurs in Primary rainforest (tall and largely undisturbed), above 80 metres elevation; both in deeper soils and as a lithophyte (on mossy pinnacles at the base of a slope, a wet site). | <b>Possible</b> – preferred habitat occurs within the Survey Area                                    |
| <i>Pneumatopteris truncata</i><br>(Thelypteridaceae)          | CR                     | Not<br>listed | A large terrestrial fern with an erect rhizome and fronds growing in a crown to 120 cm long. The fronds have aerophores (respiratory structures) at the base of the pinnae. Occurs in permanently moist sites in semi-deciduous closed forest.      | <b>Unlikely</b> – preferred habitat occurs within the Survey Area but known occurrences are distant. |

*Asplenium listeri* is listed as Critically Endangered under the EPBC Act and is endemic to Christmas Island. *Tectaria devexa* var. *minor* is listed as Endangered under the EPBC Act and occurs in Sri Lanka as well as Christmas Island. *Pneumatopteris truncata*, which is listed as Critically Endangered under the EPBC Act, has a fragmented distribution over Asia and Malaysia as well as being known from two sites on Christmas Island.



**Plate 1 *Asplenium listeri*, *Tectaria devexa* var. *minor* and *Pneumatopteris truncata* (from left to right)<sup>1</sup>**

Records of these are maintained by Christmas Island Phosphates and Parks Australia.

<sup>1</sup> Sources: Khaliesha Amin, Butz (2004), <http://www.phytoimages.siu.edu/>





|                                                                                                                                                              |  |                                                                                                                                                |  |                                                                                  |  |                                                                                                                                  |  |                                                                                  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|
| <b>Legend</b><br>Structure Plan Boundary<br>Clearing Area<br>Future Environmental Conservation<br>JBS&G (2025) Survey Area<br>Cadastral boundary (LGATE-002) |  | Significant Flora (Source: Phosphate Resources)<br>Asplenium listeri<br>Tectaria devexa var. minor<br>Roads (LGATE-195)<br>Minor road<br>Track |  | <br>Job Number: 67277<br>Client: Shire of Christmas Island<br>Drawn By: droberts |  | 0 300 metres<br>Scale 1:10,000 at A3<br>Coord. Sys. GDA2020 MGA Zone 48<br>Checked By: RP<br>Version: Rev A<br>Date: 10-Feb-2026 |  | Silver City, Christmas Island<br>DESKTOP SIGNIFICANT FLORA<br><b>FIGURE: 3.6</b> |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|



### 3.6.3 Significant Fauna

JBS&G (2025) identified twenty-nine significant fauna species were listed in the Protected Matters Search Tool as occurring or having potential to occur at Christmas Island. Of these, 12 taxa were marine fauna, including sharks, whales and turtles. These were excluded from the assessment. The remaining 17 taxa and their likelihood of occurrence in the JBS&G (2025) Survey Area are listed in Table 3.4. The taxa most likely to occur in the Survey Area are:

- Christmas Island Goshawk;
- Christmas Island Emerald Dove;
- Christmas Island Hawk Owl;
- Golden Bosunbird;
- Red-tailed Tropicbird;
- Christmas Island Thrush;
- Christmas Island Flying Fox; and
- Christmas Island Giant Gecko.

Eight taxa were considered likely to occur in the JBS&G (2025) Survey Area and a further four were considered to possibly occur in the Survey Area.

Fauna records on the Island are predominantly maintained by Parks Australia, although previous surveys undertaken for Phosphate Resources have also resulted in some records of significant fauna. Known locations of significant fauna species are provided by permission of Phosphate Resources in Figure 3-7.





|                                                                                                                                                                                                                                                                       |                                                                            |                                                                                                                                                                                |                   |                                 |                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------|--------------------------------------------------------------------------|
| <b>Legend</b><br>Structure Plan Boundary<br>Clearing Area<br>Future Environmental Conservation<br>JBS&G (2025) Survey Area<br>Cadastral boundary (LGATE-002)<br>Source: Christmas Island Biodiversity Conservation Plan - DRAFT 2014<br><i>Pteropus natalis</i> roost | <i>Fregata andrewsi</i> colony<br>Roads (LGATE-195)<br>Minor road<br>Track | Source: Range to Reef Environmental - various surveys up to 2018<br><i>Accipiter hiogaster natalis</i> (EN)<br><i>Cyrtodactylus sadleiri</i> (EN)<br><i>Ninox natalis</i> (VU) |                   | 0 500 metres                    | <b>Silver City, Christmas Island</b><br><b>DESKTOP SIGNIFICANT FAUNA</b> |
| Job Number: 67277                                                                                                                                                                                                                                                     |                                                                            |                                                                                                                                                                                |                   | Scale 1:12,000 at A3            | <b>FIGURE: 3.7</b>                                                       |
| Client: Shire of Christmas Island                                                                                                                                                                                                                                     |                                                                            |                                                                                                                                                                                |                   | Coord. Sys. GDA2020 MGA Zone 48 |                                                                          |
| Drawn By: droberts                                                                                                                                                                                                                                                    | Checked By: RP                                                             | Version: Rev A                                                                                                                                                                 | Date: 10-Feb-2026 |                                 |                                                                          |



**Table 3.4 Database search results**

| Scientific Name<br>Common Name                                             | Conservation<br>Status | Habitat                                                                                                                                                                                                                                                                      | Likelihood of Presence                                    |
|----------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <i>BIRDS</i>                                                               |                        |                                                                                                                                                                                                                                                                              |                                                           |
| <i>Accipiter hiogaster natalis</i><br>Christmas Island Goshawk             | EN                     | Endemic to Christmas Island. Nests in forks of forest trees. Widespread but uncommon on the island. Highly mobile species.                                                                                                                                                   | Likely – preferred habitat occurs in the Survey Area      |
| <i>Calidris acuminata</i><br>Sharp-tailed Sandpiper                        | VU/MI                  | Tidal mudflats, saltmarshes, mangroves; shallow fresh, brackish or saline inland wetlands; floodwaters, irrigated pastures and crops; sewage ponds, saltfields.                                                                                                              | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Calidris canutus</i><br>Red Knot, Knot                                  | VU/MI                  | Tidal mudflats, sandflats, beaches, saltmarshes, flooded pastures and ploughed lands.                                                                                                                                                                                        | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Calidris ferruginea</i><br>Curlew Sandpiper                             | CR/MI                  | Tidal mudflats, saltmarsh, saltfields; fresh, brackish or saline wetlands and sewage ponds.                                                                                                                                                                                  | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Chalcophaps indica natalis</i><br>Christmas Island Emerald Dove         | EN                     | Endemic to Christmas Island. Nests in trees, shrubs and vines. Highly mobile species.                                                                                                                                                                                        | Likely – preferred habitat occurs in the Survey Area      |
| <i>Fregata andrewsi</i><br>Christmas Island Frigatebird                    | EN/MI                  | Confined to island cliffs and shore terraces where it breeds in the canopy.                                                                                                                                                                                                  | Possible – preferred habitat occurs in the Survey Area    |
| <i>Ninox natalis</i><br>Christmas Island Hawk-Owl                          | VU                     | Nests in hollows in large, mature trees. Nocturnal.                                                                                                                                                                                                                          | Likely – preferred habitat occurs in the Survey Area      |
| <i>Papasula abbotti</i><br>Abbott's Booby                                  | EN                     | A sea bird, which does not utilise the understory as habitat. The only known extant nesting colony of this species is on Christmas Island. Nest sites for Abbott's booby have been mapped in island wide surveys. Mature, usually emergent, trees are essential for nesting. | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Phaethon lepturus fulvus</i><br>Golden Bosunbird                        | EN                     | Nests in large mature trees and limestone cliffs.                                                                                                                                                                                                                            | Likely – preferred habitat occurs in the Survey Area      |
| <i>Phaethon rubricauda westralis</i><br>Indian Ocean Red-tailed Tropicbird | EN                     | Tropical pelagic waters, rarely near land unless breeding. Large numbers breed on Christmas Island, with nests commonly located on the Island's rocky terraces under shrubs.                                                                                                 | Likely – preferred habitat occurs in the Survey Area      |
| <i>Turdus poliocephalus erythropleurus</i><br>Christmas Island Thrush      | EN                     | Widespread and common species on the Island and is a habitat generalist being prolific in disturbed areas. Little information on breeding                                                                                                                                    | Likely – preferred habitat occurs in the Survey Area      |




| Scientific Name<br>Common Name                                             | Conservation Status | Habitat                                                                                                                                                                                                                                                                   | Likelihood of Presence                                                                                           |
|----------------------------------------------------------------------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
|                                                                            |                     | ecology is available. Highly mobile species.                                                                                                                                                                                                                              |                                                                                                                  |
| <b>MAMMALS</b>                                                             |                     |                                                                                                                                                                                                                                                                           |                                                                                                                  |
| <i>Crocidura trichura</i><br>Christmas Island Shrew                        | CR                  | Considered extinct                                                                                                                                                                                                                                                        | Absent                                                                                                           |
| <i>Pteropus natalis</i><br>Christmas Island Flying-fox                     | CR                  | Endemic to Christmas Island. All recorded roosts have been located on the coastal terrace or around the first land cliff and semi-deciduous forest. Highly mobile and forages through the forest canopy so is unlikely to be impacted by understorey vegetation clearing. | Likely – preferred habitat occurs in the Survey Area                                                             |
| <b>REPTILES</b>                                                            |                     |                                                                                                                                                                                                                                                                           |                                                                                                                  |
| <i>Cryptoblepharus egeriae</i><br>Christmas Island Blue-tailed Skink       | CR                  | Considered extinct in the wild prior to recent releases of captive-bred individuals.                                                                                                                                                                                      | Possible – preferred habitat occurs in the Survey Area but this taxon has only been released in select locations |
| <i>Cyrtodactylus sadleiri</i><br>Christmas Island Giant Gecko              | EN                  | Endemic to Christmas Island. Found in all island habitats, except areas lacking trees and shrubs. Evergreen tall, closed forest is considered critical habitat for this species (Director of National Parks, 2014b).                                                      | Likely – preferred habitat occurs in the Survey Area                                                             |
| <i>Lepidodactylus listeri</i><br>Christmas Island Gecko,<br>Lister's Gecko | CR                  | Considered extinct in the wild.                                                                                                                                                                                                                                           | Absent                                                                                                           |
| <i>Ramphotyphlops exocoeti</i><br>Christmas Island Blind Snake             | VU                  | A cryptic, fossorial species. No specimen has been found since 2009.                                                                                                                                                                                                      | Possible – preferred habitat occurs in the Survey Area                                                           |

### 3.7 Conservation Areas

The Christmas Island National Park, which covers 63% of the Island, is assigned to IUCN reserve category II, most of which is uncleared primary rainforest (Director of National Parks, 2014a) as shown in Figure 3-8.







### 3.8 Contamination

The CS Act defines contamination as having a substance present in land or water above background concentrations that presents a risk of harm to human health or the environment. The act also provides for the identification, recording, management and remediation of contaminated sites. Contamination commonly occurs through accidental leakage and spillage, or poor site management practices.

No contaminated sites are identified on the Contaminated Sites Database for the whole of Christmas Island (DWER, 2025).

### 3.9 Heritage

#### 3.9.1 Indigenous heritage

The AH Act aims to protect Aboriginal heritage by registering Aboriginal sites (places and/or objects) that are of cultural importance to Aboriginal people. Any proposal to use or alter an area of land, for purposes such as research or development, must first determine if Aboriginal sites occur within the proposed area. If an Aboriginal site is found to occur, permission must be sought from the Minister for Aboriginal Affairs before that land can be used or altered in any way.

A search of the Department of Planning, Lands and Heritage – Aboriginal Heritage Places mapping tool found no registered Aboriginal heritage sites within or immediately adjacent to the site.

#### 3.9.2 European heritage

A search of the Commonwealth Heritage Places (sites) identified one Place that will be impacted. Place ID 105187 Christmas Island Natural Areas covers the majority of the island and coastal area out to 500 m.

Council of Western Australia's *InHerit* database identified 88 Places on Christmas Island and no State Registered Places. No State Heritage Places will be impacted by the proposed development.

### 3.10 Landscape Features

Silver City is in the north west corner of the island between the existing Silver City community and the coastal settlement. It is on a gentle slope towards the ocean.

#### 3.11 View Shed

The proposed Silver City development will be difficult to see from either community except where there is direct connection, due to the sloping nature of the site and the tall screening vegetation. Some areas of the development will have views out to the Indian Ocean.



## 4. Potential impacts and proposed management measures

The potential impacts of proposed development within the Structure Plan area have been assessed based on the applicable policy considerations, receiving environment, potential impacts, management measures to be implemented, and the predicted outcomes.

The key direct impact of the Structure Plan is the clearing of 12.70 ha of native vegetation and fauna habitat. Of this, 12.11 ha of Semideciduous forest and scrub has not been previously cleared, 0.59 ha is regrowth native vegetation and the remainder is cleared or weed dominated vegetation (Geoscience Australia, 2014).

**Table 4.1 Structure Plan areas**

| Area                                                                               | Area (ha)    |
|------------------------------------------------------------------------------------|--------------|
| <b>Future Environmental Conservation (14.89 ha)</b>                                |              |
| Semi-deciduous forest and scrub                                                    | 13.75        |
| Regrowth                                                                           | 0.86         |
| Weed dominated vegetation and pioneer regrowth (0.38 ha) and Unvegetated (0.37 ha) | 0.27         |
| <b>Clearing Area (13.44 ha)</b>                                                    |              |
| Semi-deciduous forest and scrub                                                    | 12.11        |
| Regrowth                                                                           | 0.59         |
| Weed dominated vegetation and pioneer regrowth (0.38 ha) and Unvegetated (0.37 ha) | 0.75         |
| <b>Total Structure Plan Area</b>                                                   | <b>28.33</b> |

Based on the findings of the assessment, the following Key Environmental Factors are considered relevant to the proposal:

- Flora and Vegetation; and
- Fauna and Habitat.

### 4.1 Benthic communities and habitats

Due to the extensive forested areas, adjacent to the existing Silver City community and relatively small nature of development, no marine or coastal impacts are expected from this development.

### 4.2 Coastal processes

Due to the extensive forested areas, adjacent to the existing Silver City community and relatively small nature of development and separation distance from the coastline (Figure 4-1), no marine or coastal impacts are expected from this development.

### 4.3 Marine environmental quality

Due to the extensive forested areas, adjacent to the existing Silver City community and relatively small nature of development, no marine or coastal impacts are expected from this development.

### 4.4 Marine fauna

Due to the terrestrial nature of the proposal, and the separation distance from the marine environment (Figure 4-3) no marine or coastal impacts are expected from this development.



## 4.5 Flora and Vegetation

### 4.5.1 Potential impacts

The *Christmas Island Housing Support Flora, Fauna and Vegetation Assessment* (JBS&G, 2025) describes the flora and vegetation of the Survey Area as “generally unremarkable”. Within the JBS&G (2025) Survey Area, 0.48 ha had previously been cleared, and most of the vegetation was in Excellent Condition. An additional area of 1.28 ha was a *Leucaena* thicket that is not considered to have native vegetation values (JBS&G, 2025). The *Leucaena* thicket is not within the Structure Plan area.

No conservation significant flora were identified (noting some limitations to the survey extent).

The proposal has the potential to affect flora and vegetation values through:

- Clearing of vegetation for the establishment of the proposed development, with the resultant permanent loss of vegetation;
- Introduction and spread of weeds due to edge effects and spread of propagules by machinery. Opening the forest up can cause germination from the soil seedbank, with many weed species already having abundant propagules in regrowth forest. Propagules of these can then spread into surrounding forest;
- Edge drying effects caused by microclimate changes. The risk of this is considered minimal as the terrace vegetation is drier than the plateau, as evidenced by the presence of semi-deciduous vegetation; and
- Fragmentation. The risk of increased fragmentation in this location is considered minimal risk, as the proposed site is already cleared and abuts cleared areas.

### 4.5.2 Policy and management objectives

Flora and vegetation on Christmas Island is protected formally and informally by various legislative measures as described in Section 2, which include:

- EPBC Act and Environment Protection and Biodiversity Conservation Regulations 2000;
- BC Act (WA), and Biodiversity Conservation Regulations 2018;
- EP Act (WA) and Clearing Regulations; and
- BAM Act (WA).

### 4.5.3 Proposed Management

The following mitigation and management measures (Table 4.1) have been identified to ensure impacts to flora and vegetation are appropriately managed as development of the site progresses.

**Table 4.2 Management measures for vegetation and flora**

| Parameter                      | Proposed scheme provisions / Management actions                                                                                                                                                                                   | Timing / responsibility                                                                     |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Management of weed infestation | The introduction and/or spread of weeds could potentially impact on the values of the Christmas Island National Park. A Weed Management Plan should be prepared to mitigate the potential risks from weed introduction or spread. | Prior to ground disturbing activities to the satisfaction of the Shire of Christmas Island. |

### 4.5.4 Predicted Environmental Outcomes

Clearing will remove up to 12.7 ha of native vegetation, refer to Figure 4-1 and Figure 4-2. No flora species of conservation significance are known to occur in the proposed clearing area and all species identified within the proposal area are well represented within the Christmas Island National Park.

The Island's rainforest is remarkably resistant to weed invasion (Green, et al., 2004) so minimal impacts are anticipated as a consequence of the proposal, impacting only the immediate edge of surrounding vegetation, with little likelihood of weeds spreading further into the forest or pushing back the edge of the forest.

The clearing of any native vegetation will require a permit under the under the Clearing Regulations (WA). There are no applicable exemptions under the EP Act or the Clearing Regulations that apply to this proposal.





|                                                                                                                                                              |  |                                                                                                                                                     |  |                                   |  |                                 |  |                                  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------|--|---------------------------------|--|----------------------------------|--|
| <b>Legend</b><br>Structure Plan Boundary<br>Clearing Area<br>Future Environmental Conservation<br>JBS&G (2025) Survey Area<br>Cadastral boundary (LGATE-002) |  | <b>Vegetation Unit</b><br>Cleared<br>Garden<br>Leucaena thicket<br>Semi-deciduous Forest/Scrub/Regrowth<br>Roads (LGATE-195)<br>Minor road<br>Track |  |                                   |  |                                 |  | Silver City,<br>Christmas Island |  |
|                                                                                                                                                              |  |                                                                                                                                                     |  | Job Number: 67277                 |  | Scale 1:3,500 at A3             |  | VEGETATION - SILVER CITY         |  |
|                                                                                                                                                              |  |                                                                                                                                                     |  | Client: Shire of Christmas Island |  | Coord. Sys. GDA2020 MGA Zone 48 |  |                                  |  |
|                                                                                                                                                              |  |                                                                                                                                                     |  | Drawn By: droberts                |  | Checked By: RP                  |  | Version: Rev A                   |  |
|                                                                                                                                                              |  |                                                                                                                                                     |  |                                   |  | Date: 10-Feb-2026               |  | <b>FIGURE: 4.1</b>               |  |





|                                   |                     |                                                       |  |                                                        |                |                                                        |                    |                                           |
|-----------------------------------|---------------------|-------------------------------------------------------|--|--------------------------------------------------------|----------------|--------------------------------------------------------|--------------------|-------------------------------------------|
| <b>Legend</b>                     |                     |                                                       |  |                                                        |                | <b>Silver City, Christmas Island</b>                   |                    |                                           |
| Structure Plan Boundary           | Excellent           | <b>Roads (LGATE-195)</b><br>— Minor road<br>--- Track |  | Job Number: 67277<br>Client: Shire of Christmas Island |                | Scale 1:3,500 at A3<br>Coord. Sys. GDA2020 MGA Zone 48 |                    | <b>VEGETATION CONDITION - SILVER CITY</b> |
| Clearing Area                     | Very Good           |                                                       |  |                                                        |                |                                                        |                    |                                           |
| Future Environmental Conservation | Good                | Drawn By: droberts                                    |  | Checked By: RP                                         | Version: Rev A | Date: 10-Feb-2026                                      | <b>FIGURE: 4.2</b> |                                           |
| JBS&G (2025) Survey Area          | Degraded            |                                                       |  |                                                        |                |                                                        |                    |                                           |
| Cadastral boundary (LGATE-002)    | Completely Degraded |                                                       |  |                                                        |                |                                                        |                    |                                           |



## 4.6 Terrestrial Fauna

### 4.6.1 Potential impacts

A fauna survey was undertaken by JBS&G in 2024 and the results are provided in *Christmas Island Housing Support Flora, Fauna and Vegetation Assessment* (JBS&G, 2025). The Protected Matter Search Tool (PMST) identified 29 significant species as potentially occurring on the Island and 8 considered likely to occur. Seven Threatened Fauna species were identified during the survey of which one was located within the JBS&G (2025) Survey Area for Silver City, and 3 fauna habitats occur, refer to Figure 4-3 and Figure 4-4

This project will potentially see the loss of 12.70 ha of “Semi-deciduous Forest / Scrub”, compared to the overall area of Christmas Island (approximately 13,500 ha) of which approximately 8,505 ha is protected within Christmas Island National Park.

### 4.6.2 Policy and management objectives

Fauna on Christmas Island is protected formally and informally by various legislative measures as described in Section 2, which include:

- EPBC Act and Environment Protection and Biodiversity Conservation Regulations 2000;
- BC Act (WA), and Biodiversity Conservation Regulations 2018;
- EP Act (WA) and Clearing Regulations; and
- BAM Act (WA).

The Department of Infrastructure, Transport, Regional Development, Communications, Sport and the Arts (DITRDCA) is preparing a Strategic Assessment for Christmas Island to ensure the impact of development can be avoided, mitigated or offset where necessary (DITRDCA, 2026).





|                                                                                                                                                                                                                                                                                                         |  |                                   |  |                                 |  |                               |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------|--|---------------------------------|--|-------------------------------|--|
| <b>Legend</b><br>Structure Plan Boundary<br>Clearing Area<br>Future Environmental Conservation<br>JBS&G (2025) Survey Area<br>Cadastral boundary (LGATE-002)<br>Roads (LGATE-195)<br>Minor road<br>Track<br>Conservation Significant Fauna<br>Phaethon lepturus fulvus (EN)<br>Fregata andrewsi (EM/MI) |  |                                   |  | 0 100 metres                    |  | Silver City, Christmas Island |  |
|                                                                                                                                                                                                                                                                                                         |  | Job Number: 67277                 |  | Scale 1:3,500 at A3             |  | SIGNIFICANT FAUNA             |  |
|                                                                                                                                                                                                                                                                                                         |  | Client: Shire of Christmas Island |  | Coord. Sys. GDA2020 MGA Zone 48 |  |                               |  |
| Drawn By: droberts                                                                                                                                                                                                                                                                                      |  | Checked By: RP                    |  | Version: Rev A                  |  | Date: 10-Feb-2026             |  |
|                                                                                                                                                                                                                                                                                                         |  |                                   |  |                                 |  | FIGURE: 4.3                   |  |





|                                                                                                                                                                                                                                           |  |                                                                                  |  |                                                                             |  |                                                                                                               |  |                                                                       |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------|--|
| <b>Legend</b><br>Structure Plan Boundary<br>Clearing Area<br>Future Environmental Conservation<br>JBS&G (2025) Survey Area<br>Cadastral boundary (LGATE-002)<br>Fauna Habitat<br>Leucaena thicket<br>Semi-deciduous Forest/Scrub/Regrowth |  | <br>Job Number: 67277<br>Client: Shire of Christmas Island<br>Drawn By: droberts |  | Cleared Roads (LGATE-195)<br>Minor road<br>Track<br>Large fig<br>Large tree |  | 0 100 metres<br>Scale 1:3,500 at A3<br>Coord. Sys. GDA2020 MGA Zone 48<br>Version: Rev A<br>Date: 10-Feb-2026 |  | Silver City, Christmas Island<br>FAUNA HABITATS<br><b>FIGURE: 4.4</b> |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------|--|



### 4.6.3 Proposed Management

The Structure Plan will set aside 14.89 ha of areas zoned Urban Development under LPS2 for a Future Environmental Conservation area to ensure visual amenity is maintained, to act as a buffer to the nearby Christmas Island Frigatebird colony and to increase the size of the Christmas Island National Park.

The following management measures have been identified to ensure potential impacts to terrestrial fauna are appropriately managed as development progresses.

**Table 4.3 Management requirements for terrestrial fauna**

| Parameter         | Proposed scheme provisions / Management actions                                                                                                                                                                                                                                                                                                | Timing / responsibility                                                          |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Fauna             | Preparation of a Fauna Management Plan including the following elements: <ul style="list-style-type: none"> <li>• inductions and pre-start meetings to include fauna management requirements</li> <li>• pre-clearing fauna inspections, as well as trapping and relocation of fauna, if required,</li> <li>• staged fencing of site</li> </ul> | Prior to site works. Developer in consultation with Shire of Christmas Island    |
| Habitat retention | Retention of corridors and culverts to facilitate red-crab movements during their annual migration.                                                                                                                                                                                                                                            | Prior to construction. Developer in consultation with Shire of Christmas Island. |
|                   | Installation of nesting boxes for Golden Bosunbirds within the Structure Plan area.                                                                                                                                                                                                                                                            | Prior to clearing. Developer in consultation with Shire of Christmas Island.     |

### 4.6.4 Predicted Environmental Outcomes

There were 7 EPBC Act Threatened fauna species identified within the JBS&G (2025) Survey Area. This will trigger the need to refer the proposal to DCCEW for consideration of the proposal as a controlled action, under the EPBC Act.

It is anticipated that the implementation of the management measures specified in Table 4.2, the reservation of an area for Future Environmental Conservation which includes an extensive areas of excellent quality, protected vegetation; the potential impact to terrestrial fauna can be managed such that the biological diversity and ecological integrity of the terrestrial fauna assemblage can be maintained.

## 4.7 Landforms

### 4.7.1 Potential impacts

Inappropriate development could potentially impact on the distinctive physical landforms of Christmas Island described in Section 3.3, through the loss of land if excessive bulk earthworks are required during construction or by exposing cleared areas to erosion.

### 4.7.2 Policy and management objectives

The Shire of Christmas Island *Local Planning Strategy* was endorsed in May 2015. The new scheme includes a stated objective “to enhance and diversify the island’s economic base through the provision of land for a range of economic activities,” (Shire of Christmas Island, 2016) which also included urban development and possible new tourism opportunities. Any new proposed development should not compromise long term opportunities across the island.

The EPA environmental objective for the Landform factor is “To maintain the variety and integrity of significant physical landforms so that environmental values are protected.”



### 4.7.3 Proposed Management

The proposed Structure Plan will see significant areas of land incorporated into an environmental conservation reserve to maintain the natural rain forest values of the island with managed drainage and minimal earthworks in accordance with the LPS and consistent with the EPA objective for Landforms.

### 4.7.4 Predicted Environmental Outcomes

The development can be undertaken so that final landforms will be visually consistent with the current undisturbed landforms of the Island in this location, in order to maintain the current integrity of the Christmas Island landforms and associated environmental values.

## 4.8 Terrestrial environmental quality

### 4.8.1 Potential impacts

The key risk to land and soil quality arising from the proposal, in particular land clearing activities, is erosion. Erosion may result in loss of soil through water and/or wind.

### 4.8.2 Policy and management objectives

The Shire of Christmas Island *Local Planning Strategy* was endorsed in May 2015. The LPS has controls to ensure best practice design and construction techniques can be used in development proposals, and will include the requirement for a drainage and stormwater management plan (refer to Table 4.3).

### 4.8.3 Proposed Management

Management conditions to control drainage, footprint delineation, vehicle and pedestrian access, management of streetscapes and Public Open Space areas will be incorporated into the proposal design and can be required via standard subdivision conditions.

### 4.8.4 Predicted Environmental Outcomes

Land clearing and construction activities can be planned and managed to minimise the risk of erosion through stormwater and drainage management and adequate prevention of wind blown soil from cleared area.

## 4.9 Inland Waters

### 4.9.1 Potential impacts

Christmas Island is characterised by a lack of surface water drainage (Puhlovich, et al., 2003). There are no surface water features in the proposed clearing area. The proposed development will not intercept groundwater, and drainage design will be close to source infiltration such that is unlikely to cause changes to groundwater levels or quality.

There are two notable wetlands on the island, Hosnie's Spring on the east coast or The Dales on the west coast. The proposed development does not intersect either of these wetlands.

### 4.9.2 Policy and management objectives

In addition to the legislative protection afforded by the WA EP Act and the Commonwealth EPBC Act, the two wetland features identified above are protected the provisions of the Ramsar Convention and therefore the EPBC Regulations 2000.

### 4.9.3 Proposed Management

These two sites are approximately 6.3 km and 14.1 km respectively from the Silver City proposal area at closest point. Neither wetland is expected to be impacted due to any potential surface flow from the development area as surface flow will be away from Hosnie's Spring and separated by distance to The Dales.



Drainage associated with development at Silver City can be managed through the development and implementation of a Drainage and Stormwater Management Plan.

**Table 4.4 Management requirements for inland waters.**

| Parameter     | Proposed scheme provisions / Management actions                                                                    | Timing / responsibility                                                                               |
|---------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Site drainage | <ul style="list-style-type: none"> <li>Prepare and implement a Drainage and Stormwater Management Plan.</li> </ul> | Prior to finalisation of subdivision design. Developer in consultation with Shire of Christmas Island |

#### 4.9.4 Predicted Environmental Outcomes

The environmental values of the Dales and Hosnie's Spring wetlands will not be impacted by the proposed development.

### 4.10 Subterranean fauna

#### 4.10.1 Potential impacts

Christmas Island has a diverse subterranean environment with freshwater, marine, anchialine and terrestrial habitats. Subterranean animals are found in air-filled (troglifauna) and water-filled (stygoafauna) voids. Christmas Island is host to at least 12 endemic species of cave fauna (Humphreys & Eberhard, 1998). From the mapping work prepared by Humphreys (2014), no on-shore karst features have been identified in the vicinity of the Silver City development proposal with the closest approximately 2 km to the south west.

#### 4.10.2 Policy and management objectives

Fauna on Christmas Island are protected formally and informally by various legislative measures, which are as follows:

- EPBC Act and Regulations (2000); and
- BC Act (WA) and associated Regulations (2018).

A Management Plan for the Christmas Island National Park is currently in development to ensure the protection of the Island's unique natural values.

The EPA's objective for the environmental factor of Subterranean Fauna is "To protect subterranean fauna so that biological diversity and ecological integrity are maintained".

In the context of this objective ecological integrity is the composition, structure, function and processes of ecosystems, and the natural range of variation of these elements.

#### 4.10.3 Proposed Management

Management for the potential impacts from development to the values of the National Park, including subterranean fauna, can be managed through existing Planning and Environmental approval processes, which protect the habitat for subterranean fauna (including groundwater quality):

- Management of drainage;
- Management of potentially polluting activities to prevent contamination of groundwater; and
- Ensuring adequate separation from high value areas of the National Park.

On-going operation and protection of the Park will be detailed in the Christmas Island National Park Management Plan that is currently in development.



#### 4.10.4 Predicted Environmental Outcomes

The implementation of management strategies to prevent loss of habitat through physical loss or contamination of groundwater associated with project activities during construction and operations, will ensure the ongoing protection of subterranean fauna so that their biological diversity and ecological integrity are maintained.

### 4.11 Air quality

#### 4.11.1 Potential impacts

The air quality during construction activities and clearing in particular may be temporarily impacted due to nuisance dust. Dust from unsealed road surfaces, particularly crushed limestone on Christmas Island, have been observed to result in minor dust impacts to vegetation adjacent to the roads.

#### 4.11.2 Policy and management objectives

The EP Act (WA) provides for the consideration and protection of the social surroundings of a proposal, which includes protection of 'amenity'. Noise, odour and dust all have the potential to unreasonably interfere with the health, welfare and convenience and comfort of sensitive receptors.

Amenity of users of the nearby communities should be maintained to an acceptable level during clearing and construction.

#### 4.11.3 Proposed Management

Dust emissions are considered to be temporary in nature and limited to the immediate vicinity of construction and clearing activities.

Nuisance dust can be adequately managed through existing mechanisms available to the Shire such as the requirement for use of water-based dust suppression (e.g. use of a water cart) and prompt complaint resolution process.

#### 4.11.4 Predicted Environmental Outcomes

The maintenance of local amenity and protection of adjacent vegetation can be adequately managed to an acceptable level through standard dust management measures used on construction sites, primarily being water-based dust suppression.

### 4.12 Greenhouse gas emissions

This proposal is not expected to exceed the 100,00 tonnes CO<sub>2</sub>-e of Scope 1 emissions or 100,000 tonnes of CO<sub>2</sub>-e of Scope 2 emissions in any year and is not considered to be a significant factor.

### 4.13 Social surroundings

The key risk to social surroundings at this location:

- Natural or historical heritage – the Christmas Island natural areas is located within the site (that is, the rainforest); up to 12.7 ha will be lost as a result of clearing, with 6.62 ha of this lying within the mapped heritage area;
- Amenity – arising from construction noise and dust (see section 4.11 for air quality). Noise is required to be managed in accordance with the Environment Protection (Noise) Regulations 1997, which may require a Construction Noise Management Plan; and
- Other - Christmas Island is not considered a Bushfire Prone Area. The development will improve human health by moving people away from flood prone areas along the coast.



#### 4.14 Human health

The EPA (WA) guideline for the human health environmental factor provides the specific framework for considering the possible impacts to human health arising from the emission of radiation.

There are no known radiation risks to human health arising from this proposal.



## 5. Conclusion

This Environmental Assessment Report (EAR) has been prepared to support the Local Structure Plan for the Silver City precinct.

All environmental considerations associated with the proposed Structure Plan can be managed in accordance with applicable regulatory and policy requirements subject to the additional management provisions. The management provisions are summarised in Table 5.1 below.

**Table 5.1 Proposed management provisions**

| Parameter                      | Proposed scheme provisions / Management actions                                                                                                                                                                                                                                                                                                   | Timing / responsibility                                                                               |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Management of weed infestation | <ul style="list-style-type: none"> <li>The introduction and/or spread of weeds could potentially impact on the values of the Christmas Island National Park. A Weed Management Plan should be prepared to mitigate the potential risks from weed introduction or spread.</li> </ul>                                                               | Prior to ground disturbing activities to the satisfaction of the Shire of Christmas Island.           |
| Fauna                          | <ul style="list-style-type: none"> <li>Preparation of a Fauna Management Plan including the following elements:</li> <li>inductions and pre-start meetings to include fauna management requirements</li> <li>pre-clearing fauna inspections, as well as trapping and relocation of fauna, if required,</li> <li>staged fencing of site</li> </ul> | Prior to site works. Developer in consultation with Shire of Christmas Island                         |
| Tree retention                 | <ul style="list-style-type: none"> <li>Retention of corridors and culverts to facilitate red-crab movements during their annual migration.</li> </ul>                                                                                                                                                                                             | Prior to construction. Developer in consultation with Shire of Christmas Island.                      |
|                                | <ul style="list-style-type: none"> <li>Installation of nesting boxes for Golden Bosunbirds within the Structure Plan area.</li> </ul>                                                                                                                                                                                                             | Prior to clearing. Developer in consultation with Shire of Christmas Island.                          |
| Site drainage                  | <ul style="list-style-type: none"> <li>Prepare and implement a Drainage and Stormwater Management Plan.</li> </ul>                                                                                                                                                                                                                                | Prior to finalisation of subdivision design. Developer in consultation with Shire of Christmas Island |

The proposed development will require referral to DWER for a permit under the Environmental Protection (Clearing of Native Vegetation) Regulations 2004.

The proposed development will require referral to DCCEEW under the EPBC Act as it has the potential to impact Matters of National Environmental Significance.



## 6. Limitations

### Scope of services

This report (“the report”) has been prepared by JBS&G in accordance with the scope of services set out in the contract, or as otherwise agreed, between the Client and JBS&G. In some circumstances, a range of factors such as time, budget, access and/or site disturbance constraints may have limited the scope of services. This report is strictly limited to the matters stated in it and is not to be read as extending, by implication, to any other matter in connection with the matters addressed in it.

### Reliance on data

In preparing the report, JBS&G has relied upon data and other information provided by the Client and other individuals and organisations, most of which are referred to in the report (“the data”). Except as otherwise expressly stated in the report, JBS&G has not verified the accuracy or completeness of the data. To the extent that the statements, opinions, facts, information, conclusions and/or recommendations in the report (“conclusions”) are based in whole or part on the data, those conclusions are contingent upon the accuracy and completeness of the data. JBS&G has also not attempted to determine whether any material matter has been omitted from the data. JBS&G will not be liable in relation to incorrect conclusions should any data, information or condition be incorrect or have been concealed, withheld, misrepresented or otherwise not fully disclosed to JBS&G. The making of any assumption does not imply that JBS&G has made any enquiry to verify the correctness of that assumption.

The report is based on conditions encountered and information received at the time of preparation of this report or the time that site investigations were carried out. JBS&G disclaims responsibility for any changes that may have occurred after this time. This report and any legal issues arising from it are governed by and construed in accordance with the law as at the date of this report.

### Environmental conclusions

Within the limitations imposed by the scope of services, the preparation of this report has been undertaken and performed in a professional manner, in accordance with generally accepted environmental consulting practices. No other warranty, whether express or implied, is made, including to any third parties, and no liability will be accepted for use or interpretation of this report by any third party.

The advice herein relates only to this project and all results conclusions and recommendations made should be reviewed by a competent person with experience in environmental investigations, before being used for any other purpose.

JBS&G accepts no liability for use or interpretation by any person or body other than the client who commissioned the works. This report should not be reproduced without prior approval by the client, or amended in any way without prior approval by JBS&G or reproduced other than in full, including all attachments as originally provided to the client by JBS&G.



## 7. References

- AIDR. (2020). *Land Use Planning for Disaster Resilient Communities*. Canberra: Australian Institute for Disaster Resilience (AIDR) and Department of Home Affairs.
- BOM. (2024). Climate Data Online. (Station 009225, Perth Metro WA). Bureau of Meteorology (BOM). Retrieved December 2024, 2024, from <http://www.bom.gov.au/climate/data>
- Director of National Parks. (2014a). Christmas Island National Park Management Plan 2014-2024. Canberra: Director of National Parks.
- Director of National Parks. (2014b). *DRAFT Christmas Island Biodiversity Conservation Plan*. Canberra: Department of the Environment.
- DITRDCA. (2026, February 4). *Christmas Island strategic assessment (CISA)*. Retrieved from Department of Infrastructure, Transport, Regional Development, Communications, Sport and the Arts (DITRDCA) : <https://www.infrastructure.gov.au/territories-regions-cities/territories/indian-ocean-territories/christmas-island/strategic-assessment>
- Du Puy, D. (1993). Christmas Island. In A. S. George, A. E. Orchard, H. J. Hewson, & H. S. Thompson (Eds.), *Flora of Australia* (Vol. 50, pp. 1-30). Canberra: Australian Government Publishing Service.
- EPA. (2008). *Environmental Guidance for Planning and Development Guidance Statement No. 33*. Perth: Environmental Protection Authority (EPA).
- EPA. (2016a). *Environmental Factor Guideline - Flora and Vegetation*. Perth: Environmental Protection Authority (EPA).
- EPA. (2016b). *Environmental Factor Guideline - Human Health*. Perth: Environmental Protection Authority (EPA). Retrieved from [https://www.epa.wa.gov.au/sites/default/files/Policies\\_and\\_Guidance/Guideline-Human-Health-131216\\_2.pdf](https://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/Guideline-Human-Health-131216_2.pdf)
- EPA. (2016c). *Environmental Factor Guideline - Terrestrial Environmental Quality*. Perth: Environmental Protection Authority (EPA).
- EPA. (2016d). *Environmental Factor Guideline - Terrestrial Fauna*. Perth: Environmental Protection Authority (EPA).
- EPA. (2016e). *Technical Guidance - Flora and Vegetation Surveys for Environmental Impact Assessment*. Perth: Environmental Protection Authority (EPA).
- EPA. (2018a). *Environmental Factor Guideline - Inland Waters*. Perth: Environmental Protection Authority (EPA). Retrieved from [https://www.epa.wa.gov.au/sites/default/files/Policies\\_and\\_Guidance/Guideline-Inland-Waters-29062018.pdf](https://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/Guideline-Inland-Waters-29062018.pdf)
- EPA. (2018b). *Environmental Factor Guideline - Landforms*. Perth: Environmental Protection Authority (EPA). Retrieved from [https://www.epa.wa.gov.au/sites/default/files/Policies\\_and\\_Guidance/Guideline-Landforms-29062018.pdf](https://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/Guideline-Landforms-29062018.pdf)
- EPA. (2020). *Technical Guidance - Terrestrial vertebrate fauna surveys for environmental impact assessment*. Joondalup: Environmental Protection Authority (EPA).
- EPA. (2021). *Guidance for planning and development: Protection of naturally vegetated areas in urban and peri-urban areas*. Perth: Environmental Protection Authority.
- EPA. (2023). *Environmental Factor Guideline - Social Surroundings*. Perth: Environmental Protection Authority (EPA). Retrieved from [https://www.epa.wa.gov.au/sites/default/files/Policies\\_and\\_Guidance/Environmental%20Factor%20Guideline%20-%20Social%20Surroundings%20%28Nov2023%29.pdf](https://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/Environmental%20Factor%20Guideline%20-%20Social%20Surroundings%20%28Nov2023%29.pdf)
- Falkland, T. (1999). *Groundwater Investigations and Monitoring Report*. Unpublished report prepared for GHD Pty Ltd and Christmas Island Administration by Tony Falkland (trading as ACTEW Corporation Ltd).
- Geoscience Australia. (2003, October 14). 1966 Geology map of Christmas Island. Canberra. Retrieved from <https://catalogue.data.wa.gov.au/dataset/1966-geology-map-of-christmas-island>



- Geoscience Australia. (2014, May). Christmas Island Vegetation and Clearing Map. (May 2014). (P. b. Environment, Compiler) Canberra, Canberra: Geoscience Australia.
- Green, P., Lake, P., & O'Dowd, D. (2004). Resistance of island rainforest to invasion by alien plants: influence of microhabitat and herbivory on seedling performance. *Biological Invasions*(6), 1-9.
- Grimes, K. (2001). Karst features of Christmas Island (Indian Ocean). *Helictite*, 37(2), 41-58.
- Hollingsworth, I. (2003). Soils and geomorphology in relation to proposed new mining leases, Christmas Island, Indian Ocean. In *Draft Environmental Impact Statement for the Proposed Christmas Island Phosphate Mines, Technical Appendices Vol 1* (2005 ed.). Perth: Phosphate Resources Ltd.
- Humphreys, W. (2014). Subterranean fauna of Christmas Island: habitats and salient features. *Raffles Bulletin of Zoology, Supplement No. 30*, 29-44.
- Humphreys, W., & Eberhard, S. (1998). *Assessment of the Ecological Values and Management Options for Cave Use on Christmas Island*. Perth: Unpublished report prepared for Parks Australia North.
- JBS&G. (2025). *Christmas Island Housing Support Flora, Fauna and Vegetation Assessment*. Perth: Unpublished report prepared for Shire of Christmas Island by JBS&G Australia Pty Ltd.
- Mitchell, B. (1985). *A vegetational survey of Christmas Island, Indian Ocean*. Unpublished report prepared for the Australian National Parks and Wildlife Service.
- Puhlovich, A., Jacobsen, N., & Overall, R. (2003). Surface water and groundwater hydrology in relation to proposed new mining leases, Christmas Island, Indian Ocean. In *Draft Environmental Impact Statement for the Proposed Christmas Island Phosphate Mines, Technical Appendices Vol. 1* (2005 ed.). Phosphate Resources Ltd.
- Shire of Christmas Island. (2016, February 17). Local Planning Scheme No. 2 District Zoning Scheme. *Government Gazette, WA*(No. 27 Special), pp. 480-514.
- WAPC. (2003). *Statement of Planning Policy No. 2 - Environment and Natural Resources Policy*. Perth: Western Australian Planning Commission (WAPC).
- WAPC. (2005). *Planning and Development Act 2005* . Western Australian Planning Commission.
- WAPC. (2006). *Statement of Planning Policy No. 3: Urban Growth and Settlement*. Perth: Western Australian Planning Commission (WAPC).
- WAPC. (2025). *Planning for Water Guidelines*. Perth: Western Australian Planning Commission (WAPC).
- WAPC. (2025). *State Planning Policy 2.9: Water*. Perth: Western Australian Planning Commission (WAPC).



## Appendix A    Flora and Vegetation and Fauna Assessment





# Christmas Island Housing Support Flora, Fauna and Vegetation assessment

Shire of Christmas Island

Report

JBS&G 67277 | 164,449

14 May 2025







**We acknowledge the Traditional Custodians of Country throughout Australia and their connections to land, sea and community.**

We pay respect to Elders past and present and in the spirit of reconciliation, we commit to working together for our shared future.

**Caring for Country** The Journey of JBS&G  
**Artist:** Patrick Caruso, Eastern Arrernte





## Table of Contents

|           |                                               |           |
|-----------|-----------------------------------------------|-----------|
| <b>1.</b> | <b>Introduction .....</b>                     | <b>1</b>  |
| 1.1       | Background .....                              | 1         |
| 1.2       | Survey Area .....                             | 1         |
| 1.3       | Scope of Work.....                            | 1         |
| 1.4       | Legislative Context .....                     | 1         |
| 1.4.1     | EPBC Act.....                                 | 2         |
| 1.4.2     | BC Act.....                                   | 2         |
| 1.4.3     | EP Act.....                                   | 2         |
| 1.4.4     | BAM Act .....                                 | 2         |
| <b>2.</b> | <b>Existing Environment.....</b>              | <b>4</b>  |
| 2.1       | Biogeography .....                            | 4         |
| 2.2       | Climate .....                                 | 4         |
| 2.3       | Soils and Landforms .....                     | 4         |
| 2.4       | Hydrology.....                                | 8         |
| 2.5       | Regional Vegetation.....                      | 8         |
| 2.6       | Significant Communities, Flora and Fauna..... | 13        |
| 2.6.1     | Ecological Communities.....                   | 13        |
| 2.6.2     | Significant Flora .....                       | 13        |
| 2.6.3     | Significant Fauna.....                        | 15        |
| 2.7       | Conservation Areas .....                      | 18        |
| <b>3.</b> | <b>Methods .....</b>                          | <b>19</b> |
| 3.1       | Flora and vegetation survey.....              | 19        |
| 3.1.1     | Data collection.....                          | 19        |
| 3.1.2     | Data Analysis and Vegetation Mapping.....     | 22        |
| 3.1.3     | Survey Constraints and Limitations .....      | 22        |
| 3.2       | Fauna survey .....                            | 23        |
| 3.2.1     | Data Collection .....                         | 23        |
| 3.2.2     | Data Analysis and Habitat Mapping .....       | 23        |
| 3.2.3     | Survey Constraints and Limitations .....      | 23        |
| <b>4.</b> | <b>Results .....</b>                          | <b>27</b> |
| 4.1       | Flora and Vegetation.....                     | 27        |
| 4.1.1     | Flora Assemblage.....                         | 27        |
| 4.1.2     | Introduced Taxa.....                          | 27        |
| 4.1.3     | Threatened species.....                       | 27        |



|       |                           |           |
|-------|---------------------------|-----------|
| 4.1.4 | Vegetation .....          | 27        |
| 4.1.5 | Vegetation Condition..... | 29        |
| 4.2   | Fauna.....                | 34        |
| 4.2.1 | Fauna Assemblage .....    | 34        |
| 4.2.2 | Introduced Fauna.....     | 35        |
| 4.2.3 | Significant Fauna.....    | 36        |
| 4.2.4 | Fauna Habitats.....       | 36        |
| 5.    | <b>Discussion .....</b>   | <b>42</b> |
| 5.1   | Flora and Vegetation..... | 42        |
| 5.2   | Fauna.....                | 42        |
| 6.    | <b>Conclusion.....</b>    | <b>44</b> |
| 7.    | <b>Limitations .....</b>  | <b>45</b> |
| 8.    | <b>References .....</b>   | <b>46</b> |

## List of Tables

|           |                                                                                  |    |
|-----------|----------------------------------------------------------------------------------|----|
| Table 2.1 | Geological units within the Survey Area (Geoscience Australia, 2003).....        | 5  |
| Table 2.2 | Vegetation of Christmas Island.....                                              | 9  |
| Table 2.3 | The vegetation in the Survey Area as mapped by Geoscience Australia (2014) ..... | 11 |
| Table 2.4 | Significant flora likelihood of occurrence .....                                 | 13 |
| Table 2.5 | Database search results .....                                                    | 15 |
| Table 3.1 | Vegetation Condition Scale (adapted from Keighery 1994) .....                    | 20 |
| Table 3.2 | Flora and vegetation survey constraints and limitations .....                    | 22 |
| Table 3.3 | Bird census sites.....                                                           | 23 |
| Table 3.4 | Fauna survey constraints and limitations .....                                   | 24 |
| Table 4.1 | Vegetation units present in the Survey Area.....                                 | 28 |
| Table 4.2 | Area of each vegetation unit .....                                               | 29 |
| Table 4.3 | Vegetation condition in the Survey Areas .....                                   | 29 |
| Table 4.4 | Fauna taxa identified during the survey .....                                    | 34 |
| Table 4.5 | Bird census results .....                                                        | 35 |
| Table 4.6 | Fauna habitats .....                                                             | 36 |
| Table 4.7 | Area of fauna habitats .....                                                     | 37 |

## List of Figures

|             |                                                                                                                       |    |
|-------------|-----------------------------------------------------------------------------------------------------------------------|----|
| Figure 1-1  | Survey Area and Regional Location .....                                                                               | 3  |
| Figure 2-1  | Climate data from Christmas Island Aero weather station (200790) .....                                                | 4  |
| Figure 2-2. | Diagrammatic cross-section of Christmas Island .....                                                                  | 5  |
| Figure 2-3  | Topography .....                                                                                                      | 6  |
| Figure 2-4  | Soils and Landforms .....                                                                                             | 7  |
| Figure 2-5  | The seven major secondary (regrowth) structural types occurring on Christmas Island, adapted from Bennett (2010)..... | 11 |
| Figure 2-6  | Geoscience Australia Vegetation Mapping .....                                                                         | 12 |
| Figure 2-7  | Desktop Significant Flora.....                                                                                        | 14 |
| Figure 2-8  | Desktop Significant Fauna .....                                                                                       | 17 |
| Figure 3-1  | Survey Effort.....                                                                                                    | 25 |



|                                       |    |
|---------------------------------------|----|
| Figure 4-1 Vegetation map .....       | 30 |
| Figure 4-2 Vegetation condition ..... | 32 |
| Figure 4-3 Significant Fauna .....    | 38 |
| Figure 4-4 Fauna habitats .....       | 40 |

## List of Plates

|                                                                                                                                          |    |
|------------------------------------------------------------------------------------------------------------------------------------------|----|
| Plate 1 <i>Asplenium listeri</i> , <i>Tectaria devexa</i> var. <i>minor</i> and <i>Pneumatopteris truncata</i> (from left to right)..... | 13 |
|------------------------------------------------------------------------------------------------------------------------------------------|----|

## Appendices

|            |                               |
|------------|-------------------------------|
| Appendix A | Conservation Code Definitions |
| Appendix B | PMST Search                   |
| Appendix C | Flora Species List            |
| Appendix D | Site-Species Matrix (Flora)   |
| Appendix E | Relevé Data                   |



# 1. Introduction

## 1.1 Background

Shire of Christmas Island, through the Australian Government's Housing Support Program Stream 1 have received funds to implement preliminary works to support the development of its Christmas Island Housing Futures Masterplan. The proposed works are to safeguard the future of Christmas Islanders, by providing social housing, affordable housing and alternative housing locations to facilitate the ultimate relocation of the Kampong community, which is currently at risk from sea level rises, cyclonic storm surge induced inundations and landslides/rockfalls caused by heavy monsoon rains. This approach requires the formation of Structure Plans at Phosphate Hill and Silver City as per the requirements of the Western Australian Planning Commission and aligns with the Commonwealth Department of Home Affairs 2020 Land Use Planning for Disaster Resilient Communities.

## 1.2 Survey Area

The Survey Area comprises three land parcels, two in Silver City, totalling 11.32 ha and one on Phosphate Hill totalling 23.65 ha (Figure 1-1). Most of the proposal area is currently zoned Urban Development, with a small portion of the Phosphate Hill area zoned Rural and Crown Reserve under Local Planning Scheme Number 2.

## 1.3 Scope of Work

The scope of work was to undertake a Reconnaissance flora and vegetation survey and a Basic fauna survey within the Survey Area.

## 1.4 Legislative Context

The legislative framework for Christmas Island is complex. The *Christmas Island Act 1958* outlines the governance arrangements for the island. Section 8E of the Act makes provision for all laws of Western Australia and the Commonwealth to apply in Christmas Island. The Minister lists selected Western Australian laws to be excluded or amended in the *Applied Laws (Implementation) Ordinance 1992*. The island is governed under Commonwealth legislation and administered by the Department of Infrastructure, Transport, Regional Development, Communications and the Arts (DITRDCA). Applied Western Australian laws are administered by the relevant Commonwealth Minister, by Commonwealth officers acting under ministerial delegations, or by State officers exercising delegated power and acting pursuant to inter-government service agreements under Section 8h of the Act. The community is represented in the Federal Parliament by the Member for Lingiari in the House of Representatives and the two Senators for the Northern Territory in the Senate with local Government (i.e. Shire of Christmas Island) utilising Western Australia legislation.

Flora and fauna on Christmas Island are protected formally and informally by various legislative measures, which are as follows:

- *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) – Australian Government, and Environment Protection and Biodiversity Conservation Regulations 2000;
- *Biodiversity Conservation Act 2016* (BC Act) – State, and Biodiversity Conservation Regulations 2018;
- *Environmental Protection Act 1986* (EP Act) – State, and Environmental Protection (Clearing of Native Vegetation) Regulations 2004; and
- *Biosecurity and Agriculture Management Act 2007* (BAM Act) – State, and Biosecurity and Agriculture Management (Declared Pest Account) Regulations 2014.

A short description of each legislative measure is given below. Other definitions, including species conservation categories, are provided in Appendix A.



#### 1.4.1 EPBC Act

The EPBC Act aims to protect matters of national environmental significance. Under the EPBC Act, the Commonwealth Department of Climate Change, Energy the Environment and Water (DCCEEW) lists protected species and Threatened Ecological Communities (TECs) by criteria set out in the Act. Species are conservation significant if they are listed as Threatened (i.e. Critically Endangered, Endangered and Vulnerable) or Migratory.

#### 1.4.2 BC Act

The Minister for the Environment lists taxa (flora and fauna) under the provisions of the BC Act as protected and are classified as according to their need for protection. The BC Act makes it an offence to 'take' threatened species without an appropriate licence. There are financial penalties for contravening the BC Act.

#### 1.4.3 EP Act

Threatened flora, fauna (and significant habitat necessary for the maintenance of indigenous fauna) and Threatened Ecological Communities (TECs) are given special consideration in environmental impact assessments and have special status as Environmentally Sensitive Areas (ESAs) under the EP Act and the *Environmental Protection (Clearing of Native Vegetation) Regulations 2004*. Most exemptions for a clearing permit do not apply in an ESA.

##### **Clearing of Native Vegetation**

Clearing of native vegetation on Christmas Island is regulated under provisions in s.51 of the *Environmental Protection Act 1986* (WA) (CI) (EP Act).

#### 1.4.4 BAM Act

The BAM Act provides for management and control of listed organisms, including introduced flora species (weeds). Species listed as declared pests under the BAM Act are classified under three categories:

- C1 Exclusion: Pests assigned under this category are not established in Western Australia, and control measures are to be taken to prevent them entering and establishing in the State;
- C2 Eradication: Pests assigned under this category are present in Western Australia in low enough numbers or in sufficiently limited areas that their eradication is still a possibility; and
- C3 Management: Pests assigned under this category are established in Western Australia, but it is feasible, or desirable, to manage them in order to limit their damage. Control measures can prevent a C3 pest from increasing in population size or density or moving from an area in which it is established into an area that is currently free of that pest.

Under the BAM Act, land managers are required to manage populations of declared pests as outlined under the relevant category.





|                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b> <div><div><div></div><div>Survey Area</div></div><div><div></div><div>Ramsar site</div></div><div><div></div><div>Christmas Island National Park</div></div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div></div> <div><div>Roads (LGATE-195)</div><div><div></div><div>Minor road</div></div><div><div></div><div>Track</div></div></div> | <div><div><div></div><div>JBS&amp;G</div></div><div><div>Job Number: 67277</div><div>Client: Shire of Christmas Island</div><div>Drawn By: bsunderland</div><div>Checked By: RP</div></div></div> <div><div><div>0</div><div>500</div><div>metres</div></div><div><div>Scale 1:15,000 at A3</div><div>Coord. Sys. GDA2020 MGA Zone 48</div></div></div> | <div><div><div>Christmas Island</div><div>SURVEY AREA AND REGIONAL LOCATION</div></div><div><div>FIGURE: 1.1</div></div></div> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|




## 2. Existing Environment

### 2.1 Biogeography

Christmas Island is included in the Interim Biogeographic Regionalisation of Australia (IBRA v. 7) as the Indian Tropical Islands Bioregion (DEE, 2012).

### 2.2 Climate

Christmas Island lies on the southern edge of the inter-tropical convergence zone and the climate is dominated by a low-pressure trough that seasonally circles the equator. The Island has a tropical monsoonal climate with distinct wet and dry seasons and little seasonal variation in temperature. The dry season (May to November) is dominated by low and sporadic rainfall (see Figure 2-1) with consistent south-east trade winds (BOM, 2024). The wet season generally occurs from December to April with the Island receiving most of its rainfall during this period.




**Figure 2-1 Climate data from Christmas Island Aero weather station (200790)**

### 2.3 Soils and Landforms

Christmas Island is one of a series of submarine seamounts that rise above the 5,500 m deep abyssal areas of the West Australian Basin. The topography of the Survey Area is shown in Figure 2-3. At the core of the Island are volcanic rocks, mainly composed of basalt with a layer of limestone generally covering these volcanic rocks (Figure 2-2) which occasionally outcrops, particularly along the present coastline (Grimes, 2001).

The Island is characterised by sea cliffs that rise via a series of terraces to a central plateau (Figure 2-2) which peaks at approximately 361 m above sea level (Grimes, 2001). The shoreline is dominated by cliffs and extensive shore platforms with a few small beaches and Flying Fish Cove, which has a relatively large beach and shallow platform, being the only safe harbour for much of the year. The Island's natural landscape is dominated by karstic surface landforms and cave systems (Grimes, 2001).





**Figure 2-2. Diagrammatic cross-section of Christmas Island<sup>1</sup>**

Terrace areas on the Island reflect the height above sea level in different geologic periods. Renewed vulcanism and a series of geological uplifts at different periods have resulted in a tiered effect. The oldest limestones near the peak of the Island formed during the Eocene period (Grimes, 2001). Most the Island's limestone deposits were formed during the Tertiary (late Oligocene to mid Miocene age), with the youngest limestones deposited on the lowest terrace in the late Quaternary (Grimes, 2001).

The limestone is mixed with dolomite sediments, basalts and tuffs. A layer of phosphate-rich soil material covers the limestone over about half of the Island. Marine sediments and guano deposition have formed the Island's phosphatic soils. A breakdown of the surface geology of the Survey Areas is presented in Table 2.1 and Figure 2-4 (Geoscience Australia, 2003).

The red crab (*Gecarcoidea natalis*) is the principle agent of organic matter turnover and incorporation into the soil, with consequent low levels of leaf litter on the island. Crab activity is a key feature of water and nutrient availability in the subsoil, with burrows also providing a preferred pathway for water drainage into the soil (Hollingsworth, 2003).

The proposed clearing areas range from the island's older terraces to the plateau. These areas contain a combination of exposed limestone and deeper phosphatic soils, with the deepest soils present in the Phosphate Hill area. Geoscience Australia has mapped the Survey Areas as being dominated by limestone pinnacles with varying amounts of soil (Table 2.1).


**Table 2.1 Geological units within the Survey Area (Geoscience Australia, 2003)**

| Geological Unit                                                                                     | Phosphate Hill  | Silver City     | Total           |
|-----------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------|
| Czp: Unconsolidated material – mostly phosphatic soil containing >20% P <sub>2</sub> O <sub>5</sub> | 6.28 ha         |                 | <b>6.28 ha</b>  |
| Tz: Limestone - undifferentiated                                                                    | 2.65 ha         | 4.26 ha         | <b>6.91 ha</b>  |
| Tzp: Pinnacles of limestone with variable amounts of unconsolidated material (Czp)                  | 14.72 ha        | 7.06 ha         | <b>21.78 ha</b> |
| <b>Total</b>                                                                                        | <b>23.65 ha</b> | <b>11.32 ha</b> | <b>34.97 ha</b> |

Christmas island is not included in Western Australian soil-landscape mapping.

<sup>1</sup> Source: Grimes (2001): (Figure shows volcanic core, limestone capping, water flow lines (arrows) and typical cave development. Vertical scale is exaggerated x10).





|                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                       |  |                                              |  |                                              |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|----------------------------------------------|--|----------------------------------------------|--|
| <b>Legend</b><br><div><div><div></div><div>Survey Area</div></div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div><div><div></div><div>Topographic contours in m AHD (DataWA-2011)</div></div><div><div></div><div>Roads (LGATE-195)</div></div><div><div></div><div>Minor road</div></div><div><div></div><div>Track</div></div></div> |  |  |  | <div>0500metres</div> <div><div></div></div> |  | <b>Christmas Island</b><br><b>TOPOGRAPHY</b> |  |
|                                                                                                                                                                                                                                                                                                                                                        |  | Job Number: 67277                                                                     |  | Scale 1:15,000 at A3                         |  |                                              |  |
|                                                                                                                                                                                                                                                                                                                                                        |  | Client: Shire of Christmas Island                                                     |  | Coord. Sys. GDA2020 MGA Zone 48              |  |                                              |  |
| Drawn By: bsunderland                                                                                                                                                                                                                                                                                                                                  |  | Checked By: RP                                                                        |  | Version: Rev A                               |  | Date: 13-May-2025                            |  |
|                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                       |  |                                              |  | <b>FIGURE: 2.3</b>                           |  |







## 2.4 Hydrology

A major feature of the Christmas Island geomorphology is the lack of surface drainage. Rainfall mostly infiltrates the land surface and is utilised by plants, contributes to soil water stores or recharges to groundwater. There is therefore no significant surface drainage network except down gradient of springs that arise at the interface between limestone and basalt formations.

Christmas Island's soils are generally highly permeable and there is consequently little runoff or erosion (Hollingsworth, 2003). In the Wet Season when the soils are saturated, runoff can occur during heavy rainfall providing some risk of erosion and sedimentation. However, given the high natural infiltration rates the risk of erosion and sedimentation is generally localised to compacted areas such as roads and stockpile pads. Infiltration tests by Puhlovich et al. (2003) indicate that soil infiltration rates are typically substantially higher than hourly rainfall intensities.

There are three key hydrogeological units on the Island; shallow, residual soils, which overlie fractured, unconfined – semi-confined aquifers within the karstic limestone rocks, which in turn overlie relatively impermeable volcanic basement rocks (Puhlovich et al., 2003). Groundwater levels on the Island are reflected by the location of the unconfined water table within the karst limestone aquifers. Limestone aquifers can be recharged when rainfall permeates through the soil zone into the underlying aquifers or by direct runoff of rainfall into karst features such as dolines and sinkholes that occur across the Island (Puhlovich et al., 2003). Assessments suggest that approximately half of all incident rainfall passes through the soil zone and recharges the underlying limestone aquifers (Hollingsworth, 2003; Falkland, 1999). Groundwater discharge occurs at surface springs such as Hosnie's Spring and offshore springs such as those found at Flying Fish Cove (Puhlovich et al., 2003). The complex behaviour and extent of weathered/fractured rock aquifers on the Island are not well understood.

Perennial (permanent) surface aquatic habitats (freshwater) on Christmas Island are limited to a number of spring-fed streams found along coastal or sloping areas of the Island. Hosnie's Spring and The Dales are both listed as a Wetland of International Importance under the Convention on Wetlands of International Importance, Water Fowl Habitat 1971 (known as the 'Ramsar Convention') and are listed in the Directory of Important Wetlands in Australia.

## 2.5 Regional Vegetation

Three features of the ecology of the Island's native vegetation are notable (Environment Australia, 2014):

- The occurrence of many of the widespread Indo-Malesian species in habitats that would be considered extremely atypical elsewhere in their natural ranges, and associated with this, the exceptionally large stature of some of these species;
- The low diversity of canopy and sub-canopy species and the lack of structural complexity (e.g. relatively poor development of robust woody vines and rattans, the absence of aroids and of gingers in the understorey) in the Island's rainforests; and
- The very low diversity and lack of speciation amongst plant genera that elsewhere in the region is characteristic of early successional, and frequently disturbed, rainforest environments (e.g. *Macaranga*, *Claoxylon* and *Pipturus*).

In contrast to mainland vegetation, plant species occurring on Christmas Island are not sclerophyllous, have a high moisture content, larger leaves and fewer volatile organic compounds.

The geology, geomorphology and climate on Christmas Island create the biophysical environment and constraints for the vegetation communities. These factors determine the soil nutrient status, the seasonal availability of moisture and the degree of exposure to wind, which in turn control the distribution, structure and functioning of the natural vegetation (Director of National Parks, 2014a).

Vegetation mapping of the Island was initially undertaken by Mitchell (1985) for the Australian Nature Conservation Agency. This mapping had limited use due to its broad scale and spatial inaccuracy. Flora of Australia Volume 50 (Du Puy, 1993a) listed eight vegetation types for the Island.



A vegetation mapping project was undertaken from 2011 to 2014 to attempt to map vegetation with better spatial accuracy, to determine height categories and to apply these consistently across the Island. The process included a Light Detection and Ranging (LiDAR) survey, review of historic aerial photography which captured past clearing, and ground truthing. Additional categories were added to include wetland vegetation and regrowth in cleared areas. The Christmas Island Vegetation and Clearing Map was developed through a collaborative project by Geoscience Australia, Christmas Island Phosphates, Christmas Island National Park and the Commonwealth Department of the Environment (Geoscience Australia, 2014). The map classified the full extent of Christmas Island into vegetation and land cover classes (Figure 2-6 and Table 2.2), though boundaries are not always perfectly geographically accurate. Flora of Australia's vegetation types, which are still referred to in some documents, were recategorized thus:

- 'Primary rainforest' became closed canopy evergreen forest;
- 'Marginal rainforest' became semi-deciduous forest;
- 'Areas with surface water' became perennial wetland forest;
- 'Open forest, scrubby forest and vine forest' and 'inland cliffs' became semi-deciduous scrub;
- 'Coastal fringe' and 'shore cliffs and spray zone' became coastal fringe vegetation; and
- 'Mined areas' became rehabilitation, regrowth and weed dominated veg and pioneer regrowth.

Some 25% of the Island's original vegetation has been cleared for mining and infrastructure (Director of National Parks, 2014a).

**Table 2.2 Vegetation of Christmas Island**

| Level 1                        | Level 2                                           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Closed canopy evergreen forest | Closed canopy evergreen forest (tall or moderate) | Generally found on the plateau and terraces, with a closed uneven canopy up to 40 m in height. Some trees emerge up to 10 m above the canopy. Often supports ferns and orchids, young palms and lilies in the understorey.<br><b>Indicator species:</b> <i>Bolbitis heteroclita</i> , <i>Syzygium nervosum</i> , <i>Hernandia ovigera</i> , <i>Planchonella nitida</i> , <i>Pisonia umbellifera</i> , <i>Corymborkis veratrifolia</i> , <i>Ehretia javanica</i> |
| Semi-deciduous forest          | Semi-deciduous forest                             | Generally found on the slopes and terraces down to the coast - and some plateau areas. Higher occurrence of semi-deciduous trees compared to Closed Canopy Evergreen, which lose a portion of leaves during the dry season. Tree height generally 10-25 m.<br><b>Indicator species:</b> <i>Terminalia</i> , <i>Gyrocarpus</i> , <i>Erythrina variegata</i> , <i>Premna serratifolia</i> , <i>Pisonia grandis</i> , <i>Ochrosia ackeringae</i>                   |
| Semi-deciduous scrub           | Semi-deciduous scrub                              | Found on the terraces, steep slopes and inland cliffs. Semi-deciduous canopy with vines and shrub understorey Tree height generally <10 m.<br><b>Indicator species:</b> <i>Colubrina pedunculata</i> , <i>Canavalia cathartica</i> , <i>Carmona retusa</i> , Cycads                                                                                                                                                                                             |
| Perennial wetland forest       | <i>Inocarpus fagifer</i> dominant                 | Areas of fresh water runoff on the lower terraces dominated by <i>Inocarpus fagifer</i> .<br><b>Indicator species:</b> <i>Inocarpus fagifer</i>                                                                                                                                                                                                                                                                                                                 |
|                                | <i>Hibiscus tiliaceus</i> dominant                | Areas of fresh water runoff on the shore terrace dominated by <i>Hibiscus tiliaceus</i> .<br><b>Indicator species:</b> <i>Hibiscus tiliaceus</i>                                                                                                                                                                                                                                                                                                                |
|                                | <i>Bruguiera</i> dominant                         | A single patch of vegetation dominated by <i>Bruguiera</i> at Hosnie's Spring. Occurring in an area of fresh water runoff on the shore terrace.<br><b>Indicator species:</b> <i>Bruguiera gymnorhiza</i>                                                                                                                                                                                                                                                        |
| Coastal fringe vegetation      | Coastal herbland                                  | Found between the coastal scrub and coastal cliffs in exposed areas. Class is dominated by low-lying herbs, sedges and grasses.<br><b>Indicator species:</b> <i>Portulaca tuberosa</i> , <i>Ischaemum nativitatis</i> , <i>Oplismenus compositus</i> , <i>Sporobolus virginicus</i>                                                                                                                                                                             |



| Level 1                                 | Level 2                         | Description                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                         | Coastal shrubland               | Dense salt-tolerant vegetation growing between the coastal herbland and the terrace cliffs.<br><b>Indicator species:</b> <i>Pandanus christmatensis</i> , <i>Scaevola</i> , <i>Pemphis</i> , <i>Argusia argentea</i> , <i>Cordia cordata</i> , <i>Guettarda</i>                                                                                                                                                          |
| Rehabilitation                          | Rehabilitation                  | Areas where forest rehabilitation has taken place. The standard of forest varies depending on the type of rehabilitation completed, species planted and management regime.<br><b>Indicator species:</b> A mix of up to 30 native tree species when initially planted, dependent on characteristic of the site and year of rehabilitation. <i>Macaranga</i> , <i>Dysoxylum</i> , <i>Calophyllum</i> , <i>Tristiropsis</i> |
| Regrowth                                | Regrowth                        | Generally well-developed regrowth vegetation over 5 m mean tree height. May include some introduced or weed species.<br><b>Indicator species:</b> Various species – dependent on adjacent vegetation                                                                                                                                                                                                                     |
| Weed dominated veg and pioneer regrowth | <i>*Leucaena leucocephala</i>   | Monoculture of <i>*Leucaena leucocephala</i> . Often occurring as regrowth in previously cleared areas.<br><b>Indicator species:</b> <i>*Leucaena leucocephala</i>                                                                                                                                                                                                                                                       |
|                                         | Fern field                      | Expanse of low-lying ferns often growing on limestone pinnacles.<br><b>Indicator species:</b> <i>Nephrolepis biserrata</i> , <i>Microsorium scolopendria</i> , <i>Psilotum nudum</i>                                                                                                                                                                                                                                     |
|                                         | Mixed weed and pioneer regrowth | Regrowth vegetation with a mean tree height of <5 m. Can vary between native and introduced species depending on the location and time since clearing. Tends to have a higher occurrence of weed species compared to the 'Regrowth' category.<br><b>Indicator species:</b> <i>*Muntingia calabura</i> , <i>*Psidium</i> sp. (guava), <i>*Mimosa</i> , Passionfruit, <i>Macaranga</i>                                     |

Sources: Du Puy, 1993a and Geoscience Australia (2014)


There are seven major structural types of secondary vegetation (i.e. vegetation that has established in areas that have been cleared of the original natural forest) on Christmas Island (Figure 2-5). The occurrence of these secondary vegetation types in specific disturbed areas on Christmas Island reflects the influence of four main factors:

- The areal extent and the severity/intensity of the original disturbance (especially whether the soil profile has been disrupted or removed);
- Proximity to the nearest forest boundaries and/or to weed-infested areas;
- The subsequent disturbance or management history of the area (especially the frequency and intensity of further disturbances including fire); and
- The time since the last major disturbance occurred.

Whether or not the soil profile has been removed or disturbed, the proximity to forest and/or to weed infested areas and the occurrence of further disturbance are the major environmental determinants of secondary vegetation type and successional pathways. There are four main successional pathways:

- Arrested successions dominated by ferns;
- Stagnant successions dominated by thickets of exotic shrubs and vines;
- Reconstructive successions dominated by *Macaranga tanarius*; and
- Retrogressive successions leading to fernlands.






**Figure 2-5 The seven major secondary (regrowth) structural types occurring on Christmas Island, adapted from Bennett (2010)**


From the 34.97 ha proposed clearing envelope, 10.83 ha is mapped as previously cleared and the remainder is a combination of Closed canopy evergreen forest and semi-deciduous forest/scrub (Table 2.3). The soil profile is intact for the majority of the Survey Area (Geoscience Australia, 2011).

**Table 2.3 The vegetation in the Survey Area as mapped by Geoscience Australia (2014)**

| Vegetation Type                              | Phosphate Hill (ha) | Silver City (ha) | Total (ha)   | Proportion of Survey Area |
|----------------------------------------------|---------------------|------------------|--------------|---------------------------|
| <b>Remnant native vegetation</b>             |                     |                  |              |                           |
| Closed canopy evergreen forest               | 14.64               | Nil              | 14.64        | 41.85%                    |
| Semi-deciduous forest                        | 0.40                | 4.94             | 5.34         | 15.28%                    |
| Semi-deciduous scrub                         | 0.07                | 4.10             | 4.17         | 11.91%                    |
| <b>Previously cleared</b>                    |                     |                  |              |                           |
| Regrowth                                     | 7.61                | 0.55             | 8.17         | 23.36%                    |
| Weed dominated vegetation & pioneer regrowth | 0.27                | 1.36             | 1.63         | 4.66%                     |
| Not vegetated                                | 0.66                | 0.37             | 1.03         | 2.94%                     |
| <b>Total</b>                                 | <b>23.65</b>        | <b>11.32</b>     | <b>34.97</b> |                           |





|                                                                                                                              |                                                                                                                     |                                                                                                            |                                                                                                           |                                                                                                                    |                                                                                                                                                                                                     |                                                                                            |                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Legend</b>                                                                                                                |                                                                                                                     |                                                                                                            |                      |                                                                                                                    | <br>Scale 1:15,000 at A3  |                                                                                            | <b>Christmas Island</b><br><br><b>GEOSCIENCE AUSTRALIA<br/>VEGETATION MAPPING</b> |
|  Survey Area                               |  Rehabilitation                  |  Fern field             |                                                                                                           |                                                                                                                    |                                                                                                                                                                                                     |                                                                                            |                                                                                   |
|  Closed canopy evergreen forest (tall)     |  Regrowth                        |  Coastal pinnacles/sand |  Coastal shrubland     |  Bare ground                    |  Coastal herbland                                                                                                |  Mining |                                                                                   |
|  Closed canopy evergreen forest (moderate) |  Leaucanea leucocephala dominant |  Residential            |  Semi-deciduous forest |  Mixed weed and pioneer species |  Infrastructure                                                                                                  |                                                                                            | <b>FIGURE: 2.6</b>                                                                |
|  Semi-deciduous scrub                      |                                                                                                                     |                                                                                                            | Job Number: 67277                                                                                         | Client: Shire of Christmas Island                                                                                  |                                                                                                                                                                                                     | Coord. Sys. GDA2020 MGA Zone 48                                                            |                                                                                   |
|                                                                                                                              |                                                                                                                     |                                                                                                            | Drawn By: bsunderland                                                                                     | Checked By: RP                                                                                                     | Version: Rev A                                                                                                                                                                                      | Date: 13-May-2025                                                                          |                                                                                   |



## 2.6 Significant Communities, Flora and Fauna

### 2.6.1 Ecological Communities

There are no Threatened Ecological Communities listed under the EPBC Act or BC Act occurring on Christmas Island.

### 2.6.2 Significant Flora

Three conservation-significant vascular terrestrial flora taxa were identified by PMST searches (DBCA does not maintain records of significant flora on Christmas Island) as potentially occurring within the Survey Area (Table 2.4, Figure 2-7 and Appendix B). The likelihood of these taxa occurring within the Survey Area was assessed against their habitat preferences and regional distribution. Of the three, two were considered as possibly occurring within the Survey Area.

**Table 2.4 Significant flora likelihood of occurrence**

| Genus<br>(& Family)                                           | Conservation<br>Status |               | Description                                                                                                                                                                                                                                         | Likelihood of<br>Occurrence                                                                          |
|---------------------------------------------------------------|------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
|                                                               | EPBC<br>Act            | BC Act        |                                                                                                                                                                                                                                                     |                                                                                                      |
| <i>Asplenium listeri</i><br>(Aspleniaceae)                    | CR                     | Not<br>listed | A lithophytic fern with short erect fronds, 3.5–9 cm long, which grow in a crown. Occurs in Limestone rock crevices in dry, exposed areas.                                                                                                          | <b>Possible</b> – preferred habitat occurs within the Survey Area                                    |
| <i>Tectaria devexa</i> var. <i>minor</i><br>(Dryopteridaceae) | EN                     | Not<br>listed | A small, tufted, terrestrial fern with pale green fronds. Occurs in Primary rainforest (tall and largely undisturbed), above 80 metres elevation; both in deeper soils and as a lithophyte (on mossy pinnacles at the base of a slope, a wet site). | <b>Possible</b> – preferred habitat occurs within the Survey Area                                    |
| <i>Pneumatopteris truncata</i><br>(Thelypteridaceae)          | CR                     | Not<br>listed | A large terrestrial fern with an erect rhizome and fronds growing in a crown to 120 cm long. The fronds have aerophores (respiratory structures) at the base of the pinnae. Occurs in permanently moist sites in semi-deciduous closed forest.      | <b>Unlikely</b> – preferred habitat occurs within the Survey Area but known occurrences are distant. |

*Asplenium listeri* is listed as Critically Endangered under the EPBC Act and is endemic to Christmas Island. *Tectaria devexa* var. *minor* is listed as Endangered under the EPBC Act and occurs in Sri Lanka as well as Christmas Island. *Pneumatopteris truncata*, which is listed as Critically Endangered under the EPBC Act, has a fragmented distribution over Asia and Malaysia as well as being known from two sites on Christmas Island.




**Plate 1 *Asplenium listeri*, *Tectaria devexa* var. *minor* and *Pneumatopteris truncata* (from left to right)<sup>2</sup>**

Records of these are maintained by Christmas Island Phosphates and Parks Australia.

<sup>2</sup> Sources: Khaliesha Amin, Butz (2004), <http://www.phytoimages.siu.edu/>





|                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                                                                                                                                                                                                                                                                                    |  |                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div><div><div></div><div>Survey Area</div></div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div><div><div></div><div>Significant Flora (Source: Phosphate Resources)</div></div><div><div></div><div><i>Asplenium listeri</i></div></div><div><div></div><div><i>Tectaria devexa var. minor</i></div></div></div><div><div><div>Roads (LGATE-195)</div><div><div><div>Minor road</div></div><div>Track</div></div></div></div></div> |  | <div></div> <div><div>Job Number: 67277</div><div>Client: Shire of Christmas Island</div><div>Drawn By: bsunderland</div><div>Checked By: RP</div></div> <div><div>Scale 1:20,000 at A3</div><div>Coord. Sys. GDA2020 MGA Zone 48</div><div>Version: Rev A</div><div>Date: 13-May-2025</div></div> |  | <div><div>Christmas Island</div><div>DESKTOP SIGNIFICANT FLORA</div><div>FIGURE: 2.8</div></div> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------|



### 2.6.3 Significant Fauna

Twenty-nine significant fauna species were listed in the Protected Matters Search Tool as occurring or having potential to occur at Christmas Island. Of these, 12 taxa were marine fauna, including sharks, whales and turtles. These were excluded from the assessment. The remaining 17 taxa and their likelihood of occurrence in the Survey Area are listed in Table 2.5. The taxa most likely to occur in the Survey Area are:

- Christmas Island Goshawk;
- Christmas Island Emerald Dove;
- Christmas Island Hawk Owl;
- Golden Bosunbird;
- Red-tailed Tropicbird;
- Christmas Island Thrush;
- Christmas Island Flying Fox; and
- Christmas Island Giant Gecko.

Eight taxa were considered likely to occur in the Survey Area and a further four were considered to possibly occur in the Survey Area.

Fauna records on the Island are predominantly maintained by Parks Australia, although previous surveys undertaken for Phosphate Resources have also resulted in some records of significant fauna. Known locations of significant fauna species are provided by permission of Phosphate Resources in Figure 2-8.


**Table 2.5 Database search results**

| Scientific Name<br>Common Name                                     | Conservation<br>Status | Habitat                                                                                                                                                         | Likelihood of Presence                                    |
|--------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <i>BIRDS</i>                                                       |                        |                                                                                                                                                                 |                                                           |
| <i>Accipiter hiogaster natalis</i><br>Christmas Island Goshawk     | EN                     | Endemic to Christmas Island. Nests in forks of forest trees. Widespread but uncommon on the island. Highly mobile species.                                      | Likely – preferred habitat occurs in the Survey Area      |
| <i>Calidris acuminata</i><br>Sharp-tailed Sandpiper                | VU/MI                  | Tidal mudflats, saltmarshes, mangroves; shallow fresh, brackish or saline inland wetlands; floodwaters, irrigated pastures and crops; sewage ponds, saltfields. | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Calidris canutus</i><br>Red Knot, Knot                          | VU/MI                  | Tidal mudflats, sandflats, beaches, saltmarshes, flooded pastures and ploughed lands.                                                                           | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Calidris ferruginea</i><br>Curlew Sandpiper                     | CR/MI                  | Tidal mudflats, saltmarsh, saltfields; fresh, brackish or saline wetlands and sewage ponds.                                                                     | Unlikely – no preferred habitat occurs in the Survey Area |
| <i>Chalcophaps indica natalis</i><br>Christmas Island Emerald Dove | EN                     | Endemic to Christmas Island. Nests in trees, shrubs and vines. Highly mobile species.                                                                           | Likely – preferred habitat occurs in the Survey Area      |
| <i>Fregata andrewsi</i><br>Christmas Island Frigatebird            | EN/MI                  | Confined to island cliffs and shore terraces where it breeds in the canopy.                                                                                     | Possible – preferred habitat occurs in the Survey Area    |
| <i>Ninox natalis</i><br>Christmas Island Hawk-Owl                  | VU                     | Nests in hollows in large, mature trees. Nocturnal.                                                                                                             | Likely – preferred habitat occurs in the Survey Area      |



| Scientific Name<br>Common Name                                             | Conservation Status | Habitat                                                                                                                                                                                                                                                                      | Likelihood of Presence                                                                                           |
|----------------------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <i>Papasula abbotti</i><br>Abbott's Booby                                  | EN                  | A sea bird, which does not utilise the understory as habitat. The only known extant nesting colony of this species is on Christmas Island. Nest sites for Abbott's booby have been mapped in island wide surveys. Mature, usually emergent, trees are essential for nesting. | Possible – preferred habitat occurs in the Survey Area                                                           |
| <i>Phaethon lepturus fulvus</i><br>Golden Bosunbird                        | EN                  | Nests in large mature trees and limestone cliffs.                                                                                                                                                                                                                            | Likely – preferred habitat occurs in the Survey Area                                                             |
| <i>Phaethon rubricauda westralis</i><br>Indian Ocean Red-tailed Tropicbird | EN                  | Tropical pelagic waters, rarely near land unless breeding. Large numbers breed on Christmas Island, with nests commonly located on the Island's rocky terraces under shrubs.                                                                                                 | Likely – preferred habitat occurs in the Survey Area                                                             |
| <i>Turdus poliocephalus erythropleurus</i><br>Christmas Island Thrush      | EN                  | Widespread and common species on the Island and is a habitat generalist being prolific in disturbed areas. Little information on breeding ecology is available. Highly mobile species.                                                                                       | Likely – preferred habitat occurs in the Survey Area                                                             |
| <b>MAMMALS</b>                                                             |                     |                                                                                                                                                                                                                                                                              |                                                                                                                  |
| <i>Crocidura trichura</i><br>Christmas Island Shrew                        | CR                  | Considered extinct                                                                                                                                                                                                                                                           | Absent                                                                                                           |
| <i>Pteropus natalis</i><br>Christmas Island Flying-fox                     | CR                  | Endemic to Christmas Island. All recorded roosts have been located on the coastal terrace or around the first land cliff and semi-deciduous forest. Highly mobile and forages through the forest canopy so is unlikely to be impacted by understorey vegetation clearing.    | Likely – preferred habitat occurs in the Survey Area                                                             |
| <b>REPTILES</b>                                                            |                     |                                                                                                                                                                                                                                                                              |                                                                                                                  |
| <i>Cryptoblepharus egeriae</i><br>Christmas Island Blue-tailed Skink       | CR                  | Considered extinct in the wild prior to recent releases of captive-bred individuals.                                                                                                                                                                                         | Possible – preferred habitat occurs in the Survey Area but this taxon has only been released in select locations |
| <i>Cyrtodactylus sadleiri</i><br>Christmas Island Giant Gecko              | EN                  | Endemic to Christmas Island. Found in all island habitats, except areas lacking trees and shrubs. Evergreen tall, closed forest is considered critical habitat for this species (Director of National Parks, 2014b).                                                         | Likely – preferred habitat occurs in the Survey Area                                                             |
| <i>Lepidodactylus listeri</i><br>Christmas Island Gecko, Lister's Gecko    | CR                  | Considered extinct in the wild.                                                                                                                                                                                                                                              | Absent                                                                                                           |
| <i>Ramphotyphlops exocoeti</i><br>Christmas Island Blind Snake             | VU                  | A cryptic, fossorial species. No specimen has been found since 2009.                                                                                                                                                                                                         | Possible – preferred habitat occurs in the Survey Area                                                           |





|                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                      |                                                                                             |                                                                                                                                                  |                                                                                                                                                                               |                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div></div> Survey Area</div> <div><div></div> Cadastral boundary (LGATE-002)</div> <div>Source: Christmas Island Biodiversity Conservation Plan - DRAFT 2014</div> <div><div></div> <i>Pteropus natalis</i></div> <div><div></div> Frigatebird colonies</div> | <div>Source: Range to Reef Environmental - various surveys up to 2018</div> <div><div></div> <i>Accipiter hiogaster natalis</i></div> <div><div></div> <i>Cyrtodactylus sadleiri</i></div> <div><div></div> <i>Ninox natalis</i></div> <div><div></div> <i>Papasula abbotti</i></div> <div><div></div> <i>Pteropus nativus</i></div> | <div>Roads (LGATE-195)</div> <div><div></div> Minor road</div> <div><div></div> Track</div> | <div></div> <div>Job Number: 67277</div> <div>Client: Shire of Christmas Island</div> <div>Drawn By: bsunderland</div> <div>Checked By: RP</div> | <div><div>0500</div><div>metres</div></div> <div>Scale 1:20,000 at A3</div> <div>Coord. Sys. GDA2020 MGA Zone 48</div> <div>Version: Rev A</div> <div>Date: 13-May-2025</div> | <div>Christmas Island</div> <div>DESKTOP SIGNIFICANT FAUNA</div> <div>FIGURE: 2.9</div> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|



## 2.7 Conservation Areas

The Christmas Island National Park, which covers 63% of the Island, is assigned to IUCN reserve category II, most of which is uncleared primary rainforest (Director of National Parks, 2014a) (Figure 1-1).



### 3. Methods

The field assessment of the Survey was conducted by Associate Ecologist Rachael Pratt from JBS&G, and independent Zoologist Jeff Turpin from 11-16 September 2024, with the survey effort shown in .

The survey was conducted in accordance with guidelines provided in *Technical Guidance – Flora and Vegetation Surveys for Environmental Impact Assessment* (EPA, 2016), with some allowances and modifications made to accommodate the unique tropical environment on Christmas Island. This included the use of relevés instead of quadrats, the undertaking of a single season of sampling and the use of a modified vegetation condition scale. The justification behind these changes are outlined below.

#### 3.1 Flora and vegetation survey

##### 3.1.1 Data collection

Christmas Island has been comprehensively surveyed in the past. In the late 1800s, Christmas Island was the subject of one of the world's first baseline environmental surveys, later published as *A monograph of Christmas Island* (Andrews, 1900). Parks Australia North undertakes an island-wide survey on a 300 m grid biennially, and from 2013-2014 Geoscience Australia teamed with Parks Australia North and Phosphate Resources to produce an island-wide vegetation map. In consideration of the survey history, DWER has historically accepted Reconnaissance survey data in combination with Targeted surveys as adequate information for clearing permit applications. There is no established optimum survey season on Christmas Island because the island's flora do not have a peak flowering season. Surveys are instead limited by the red crab migration and the monsoon.

Data was collected from seven relevés, and opportunistically. Indicative site locations were identified prior to commencement of the field survey using aerial photography, topographic maps and existing vegetation maps, to ensure that all broad vegetation types and landforms within the Survey area would be sampled.

At each sample site, data collected included:

- site identifier;
- location, with GPS coordinates and datum;
- sample site type, size and marking method;
- a photograph from the centre of the relevé;
- landform and soil description;
- a vegetation description compatible with the National Vegetation Information System (NVIS Technical Working Group, 2017);
- any other location information that might be useful in vegetation classification including slope, aspect, litter, fire history, vegetation/landform/soil correlations;
- assessment of vegetation condition in accordance with a modified vegetation condition scale adapted for Christmas Island, and description of disturbances; and
- a comprehensive inventory of vascular terrestrial flora and an average height and percentage foliage cover for each taxon.

Any additional flora taxa observed opportunistically around sample sites or while traversing on foot within the Survey Area were recorded.

##### Targeted flora survey

Prior to the field survey, conservation significant flora taxa identified by the desktop assessment as potentially occurring within the Survey Area were reviewed by field staff to ensure familiarity with these taxa. Three species of EPBC Act listed Threatened flora occur on Christmas Island. All three are ferns which do not have a flowering period, so targeted surveys can be undertaken at any time of year.



No targeted flora survey was undertaken during the Survey, in part due to terrain constraints, with large portions of the Survey Area being dangerous to traverse due to extensive pinnacle formations. Instead suitable habitat was identified for pre-clearance surveys if required.

### Flora identification and nomenclature

All plants were identified on site and through photographic records, with reference to *Flora of Australia Volume 50: Oceanic Islands 2* (1993) and *Native Plants of Christmas Island* (Claussen, 2005), due to quarantine requirements and an absence of reference specimens in Western Australia. Nomenclature of the species recorded is in accordance with Western Australian Herbarium (1998-).

### Vegetation condition

Vegetation condition was recorded at all sample sites, and opportunistically within the Survey Area during the field assessment where required. Vegetation condition polygon boundaries were developed using this information in conjunction with aerial photography interpretation and were digitised as for vegetation type mapping polygon boundaries.

Vegetation condition was assessed using an adapted scale developed for Christmas Island's rainforest vegetation, based on condition rating scales developed by Keighery (1994). The adapted scale examines regrowth development, retention of structural features present in undisturbed rainforest, weediness and landform disturbance. The vegetation condition rating scale is provided in Table 3.1.

**Table 3.1 Vegetation Condition Scale (adapted from Keighery 1994)**

| Condition Rating | Keighery (1994)                                                                                                                           | Adapted scale                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pristine         | Pristine or nearly so, no obvious signs of disturbance.                                                                                   | <p>Mature, undisturbed rainforest or very advanced secondary regrowth. Disturbance is limited to cyclone damage. Climax species dominate and full structural complexity is present with epiphytic orchids and ferns, terrestrial orchids and ferns, <i>Pandanus</i>, palms, buttressing and woody lianes.</p>                                                                                             |
| Excellent        | Vegetation structure intact, disturbance affecting individual species and weeds are non-aggressive species.                               | <p>Little to no weed species and a largely intact landform with few signs of disturbance. The vegetation structure is beginning to develop the full complexity and diversity expected in rainforest, with climax species present and a range of features included such as buttressing, palms, ferns, epiphytes and orchids, but the canopy is likely to be more open than in undisturbed rainforest.</p>  |
| Very Good        | Vegetation structure altered obvious signs of disturbance. For example, disturbance to vegetation structure caused by repeated fires, the | <p>Low diversity vegetation with few signs of disturbance or moderately diverse vegetation on a disturbed landform, a canopy dominated by pioneer species, though recruitment of climax species may be evident, an open canopy or poor structural complexity. Few weeds present or weeds are limited to less aggressive species.</p>                                                                                                                                                          |



| Condition Rating    | Keighery (1994)                                                                                                                                                                                                                                                                                                                            | Adapted scale                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | presence of some more aggressive weeds, dieback, logging and grazing.                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Good                | Vegetation structure significantly altered by very obvious signs of multiple disturbances. Retains basic vegetation structure or ability to regenerate. For example, disturbance to vegetation structure caused by very frequent fires, the presence of some very aggressive weeds at high density, partial clearing, dieback and grazing. | <p>Multiple signs of disturbance or with low diversity and no structural complexity. Typically displays little to no recruitment of climax tree species. Numerous weeds present or a dense understorey dominated by one or two native fern species.</p>                                                                                                                                                                                                                                                |
| Degraded            | Basic vegetation structure severely impacted by disturbance. Scope for regeneration but not to a state approaching good condition without intensive management. For example, disturbance to vegetation structure caused by very frequent fires, the presence of very aggressive weeds, partial clearing, dieback and grazing.              | <p>Vegetation at very early successional stages with a canopy of one to two species and an understorey dominated by ferns or weeds, typically adjacent to completely degraded land. May have the potential to develop into better quality vegetation as the canopy develops if weeds are managed.</p>                                                                                                                                                                                                |
| Completely Degraded | The structure of the vegetation is no longer intact and the area is completely or almost completely without native species. These areas are often referred to as parkland cleared with the flora composing weed or crop species with isolated native trees or shrubs.                                                                      | <p>The structures of primary rainforest are no longer present and native species are limited to only a few species, for example, weed dominated shrubland with sparse emergent <i>Macaranga</i> or a near monoculture <i>Nephrolepis biserrata</i> fernland. The landscape may be highly disturbed, often with significantly reduced soil and pinnacles exposed. Predominantly lacking a native canopy and with little to no potential to develop one due to dense groundcover or shallow soil.</p>  |



### 3.1.2 Data Analysis and Vegetation Mapping

#### Vegetation units

Vegetation units were delineated using a combination of sample site data and site observations. Aerial photography interpretation and field notes taken during the survey were then used to develop vegetation mapping polygon boundaries over the Survey Area. These polygon boundaries were then digitised using Geographic Information System (GIS) software.

Vegetation descriptions (through floristic in origin) have been adapted from the National Vegetation Information System (NVIS) Australian Vegetation Attribute Manual Version 7.0 (NVIS Technical Working Group 2017), a system of describing structural vegetation units (based on dominant taxa). This model follows nationally-agreed guidelines to describe and represent vegetation types, so that comparable and consistent data is produced nation-wide.

### 3.1.3 Survey Constraints and Limitations

The flora and vegetation assessment has been evaluated against a range of potential limitations (Table 3.2). Based on this evaluation, the assessment has been subject to minor limitations or constraints that have affected the thoroughness of the assessment and the conclusions reached.

**Table 3.2 Flora and vegetation survey constraints and limitations**

| Potential Limitation                                                                                      | Impact on Assessment       | Comment                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Availability of contextual information at a regional and local scale                                      | <b>Not a constraint</b>    | Contextual information for the site is readily available, and was utilised where necessary during the preparation of this report. This includes review of previous flora survey reports and island wide vegetation mapping.                                                             |
| Proportion of flora Recorded and/or collected, any identification issues                                  | <b>Minor constraint</b>    | The upper canopy on Christmas Island reaches above 40 m and includes vines and epiphytes which cannot be easily identified from the ground. Where possible binoculars are used as an aid to identification of canopy species, and fruits and leaves present on the ground are examined. |
| Was the appropriate area fully surveyed (extent and effort)                                               | <b>Moderate constraint</b> | Parts of the Survey Area, particularly in Silver City could not be safely accessed due to extensive pinnacle formations.                                                                                                                                                                |
| Survey timing, rainfall, season of survey                                                                 | <b>Not a constraint</b>    | In the six months preceding the Survey, Christmas Island received above average rainfall. There is no specific flowering season on Christmas Island.                                                                                                                                    |
| Disturbance that may have affected the results of the survey such as fire, flood or clearing              | <b>Not a constraint</b>    | The Survey Area was not subject to recent disturbances that would impact the outcomes of the survey.                                                                                                                                                                                    |
| Access restrictions within the survey area                                                                | <b>Moderate constraint</b> | Parts of the Survey Area, particularly in Silver City could not be safely accessed due to extensive pinnacle formations.                                                                                                                                                                |
| Competency/experience of the team carrying out the survey, including experience in the bioregion surveyed | <b>Not a constraint</b>    | Survey personnel have the appropriate training in sampling and identifying the flora of the region.                                                                                                                                                                                     |



## 3.2 Fauna survey

### 3.2.1 Data Collection

#### Bird Census

Bird census data was collected at 11 locations over five days, with each location monitored for approximately 20 minutes (Table 3.3).

**Table 3.3 Bird census sites**

| Site | Date      | Time monitored for (Minutes) | Latitude   | Longitude  |
|------|-----------|------------------------------|------------|------------|
| B01  | 9/11/2024 | 20                           | -10.418556 | 105.679762 |
| B02  | 9/11/2024 | 20                           | -10.422961 | 105.677674 |
| B03  | 9/11/2024 | 20                           | -10.419923 | 105.681471 |
| B04  | 9/11/2024 | 20                           | -10.421110 | 105.682071 |
| B05  | 9/11/2024 | 20                           | -10.421110 | 105.682071 |
| B06  | 9/12/2024 | 20                           | -10.437094 | 105.670077 |
| B07  | 9/12/2024 | 20                           | -10.434682 | 105.675713 |
| B08  | 9/12/2024 | 20                           | -10.434807 | 105.68038  |
| B09  | 9/13/2024 | 20                           | -10.436688 | 105.669515 |
| B10  | 9/14/2024 | 20                           | -10.436469 | 105.669498 |
| B11  | 9/16/2024 | 20                           | -10.43681  | 105.669673 |

#### Habitat Trees

Potential habitat trees were recorded opportunistically while traversing the Survey Area. Trees were identified as a habitat tree if they were mature canopy trees over 500 mm diameter at breast height (DBH) or had suitable hollows. Location data was recorded with a Garmin GPS in GDA2020.

#### Spotlighting

Night spotlighting was undertaken on 12 September (Silver City) and 15 September (Phosphate Hill) by Jeff Turpin and Rachael Pratt. Recorded calls of Christmas Island Hawk-Owl were played intermittently during spotlighting. All fauna recorded were marked with a waypoint using a Garmin GPS in GDA2020.

#### Opportunistic Fauna Records

The Survey Area was thoroughly traversed on foot and opportunistic fauna records were captured with a Garmin GPS. For all fauna, the species, quantity and type of observation was noted.

### 3.2.2 Data Analysis and Habitat Mapping

Potential fauna habitat was mapped based on vegetation mapping, soils, terrain, waypoints and notes.

### 3.2.3 Survey Constraints and Limitations


The fauna assessment has been evaluated against a range of potential limitations (Table 3.4). Based on this evaluation, the assessment has been subject to minor limitations or constraints that have affected the thoroughness of the assessment and the conclusions reached.



**Table 3.4 Fauna survey constraints and limitations**

| Potential Limitation                                                                                               | Impact on Assessment | Comment                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Availability of data and information                                                                               | No constraint        | The survey was undertaken on Christmas Island, which has been well surveyed and for which a large volume of contextual information exists.                                                                                               |
| Competency/experience of the survey team, including experience in the bioregion surveyed                           | No constraint        | The survey was undertaken by field staff with adequate experience in the bioregion.                                                                                                                                                      |
| Scope of the survey, e.g. where faunal groups were excluded from the survey                                        | No constraint        | No terrestrial faunal groups were excluded.                                                                                                                                                                                              |
| Timing, weather and season                                                                                         | No constraint        | The survey was undertaken in September 2024 in fine and mild conditions.                                                                                                                                                                 |
| Disturbance that may have affected results, e.g. fire, flood                                                       | No constraint        | No recent disturbances were present which may have affected results.                                                                                                                                                                     |
| The proportion of fauna identified, recorded or collected                                                          | No constraint        | A basic fauna survey focuses primarily on habitats present and desktop information.                                                                                                                                                      |
| Adequacy of the survey intensity and proportion of survey achieved, e.g. the extent to which the area was surveyed | Minor constraint     | The survey intensity was adequate to describe the likely impacts to terrestrial fauna potentially present at the Survey Area, however, there were parts of the Survey Area which were inaccessible due to extensive limestone pinnacles. |
| Access problems                                                                                                    | Minor constraint     | Parts of the Survey Area which were inaccessible due to extensive limestone pinnacles.                                                                                                                                                   |
| Problems with data and analysis, including sampling biases.                                                        | No constraint        | There were no problems with data or analysis.                                                                                                                                                                                            |





|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div><div><div><div></div><div>Survey Area</div></div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div><div><div></div><div>Flora and vegetation</div></div><div><div></div><div>Releve</div></div><div><div></div><div>Traverse</div></div></div><div><div><div><div></div><div>Bird census; Bird Census</div></div><div><div></div><div>Call playback</div></div><div><div></div><div>Terrestrial fauna</div></div><div><div></div><div>Spotlight by vehicle</div></div><div><div></div><div>Traverse</div></div></div><div><div><div><div></div><div>Roads (LGATE-195)</div></div><div><div></div><div>Minor road</div></div><div><div></div><div>Track</div></div></div></div></div></div></div> | <div><div><div><div></div><div>JBS&amp;G</div></div><div><div>Job Number: 67277</div><div>Client: Shire of Christmas Island</div><div>Drawn By: bsunderland</div><div>Checked By: RP</div></div><div><div><div><div></div><div>0</div><div>200</div><div>metres</div></div><div><div></div><div>Scale 1:6,200 at A3</div></div><div><div></div><div>Coord. Sys. GDA2020 MGA Zone 48</div></div><div><div></div><div>Version: Rev A</div><div>Date: 13-May-2025</div></div></div></div></div></div> | <div><div><div><div></div><div>Christmas Island</div></div><div><div><div><div></div><div>SURVEY EFFORT - PHOSPHATE HILL - CLEARING PERMIT AREA</div></div><div><div></div><div>FIGURE: 3.1A</div></div></div></div></div></div> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|





|                                |  |                          |  |                                 |  |                                    |  |
|--------------------------------|--|--------------------------|--|---------------------------------|--|------------------------------------|--|
| <b>Legend</b>                  |  |                          |  |                                 |  | <b>Christmas Island</b>            |  |
| Survey Area                    |  | Vertebrate fauna         |  | Scale 1:3,500 at A3             |  | SURVEY EFFORT -                    |  |
| Cadastral boundary (LGATE-002) |  | Bird census; Bird Census |  | ↑                               |  | SILVER CITY - CLEARING PERMIT AREA |  |
| Flora and vegetation           |  | Call playback            |  | Coord. Sys. GDA2020 MGA Zone 48 |  |                                    |  |
| Releve                         |  | Terrestrial fauna        |  | Drawn By: bsunderland           |  | Version: Rev A                     |  |
| Traverse                       |  | Traverse                 |  | Checked By: RP                  |  | Date: 13-May-2025                  |  |
|                                |  | Roads (LGATE-195)        |  |                                 |  | <b>FIGURE: 3.1B</b>                |  |
|                                |  | Minor road               |  |                                 |  |                                    |  |
|                                |  | Track                    |  |                                 |  |                                    |  |



## 4. Results

### 4.1 Flora and Vegetation

#### 4.1.1 Flora Assemblage

During the survey 54 terrestrial vascular flora species were identified from 53 genera and 37 families, including 14 introduced taxa. The most common families were Fabaceae (four taxa), Euphorbiaceae (four taxa) Malvaceae and Meliaceae (each with three taxa).

#### 4.1.2 Introduced Taxa

Fourteen introduced taxa were found during the Survey:

- *Asystasia gangetica* (Chinese Violet);
- *Carica papaya* (Paw-paw);
- *Clausena excavata* (False Curry Leaf Bush);
- *Varonia curassavica* (Black Sage);
- *Delonix regia* (Poinciana);
- *Euphorbia cyathiflora* (Painted Spurge);
- *Hyptis capitata* (knobweed);
- *Leucaena leucocephala* (White Leadtree/White Popinac/Horse Tamarind);
- *Mikania micrantha* (Mile-a-Minute);
- *Mimosa pudica* (Sensitive Plant);
- *Muntingia calabura* (Jamaica cherry);
- *Musa* sp. (Bananas);
- *Stachytarpheta jamaicensis* (Blue Snakeweed); and
- *Turnera ulmifolia* (Ramgoat Dashalong/Yellow Alder).

*Mimosa pudica* is a Declared Pest plant listed under the BAM Act and *Mikania micrantha* is a Northern Australian Quarantine Strategy watch species. None of the above weeds are weeds of national significance.

#### 4.1.3 Threatened species

No threatened flora taxa were identified in the Survey Areas, however, areas of potentially suitable habitat were identified for both *Asplenium listeri* (limestone cliffs and pinnacles, of which there were many in both Survey Areas) and *Tectaria devexa* (primary rainforest, throughout the Phosphate Hill Survey Area). *Pneumatopteris truncata* has not been recorded near the Survey Areas so although the habitat at Phosphate Hill was suitable, it is highly unlikely to occur in the Survey Areas.

#### 4.1.4 Vegetation

Three vegetation units were identified in the Survey Area, as well as gardens and cleared areas (Table 4.1 and Figure 4-1). One of these, \* *Leucaena leucocephala* thicket was dominated by weed species. Both the closed canopy evergreen forest and the semi-deciduous forest/scrub had areas which had been historically cleared and contained adventitious regrowth (see Figure 2-6) at varying ages and condition (Figure 4-2).

Closed canopy evergreen forest occupied the majority of the Phosphate Hill Survey Area (22.44 ha) and semi-deciduous forest/scrub occupied the majority of the Silver City Survey Area (9.56 ha). The area of each vegetation unit is presented in Table 4.2.



**Table 4.1 Vegetation units present in the Survey Area**

| Vegetation Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Sites                           | Photo                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------------------------------------------------------------|
| <b>Closed canopy evergreen forest/regrowth</b><br>Closed forest of <i>Tristiropsis acutangula</i> , <i>Dysoxylum gaudichaudianum</i> , <i>Barringtonia racemosa</i> and <i>Inocarpus fagifer</i> , with emergent <i>Syzygium nervosum</i> , over an open subcanopy of <i>Arenga listeri</i> and <i>Pandanus elatus</i> , over a sparse groundcover of <i>Corymborkis veratrifolia</i> , <i>Davalia solida</i> and <i>Nephrolepis bisserata</i> , with epiphytic <i>Asplenium nidus</i> , <i>Vittaria elongata</i> , <i>Pyrrosia lanceolata</i> and lianes of <i>Maclura cochinchinensis</i> and <i>Schefflera elliptica</i> at all strata. | R04, R05, R06                   |    |
| <b>Semi-deciduous forest/scrub/regrowth</b><br>Open to closed forest of <i>Celtis timorensis</i> , <i>Tristiropsis acutangula</i> over a subcanopy of <i>Arenga listeri</i> and <i>Ochrosia ackeringae</i> , with numerous other species subdominant, with little to no groundcover, and epiphytic <i>Pyrrosia lanceolata</i> and lianes of <i>Maclura cochinchinensis</i> at all strata.                                                                                                                                                                                                                                                  | R01, R02, R03, R07              |   |
| <b>Leucaena thicket</b><br>Tall closed shrubland of <i>*Leucaena leucocephala</i> with emergent <i>*Delonix regia</i> over low mixed forbs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | No sites (impenetrable thicket) |  |
| <b>Garden</b><br>Planted species over introduced grasses and forbs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                 | No image                                                                             |
| <b>Cleared areas</b><br>Introduced grasses and forbs or hardstand.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                 | No image                                                                             |



**Table 4.2 Area of each vegetation unit**

| Vegetation Type                         | Phosphate Hill | Silver City | Total <sup>3</sup> |
|-----------------------------------------|----------------|-------------|--------------------|
| Closed canopy evergreen forest/regrowth | 22.44 ha       | Nil         | <b>22.44 ha</b>    |
| Semi-deciduous forest/scrub/regrowth    | 0.58 ha        | 9.56 ha     | <b>10.14 ha</b>    |
| Leucaena thicket                        | Nil            | 1.28 ha     | <b>1.28 ha</b>     |
| Garden                                  | Nil            | 0.26 ha     | <b>0.26 ha</b>     |
| Cleared areas                           | 0.63 ha        | 0.22 ha     | <b>0.85 ha</b>     |

#### 4.1.5 Vegetation Condition

The majority of the Survey Area was in Excellent condition, with the Phosphate Hill Survey Area containing 13.25 ha of vegetation in Pristine condition and 9.22 ha of vegetation in Excellent condition, and the Silver City Survey Area containing 6.50 ha of vegetation in Excellent condition, although approximately 40% of the Silver City area was in worse condition (Table 4.3).

**Table 4.3 Vegetation condition in the Survey Areas**

| Condition           | Phosphate Hill | Silver City | Total <sup>4</sup> |
|---------------------|----------------|-------------|--------------------|
| Pristine            | 13.25 ha       | Nil         | <b>13.25 ha</b>    |
| Excellent           | 9.22 ha        | 6.50 ha     | <b>15.72 ha</b>    |
| Very Good           | 0.04 ha        | 1.20 ha     | <b>1.24 ha</b>     |
| Good                | 0.29 ha        | 1.68 ha     | <b>1.97 ha</b>     |
| Degraded            | 0.21 ha        | 0.18 ha     | <b>0.40 ha</b>     |
| Completely Degraded | 0.63 ha        | 1.76 ha     | <b>2.39 ha</b>     |

<sup>3</sup> Note minor discrepancies when tallying columns are an artifact of trivial rounding errors cause by rounding to two decimal places.






|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                          |                                                                                                                                                                                                                       |                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div><div></div><div>Survey Area</div></div><div><div></div><div>Vegetation Unit</div></div><div><div></div><div>Cleared</div></div><div><div></div><div>Closed Canopy Evergreen Forest/<br/>Regrowth</div></div><div><div></div><div>Leucaena thicket</div></div><div><div></div><div>Semi-deciduous Forest/Scrub/Regrowth</div></div></div> <div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div><div><div></div><div>Roads (LGATE-195)</div></div><div><div></div><div>Minor road</div></div><div><div></div><div>Track</div></div></div> | <div></div> <div><div>Job Number: 67277</div><div>Client: Shire of Christmas Island</div><div>Drawn By: bsunderland</div><div>Checked By: RP</div></div> | <div><div><div>0</div><div>200</div><div>metres</div></div><div>Scale 1:6,200 at A3</div><div></div><div>Coord. Sys. GDA2020 MGA Zone 48</div></div> <div><div>Version: Rev A</div><div>Date: 13-May-2025</div></div> | <div><div>Christmas Island</div><div>VEGETATION -<br/>PHOSPHATE HILL - CLEARING PERMIT AREA</div><div>FIGURE: 4.1A</div></div> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|





|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                    |                   |                     |                                   |                                 |                       |                |                |                   |                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------|-----------------------------------|---------------------------------|-----------------------|----------------|----------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div><div></div><div>Survey Area</div></div><div><div></div><div>Vegetation Unit</div></div><div><div></div><div>Cleared</div></div><div><div></div><div>Garden</div></div><div><div></div><div>Leucaena thicket</div></div><div><div></div><div>Semi-deciduous Forest/Scrub/Regrowth</div></div></div> <div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div><div><div></div><div>Roads (LGATE-195)</div></div><div><div></div><div>Minor road</div></div><div><div></div><div>Track</div></div></div> | <div></div> <table><tr><td>Job Number: 67277</td><td>Scale 1:3,500 at A3</td></tr><tr><td>Client: Shire of Christmas Island</td><td>Coord. Sys. GDA2020 MGA Zone 48</td></tr><tr><td>Drawn By: bsunderland</td><td>Checked By: RP</td></tr><tr><td>Version: Rev A</td><td>Date: 13-May-2025</td></tr></table> | Job Number: 67277 | Scale 1:3,500 at A3 | Client: Shire of Christmas Island | Coord. Sys. GDA2020 MGA Zone 48 | Drawn By: bsunderland | Checked By: RP | Version: Rev A | Date: 13-May-2025 | <div><div>0100metres</div><div></div></div> <div><b>Christmas Island</b><br/><br/><b>VEGETATION -<br/>SILVER CITY - CLEARING PERMIT AREA</b><br/><br/><b>FIGURE: 4.1B</b></div> |
| Job Number: 67277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Scale 1:3,500 at A3                                                                                                                                                                                                                                                                                                                                                                                |                   |                     |                                   |                                 |                       |                |                |                   |                                                                                                                                                                                                                                                                      |
| Client: Shire of Christmas Island                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Coord. Sys. GDA2020 MGA Zone 48                                                                                                                                                                                                                                                                                                                                                                    |                   |                     |                                   |                                 |                       |                |                |                   |                                                                                                                                                                                                                                                                      |
| Drawn By: bsunderland                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Checked By: RP                                                                                                                                                                                                                                                                                                                                                                                     |                   |                     |                                   |                                 |                       |                |                |                   |                                                                                                                                                                                                                                                                      |
| Version: Rev A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Date: 13-May-2025                                                                                                                                                                                                                                                                                                                                                                                  |                   |                     |                                   |                                 |                       |                |                |                   |                                                                                                                                                                                                                                                                      |





|                                                                                                                                                                                                                                                                                              |                                                                                                                                                   |                                                                                                                                                  |                                                                                                                                                                                          |                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div></div> Survey Area</div> <div>Vegetation Condition</div> <div><div></div> Pristine</div> <div><div></div> Excellent</div> <div><div></div> Very Good</div> <div><div></div> Good</div> <div><div></div> Degraded</div> <div><div></div> Completely Degraded</div> | <div><div></div> Cadastral boundary (LGATE-002)</div> <div>Roads (LGATE-195)</div> <div><div></div> Minor road</div> <div><div></div> Track</div> | <div></div> <div>Job Number: 67277</div> <div>Client: Shire of Christmas Island</div> <div>Drawn By: bsunderland</div> <div>Checked By: RP</div> | <div><div>0200</div><div>metres</div></div> <div>Scale 1:6,200 at A3</div> <div></div> <div>Coord. Sys. GDA2020 MGA Zone 48</div> <div>Version: Rev A</div> <div>Date: 13-May-2025</div> | <div>Christmas Island</div> <div>VEGETATION CONDITION - PHOSPHATE HILL - CLEARING PERMIT AREA</div> <div>FIGURE: 4.2A</div> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|





|                                                                                                                                                                                                                                                              |                                                                                                                                                   |                                                                                                                                                  |                                                                                                                                                                                                     |                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div></div> Survey Area</div> <div>Vegetation Condition</div> <div><div></div> Excellent</div> <div><div></div> Very Good</div> <div><div></div> Good</div> <div><div></div> Degraded</div> <div><div></div> Completely Degraded</div> | <div><div></div> Cadastral boundary (LGATE-002)</div> <div>Roads (LGATE-195)</div> <div><div></div> Minor road</div> <div><div></div> Track</div> | <div></div> <div>Job Number: 67277</div> <div>Client: Shire of Christmas Island</div> <div>Drawn By: bsunderland</div> <div>Checked By: RP</div> | <div><div>0100</div><div>metres</div></div> <div>Scale 1:3,500 at A3</div> <div><div></div></div> <div>Coord. Sys. GDA2020 MGA Zone 48</div> <div>Version: Rev A</div> <div>Date: 13-May-2025</div> | <div>Christmas Island</div> <div>VEGETATION CONDITION - SILVER CITY - CLEARING PERMIT AREA</div> <div>FIGURE: 4.2B</div> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|



## 4.2 Fauna

### 4.2.1 Fauna Assemblage

During the survey, 15 birds, five invertebrates, three mammals and three reptiles were identified, including eight introduced species (Table 4.4). Numerous additional invertebrates were seen, including spiders and butterflies, but these were not identified as part of this survey. Most of the fauna identified were bird species.

**Table 4.4 Fauna taxa identified during the survey**

| Taxon<br>Common name                                               | EPBC Act     | Phosphate Hill              | Silver City    | Nearby                   |
|--------------------------------------------------------------------|--------------|-----------------------------|----------------|--------------------------|
| <b>BIRD</b>                                                        |              |                             |                |                          |
| <i>Accipiter natalis</i><br>Christmas Island Goshawk               | EN           | +                           |                |                          |
| <i>Chalcophaps indica natalis</i><br>Christmas Island Emerald Dove | EN           | +                           |                |                          |
| <i>Collocalia esculenta natalis</i><br>Christmas Island Swiftlet   | Not listed   | +                           | +              |                          |
| <i>Ducula whartoni</i><br>Christmas Island Imperial Pigeon         | Not listed   | +                           | +              |                          |
| <i>Falco cenchroides</i><br>Nankeen Kestrel                        | (Introduced) |                             | +              |                          |
| <i>Fregata andrewsi</i><br>Christmas Island Frigate Bird           | EN/MI        |                             |                | +<br>(nesting – distant) |
| <i>Fregata minor</i><br>Great Frigate Bird                         | MI           | +<br>(nesting)              |                | +<br>(nesting)           |
| <i>Gallus gallus</i><br>Red Junglefowl                             | (Introduced) | +                           | +              |                          |
| <i>Ninox natalis</i><br>Christmas Island Hawk-Owl                  | VU           | +                           |                |                          |
| <i>Papasula abbotti</i><br>Abbott's Booby                          | EN           |                             |                | +<br>(nesting)           |
| <i>Phaethon lepturus fulvus</i><br>Golden Bosun                    | EN           | +<br>(nesting) <sup>4</sup> | +<br>(nesting) |                          |
| <i>Plegadis falcinellus</i><br>Glossy Ibis                         | MI           |                             |                | +                        |
| <i>Sula sula</i><br>Red-footed Booby                               | MI           |                             |                | +<br>(nesting)           |
| <i>Turdus erythropleurus</i><br>Christmas Island Thrush            | EN           | +                           | +              |                          |
| <i>Zosterops natalis</i><br>Christmas Island White-eye             | Not listed   | +                           | +              |                          |
| <b>INVERTEBRATE</b>                                                |              |                             |                |                          |
| <i>Birgus latro</i><br>Robber Crab                                 | Not listed   | +                           |                |                          |

<sup>4</sup> Golden bosuns were nesting in a nest box installed within the broader Structure Plan area.



| Taxon<br>Common name                                          | EPBC Act     | Phosphate Hill | Silver City | Nearby |
|---------------------------------------------------------------|--------------|----------------|-------------|--------|
| <i>Gecarcoidea natalis</i><br>Christmas Island Red Crab       | Not listed   | +              | +           |        |
| <i>Gecarcoidea humei</i><br>Purple Crab                       | Not listed   | +              |             |        |
| <i>Lissachatina fulica</i><br>Giant African Snail             | (Introduced) | +              | +           |        |
| <i>Scolopendra subspinipes</i><br>(Giant Centipede)           | (Introduced) | +              |             |        |
| <b>MAMMAL</b>                                                 |              |                |             |        |
| <i>Felis catus</i><br>Domestic rat                            | (Introduced) |                |             |        |
| <i>Pteropus natalis</i><br>Christmas Island Flying-fox        | CR           | +              |             |        |
| <i>Rattus rattus</i><br>Common rat                            | (Introduced) | +              | +           |        |
| <b>REPTILE</b>                                                |              |                |             |        |
| <i>Cyrtodactylus sadleiri</i><br>Christmas Island Giant Gecko | EN           | +              |             |        |
| <i>Hemidactylus frenatus</i><br>Asian House Gecko             | (Introduced) | +              | +           |        |
| <i>Lycodon capucinus</i><br>Wolf Snake                        | (Introduced) | +              |             |        |

**Table 4.5 Bird census results**

| Species                    | Sites |    |    |    |    |    |    |    |    |     |     |
|----------------------------|-------|----|----|----|----|----|----|----|----|-----|-----|
|                            | B1    | B2 | B3 | B4 | B5 | B6 | B7 | B8 | B9 | B10 | B11 |
| Christmas Island White-eye | 0     | 0  | 8  | 24 | 8  | 14 | 9  | 26 | 18 | 20  | 16  |
| CI Thrush                  | 8     | 0  | 3  | 9  | 6  | 6  | 4  | 6  | 5  | 8   | 6   |
| CI Pigeon                  | 6     | 3  | 4  | 2  | 4  | 5  | 9  | 12 | 11 | 9   | 0   |
| CI Swiftlet                | 2     | 1  | 0  | 0  | 0  | 2  | 0  | 0  | 0  | 1   | 0   |
| Golden Bosun               | 2     | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 1   | 1   |
| Red Junglefowl             | 0     | 2  | 0  | 2  | 4  | 0  | 0  | 0  | 0  | 3   | 4   |
| Nankeen Kestrel            | 0     | 0  | 2  | 0  | 0  | 0  | 0  | 0  | 0  | 0   | 0   |
| Emerald Dove               | 0     | 0  | 0  | 0  | 16 | 1  | 1  | 1  | 2  | 0   | 0   |

#### 4.2.2 Introduced Fauna

Seven introduced fauna species were identified in the Survey Areas:

- Domestic cat;
- Giant African Snail;
- Giant Centipede.
- Nankeen Kestrel;
- Rats;
- Red Jungle Fowl; and



- Wolf Snake.

All are common on the Island, although there is a cat eradication program underway.

### 4.2.3 Significant Fauna

Seven threatened fauna species listed under the EPBC Act were identified in the Survey Areas (Table 4.4 and Figure 4-3):

- Christmas Island Giant Gecko (Endangered)
- Christmas Island Flying Fox (Critically Endangered)
- Christmas Island Goshawk (Endangered)
- Christmas Island Emerald Dove (Endangered)
- Christmas Island Hawk-Owl (Vulnerable)
- Golden Bosun (Endangered)
- Christmas Island Thrush (Endangered)

Additional threatened bird species and species listed as Migratory under the EPBC Act were identified nearby (Table 4.4 and Figure 4-3).

### 4.2.4 Fauna Habitats

Four fauna habitats were identified in the Survey Area (Table 4.6 and Figure 4-4). The majority of the Phosphate Hill Survey Area (94.9%) was Closed Canopy Evergreen Forest/Regrowth (22.44 ha) and 84.5% of the Silver City Survey Area was Semi-deciduous Forest/Scrub/Regrowth (9.56 ha).

**Table 4.6 Fauna habitats**

| Habitat                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Sites                                                       | Photo                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Closed Canopy Evergreen Forest/Regrowth</b><br>Habitat features: deep phosphatic sands with minor limestone outcropping and rocks. Large trees, often emergent. Sparse understory. Limited leaf-litter due to Red Crab foraging. Many small Red Crab burrows. Tree hollows and loose bark. Epiphytic ferns provide arboreal habitat. Pandanus groves provide shelter for Robber Crabs. Water pools collect in Pandanus fronds. Fallen fruit abundant. | B06, B07, B10, B11 (B05, B08, B09, CPB3, CPB2 just outside) |  |



| Habitat                                                                                                                                                                                                                                                                                                                            | Sites                                       | Photo                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Semi-deciduous Forest/Scrub/Regrowth</b><br>Habitat features: shallow phosphatic sands with significant limestone outcropping and rocks. Rock crevices abundant. Semi-deciduous trees suitable for sea bird nesting. Sparse understory. Limited leaf-litter due to Red Crab foraging. Some Red Crab burrows. Some fallen fruit. | B04, B12, B13 (B01, B03, CPB1 just outside) |   |
| <b>Leucaena thicket</b><br>Compact, shallow, gravelly soils. No large trees. Dense, leguminous vegetation. Deciduous Poinciana may provide sea bird nesting habitat. Few fallen fruit. Few red crab burrows.                                                                                                                       | (B02 just outside)                          |  |
| Cleared<br>Few habitat features. Forbs may provide butterfly and other invertebrates with habitat.                                                                                                                                                                                                                                 | No sites                                    | No image                                                                            |

**Table 4.7 Area of fauna habitats**

| Fauna Habitat                           | Phosphate Hill  | Silver City     | Total           |
|-----------------------------------------|-----------------|-----------------|-----------------|
| Closed Canopy Evergreen Forest/Regrowth | 22.44 ha        | Nil             | <b>22.44 ha</b> |
| Semi-deciduous Forest/Scrub/Regrowth    | 0.58 ha         | 9.56 ha         | <b>10.14 ha</b> |
| Leucaena thicket                        | Nil             | 1.28 ha         | <b>1.28 ha</b>  |
| Cleared                                 | 0.63 ha         | 0.48 ha         | <b>1.11 ha</b>  |
| <b>Total</b>                            | <b>23.65 ha</b> | <b>11.32 ha</b> | <b>34.97 ha</b> |





|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                             |                                                                                                                                                  |                                                                                                                                                                              |                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div></div> Survey Area</div> <div><div></div> Cadastral boundary (LGATE-002)</div> <div>Conservation Significant Fauna</div> <div><div></div> EN, <i>Accipiter natalis</i></div> <div><div></div> EN, <i>Chalcophaps indica natalis</i></div> <div><div></div> EN, <i>Cyrtodactylus sadleiri</i></div> <div><div></div> EN, <i>Papasula abbotti</i></div> <div><div></div> EN, <i>Phaethon lepturus fulvus</i></div> <div><div></div> EN, <i>Plegadis falcinellus</i></div> <div><div></div> EN, <i>Turdus erythropleurus</i></div> <div><div></div> VU, <i>Ninox natalis</i></div> <div><div></div> VU, <i>Papasula abbotti</i></div> | <div>Roads (LGATE-195)</div> <div><div></div> Minor road</div> <div><div></div> Track</div> | <div></div> <div>Job Number: 67277</div> <div>Client: Shire of Christmas Island</div> <div>Drawn By: bsunderland</div> <div>Checked By: RP</div> | <div><div>0200</div><div>metres</div></div> <div>Scale 1:6,200 at A3</div> <div>Coord. Sys. GDA2020 MGA Zone 48</div> <div>Version: Rev A</div> <div>Date: 13-May-2025</div> | <div>Christmas Island</div> <div>SIGNIFICANT FAUNA -<br/>PHOSPHATE HILL - CLEARING PERMIT AREA</div> <div>FIGURE: 4.3A</div> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|





|                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                  |                                                                                                                                                                              |                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div></div> Survey Area</div> <div><div></div> Cadastral boundary (LGATE-002)</div> <div>Conservation Significant Fauna</div> <div><div></div> EN, <i>Phaethon lepturus fulvus</i></div> <div><div></div> EN/MI, <i>Fregata andrewsi</i></div> <div><div></div> MI, <i>Hemidactylus frenatus</i></div> <div>Roads (LGATE-195)</div> <div><div></div> Minor road</div> <div><div></div> Track</div> | <div></div> <div>Job Number: 67277</div> <div>Client: Shire of Christmas Island</div> <div>Drawn By: bsunderland</div> <div>Checked By: RP</div> | <div><div>0100</div><div>metres</div></div> <div>Scale 1:3,500 at A3</div> <div>Coord. Sys. GDA2020 MGA Zone 48</div> <div>Version: Rev A</div> <div>Date: 13-May-2025</div> | <div>Christmas Island</div> <div>SIGNIFICANT FAUNA - SILVER CITY - CLEARING PERMIT AREA</div> <div>FIGURE: 4.3B</div> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|





|                                                                                                                                                                                                                                                                                                                                      |                                                                                                                               |                                                                                                                                                  |                                                                                                                                                                                                     |                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Legend</b><br><div><div></div> Survey Area</div> <div>Fauna Habitat</div> <div><div></div> Closed Canopy Evergreen Forest/Regrowth</div> <div><div></div> Leucaena thicket</div> <div><div></div> Semi-deciduous Forest/Scrub/Regrowth</div> <div><div></div> Cleared</div> <div><div></div> Cadastral boundary (LGATE-002)</div> | <div><div></div> Large tree</div> <div>Roads (LGATE-195)</div> <div><div></div> Minor road</div> <div><div></div> Track</div> | <div></div> <div>Job Number: 67277</div> <div>Client: Shire of Christmas Island</div> <div>Drawn By: bsunderland</div> <div>Checked By: RP</div> | <div><div>0200</div><div>metres</div></div> <div>Scale 1:6,200 at A3</div> <div><div></div></div> <div>Coord. Sys. GDA2020 MGA Zone 48</div> <div>Version: Rev A</div> <div>Date: 13-May-2025</div> | <div>Christmas Island</div> <div>FAUNA HABITATS - PHOSPHATE HILL - CLEARING PERMIT AREA</div> <div>FIGURE: 4.4A</div> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|





|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                                   |  |                                                                             |  |                                                                                       |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------|--|-----------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|
| <b>Legend</b><br><div><div><div></div><div>Survey Area</div></div><div><div></div><div>Fauna Habitat</div></div><div><div></div><div>Leucaena thicket</div></div><div><div></div><div>Semi-deciduous Forest/Scrub/Regrowth</div></div><div><div></div><div>Cleared</div></div><div><div></div><div>Cadastral boundary (LGATE-002)</div></div></div> <div><div><div></div><div>Large fig</div></div><div><div></div><div>Large tree</div></div><div><div></div><div>Roads (LGATE-195)</div></div><div><div></div><div>Minor road</div></div><div><div></div><div>Track</div></div></div> |  |                                   |  | <div>0100metres</div> <div>Scale 1:3,500 at A3</div> <div><div></div></div> |  | <b>Christmas Island</b><br><b>FAUNA HABITATS - SILVER CITY - CLEARING PERMIT AREA</b> |  |
| Job Number: 67277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | Client: Shire of Christmas Island |  | Coord. Sys. GDA2020 MGA Zone 48                                             |  | <b>FIGURE: 4.4B</b>                                                                   |  |
| Drawn By: bsunderland                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | Checked By: RP                    |  | Version: Rev A                                                              |  |                                                                                       |  |



## 5. Discussion

### 5.1 Flora and Vegetation

The flora and vegetation of the Survey Areas were generally unremarkable, being reasonably consistent with vegetation mapped by Geoscience Australia (2014). From the 34.97 ha proposed clearing envelope, 10.83 ha (30.96%) has been previously cleared and the remainder was a combination of closed canopy evergreen forest and semi-deciduous forest/scrub. Most of the vegetation in the Survey Areas was in Excellent to Pristine condition. The Silver City Survey Area contained one block of Completely Degraded vegetation which would be highly suited to development. Other areas in Silver City were somewhat degraded by their proximity to housing, with gardens encroaching and numerous dilapidated structures such as chicken pens, and copious trash.

No conservation significant flora taxa were identified, however, these cannot be ruled out since a targeted flora survey was not a component of the survey. Large sections of the Survey Areas, particularly in Silver City contained dense areas of sharp limestone pinnacles which are hazardous to traverse. These areas could not be safely accessed but may provide habitat for the threatened fern *Asplenium listeri*, which prefers such locations.

Two significant weed species were identified during the Survey, *Mikania micrantha*, which is a NAQS watch species and *Mimosa pudica*, which is a Declared Pest plant under the BAM Act (WA).

### 5.2 Fauna

The Survey Areas contained four fauna habitats. Of these, the two most valuable to fauna were:

- **Closed Canopy Evergreen Forest/Regrowth**  
Habitat features: deep phosphatic sands with minor limestone outcropping and rocks. Large trees, often emergent. Sparse understory. Limited leaf-litter due to Red Crab foraging. Many small Red Crab burrows. Tree hollows and loose bark. Epiphytic ferns provide arboreal habitat. Pandanus groves provide shelter for Robber Crabs. Water pools collect in Pandanus fronds. Fallen fruit abundant.
- **Semi-deciduous Forest/Scrub/Regrowth**  
Habitat features: shallow phosphatic sands with significant limestone outcropping and rocks. Rock crevices abundant. Semi-deciduous trees suitable for sea bird nesting. Sparse understory. Limited leaf-litter due to Red Crab foraging. Some Red Crab burrows. Some fallen fruit.

Closed canopy evergreen forest is home to most of the island's bird species, with the exception of shore-nesting species such as the Red-tailed Tropicbird, Red-footed Boobies and Frigatebirds. It is also home to the Christmas Island Giant Gecko (Endangered) and Christmas Island Flying Fox (Critically Endangered).

The Christmas Island Flying Fox has several known roost sites but utilises much of the island for foraging and can often be seen over the townsite. Previous studies of the Christmas Island Giant Gecko indicate that it is most abundant in the north-east of the Island, in closed canopy evergreen forest.

Golden Bosuns (Endangered) are known to nest in tree hollows in these areas and Abbott's Booby (Endangered) nests exclusively in tall rainforest trees, although no Abbott's Booby are known to occur in the Survey Areas. Abbott's Booby nests were located near the Survey Area, in sub-optimal breeding habitat above Drumsite. Abbott's Booby nests are vulnerable to strong winds and turbulence and consequently have a preference for nest sites on the plateau in the south and south-east of the island. Green corridors planned for the Phosphate Hill development area may assist with mitigation of turbulence and reducing wind speeds by increasing surface roughness.

Many forest birds are highly mobile, and widespread on the island, including the Christmas Island Goshawk (Endangered), Christmas Island Emerald Dove (Endangered), Christmas Island Hawk-Owl (Vulnerable) and Christmas Island Thrush (Endangered).

Semi-deciduous forest and scrub contains numerous limestone cliffs and pinnacles, which provide nesting habitat to bosun birds and swiftlets. Deciduous trees are preferred nesting habitat for numerous seabirds and



Christmas Island Frigatebird colonies are largely restricted to the shore terraces. Although Christmas Island Frigatebird colonies occur not far from the Survey Areas, there was a reasonable distance to the nearest colony north east of Silver City.

Seven threatened fauna species listed under the EPBC Act were identified in the Survey Areas:

- Christmas Island Giant Gecko (Endangered);
- Christmas Island Flying Fox (Critically Endangered);
- Christmas Island Goshawk (Endangered);
- Christmas Island Emerald Dove (Endangered);
- Christmas Island Hawk-Owl (Vulnerable);
- Golden Bosun (Endangered); and
- Christmas Island Thrush (Endangered).

Of these, the Christmas Island Flying Fox, Christmas Island Goshawk, Christmas Island Emerald Dove, Christmas Island Hawk-Owl and Christmas Island Thrush are unlikely to be significantly disturbed by clearing, being highly mobile and able to relocate. Little is known about the nesting habits of the Christmas Island Hawk-Owl, but it is believed to nest in hollows in mature trees.

The Christmas Island Giant Gecko is an arboreal reptile which forages on trees and shrubs in most island habitats. Individuals have a small range and would be impacted by clearing. The Phosphate Hill area is preferred habitat for the Christmas Island Giant Gecko and they are relatively abundant in this area.

The Golden Bosun is relatively common on Christmas Island and nests in both the Silver City and Phosphate Hill Survey Areas in tree hollows and rock crevices. Bosuns were observed returning to their nests during the Survey.



## 6. Conclusion

The key findings of the Survey were:

- The Survey comprised two areas:
  - o Silver City (11.32 ha); and
  - o Phosphate Hill (23.65 ha).
- Geoscience Australia vegetation mapping indicates that 30.96% of the Survey Areas has been previously cleared;
- During the survey 54 terrestrial vascular flora species were identified from 53 genera and 37 families, including 14 introduced taxa;
- One NAQS weed and one Declared Pest plant under the BAM Act were identified;
- No significant flora taxa were identified, however no targeted flora survey was conducted;
- Three vegetation units were identified;
- Most of the Survey Area was in Excellent condition;
- Fifteen birds, five invertebrates, three mammals and three reptiles were identified in the Survey Areas, including eight introduced species;
- Seven threatened fauna listed under the EPBC Act were identified in the Survey Areas; and
- Four fauna habitats were identified.



## 7. Limitations

### Scope of services

This report ("the report") has been prepared by JBS&G in accordance with the scope of services set out in the contract, or as otherwise agreed, between the Client and JBS&G. In some circumstances, a range of factors such as time, budget, access and/or site disturbance constraints may have limited the scope of services. This report is strictly limited to the matters stated in it and is not to be read as extending, by implication, to any other matter in connection with the matters addressed in it.

### Reliance on data

In preparing the report, JBS&G has relied upon data and other information provided by the Client and other individuals and organisations, most of which are referred to in the report ("the data"). Except as otherwise expressly stated in the report, JBS&G has not verified the accuracy or completeness of the data. To the extent that the statements, opinions, facts, information, conclusions and/or recommendations in the report ("conclusions") are based in whole or part on the data, those conclusions are contingent upon the accuracy and completeness of the data. JBS&G has also not attempted to determine whether any material matter has been omitted from the data. JBS&G will not be liable in relation to incorrect conclusions should any data, information or condition be incorrect or have been concealed, withheld, misrepresented or otherwise not fully disclosed to JBS&G. The making of any assumption does not imply that JBS&G has made any enquiry to verify the correctness of that assumption.

The report is based on conditions encountered and information received at the time of preparation of this report or the time that site investigations were carried out. JBS&G disclaims responsibility for any changes that may have occurred after this time. This report and any legal issues arising from it are governed by and construed in accordance with the law as at the date of this report.

### Environmental conclusions

Within the limitations imposed by the scope of services, the preparation of this report has been undertaken and performed in a professional manner, in accordance with generally accepted environmental consulting practices. No other warranty, whether express or implied, is made, including to any third parties, and no liability will be accepted for use or interpretation of this report by any third party.

The advice herein relates only to this project and all results conclusions and recommendations made should be reviewed by a competent person with experience in environmental investigations, before being used for any other purpose.

JBS&G accepts no liability for use or interpretation by any person or body other than the client who commissioned the works. This report should not be reproduced without prior approval by the client, or amended in any way without prior approval by JBS&G or reproduced other than in full, including all attachments as originally provided to the client by JBS&G.



## 8. References

- Andrews, C. (1900). *A monograph of Christmas Island (Indian Ocean)*. London: British Museum (Natural History).
- Bennett, M. (2010). *Native vegetation clearing application CIP MCI 70/1 Mining Clearing Permit Local Permit ID: ML105 MB1*. Unpublished report prepared for Christmas Island Phosphates, Indian Ocean.
- BOM. (2024). Climate Data Online. (Station 009225, Perth Metro WA). Bureau of Meteorology (BOM). Retrieved December 2024, 2024, from <http://www.bom.gov.au/climate/data>
- Claussen, J. (2005). *Native Plants of Christmas Island* (Vol. Flora of Australia Supplementary Series Number 22). Canberra: Australian Biological Resources Study and Christmas Island Natural History Association.
- DEE. (2012). Interim Biogeographic Regionalisation for Australia v. 7 (IBRA) [ESRI shapefile]. Department of the Environment (DEE). Retrieved 2018, from <http://intspat01.ris.environment.gov.au/fed/catalog/search/resource/details.page?uuid=%7B3C182B5A-C081-4B56-82CA-DF5AF82F>
- Director of National Parks. (2014a). Christmas Island National Park Management Plan 2014-2024. Canberra: Director of National Parks.
- EPA. (2016). *Technical Guidance - Flora and Vegetation Surveys for Environmental Impact Assessment*. Perth: Environmental Protection Authority (EPA).
- Flora of Australia Volume 50, Oceanic islands 2*. (1993). Canberra: Australian Government Publishing Service.
- Geoscience Australia. (2003, October 14). 1966 Geology map of Christmas Island. Canberra. Retrieved from <https://catalogue.data.wa.gov.au/dataset/1966-geology-map-of-christmas-island>
- Geoscience Australia. (2011). Christmas Island Digital Elevation Model - 2011. (ESRI Shapefile). Canberra.
- Geoscience Australia. (2014, May). Christmas Island Vegetation and Clearing Map. (May 2014). (P. b. Environment, Compiler) Canberra, Canberra: Geoscience Australia.
- Grimes, K. (2001). Karst features of Christmas Island (Indian Ocean). *Helictite*, 37(2), 41-58.
- Hollingsworth, I. (2003). Soils and geomorphology in relation to proposed new mining leases, Christmas Island, Indian Ocean. In *Draft Environmental Impact Statement for the Proposed Christmas Island Phosphate Mines, Technical Appendices Vol 1* (2005 ed.). Perth: Phosphate Resources Ltd.
- Holmes, J., & Holmes, G. (2002). *Conservation status of the flora of Christmas Island, Indian Ocean*. Unpublished report to Parks Australia.
- James, D., Green, P., Humphreys, W., & Woinarski, J. (2019). Endemic species of Christmas Island, Indian Ocean. *Records of the Western Australian Museum*, 34(2), pp. 55-114.
- Mitchell, B. (1985). *A vegetational survey of Christmas Island, Indian Ocean*. Unpublished report prepared for the Australian National Parks and Wildlife Service.
- NVIS Technical Working Group. (2017). *Australian Vegetation Attribute Manual Version 7.0*. Canberra: NVIS Technical Working Group, Department of the Environment and Energy.
- Ohlsen, D., Perrie, L., Shepherd, & Bayly, M. (2015). Taxonomic status and distribution of the critically endangered Christmas Island spleenwort (*Asplenium listeri*, Aspleniaceae): it is not as rare as we thought. *Australian Systemic Botany*(27), 372-377.
- Puhlovich, A., Jacobsen, N., & Overall, R. (2003). Surface water and groundwater hydrology in relation to proposed new mining leases, Christmas Island, Indian Ocean. In *Draft Environmental Impact Statement for the Proposed Christmas Island Phosphate Mines, Technical Appendices Vol. 1* (2005 ed.). Phosphate Resources Ltd.



## Appendix A Conservation Code Definitions

### *Environment Protection and Biodiversity Conservation Act 1999 (Commonwealth)*

#### Threatened Species

Threatened fauna and flora may be listed under Section 178 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) in any one of the following categories.

#### A.1 Commonwealth listed Threatened Species categories

| Code | Conservation Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EX   | <b>Extinct Species</b><br>A native species is eligible to be included in the extinct category at a particular time if, at that time, there is no reasonable doubt that the last member of the species has died.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| EW   | <b>Extinct in the Wild Species</b><br>A native species is eligible to be included in the extinct in the wild category at a particular time if, at that time: <ol style="list-style-type: none"> <li>it is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; or</li> <li>it has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, d</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| CR   | <b>Critically Endangered Species</b><br>A native species is eligible to be included in the critically endangered category at a particular time if, at that time, it is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| EN   | <b>Endangered Species</b><br>A native species is eligible to be included in the endangered category at a particular time if, at that time: <ol style="list-style-type: none"> <li>it is not critically endangered; and</li> <li>it is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| VU   | <b>Vulnerable Species</b><br>A native species is eligible to be included in the vulnerable category at a particular time if, at that time: <ol style="list-style-type: none"> <li>it is not critically endangered or endangered; and</li> <li>it is facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with the prescribed criteria.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| CD   | <b>Conservation Dependent Species</b><br>A native species is eligible to be included in the conservation dependent category at a particular time if, at that time: <ol style="list-style-type: none"> <li>the species is the focus of a specific conservation program the cessation of which would result in the species becoming vulnerable, endangered or critically endangered; or</li> <li>the following subparagraphs are satisfied:               <ol style="list-style-type: none"> <li>the species is a species of fish;</li> <li>the species is the focus of a plan of management that provides for management actions necessary to stop the decline of, and support the recovery of, the species so that its chances of long term survival in nature are maximised;</li> <li>the plan of management is in force under a law of the Commonwealth or of a State or Territory;</li> <li>cessation of the plan of management would adversely affect the conservation status of the species.</li> </ol> </li> </ol> |

#### Threatened Ecological Communities

Threatened Ecological Communities may be listed under Section 181 of the EPBC Act in any one of the following categories.

#### A.2 Commonwealth listed Threatened Ecological Community categories

| Code | Conservation Category                                                                                                                                                                                                                                                                                                        |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR   | <b>Critically Endangered Communities</b><br>An ecological community is eligible to be included in the critically endangered category at a particular time if, at that time, it is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria. |
| EN   | <b>Endangered Communities</b>                                                                                                                                                                                                                                                                                                |



| Code      | Conservation Category                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | <p>An ecological community is eligible to be included in the endangered category at a particular time if, at that time:</p> <ul style="list-style-type: none"><li>a. it is not critically endangered; and</li><li>b. it is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria.</li></ul>                                                       |
| <b>VU</b> | <p><b>Vulnerable Communities</b></p> <p>An ecological community is eligible to be included in the vulnerable category at a particular time if, at that time:</p> <ul style="list-style-type: none"><li>a. it is not critically endangered nor endangered; and</li><li>b. it is facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with the prescribed criteria.</li></ul> |



# CONSERVATION CATEGORY DEFINITIONS

## For Western Australian Fauna and Flora

Threatened, Extinct and Specially Protected fauna or flora<sup>1</sup> are species<sup>2</sup> which have been adequately searched for and are deemed to be, in the wild, threatened, extinct or in need of special protection, and have been gazetted as such.

Categories of Threatened, Extinct and Specially Protected fauna and flora are:

### T Threatened species

Listed by order of the Minister as Threatened in the category of critically endangered, endangered or vulnerable under section 19(1), or is a rediscovered species to be regarded as threatened species under section 26(2) of the *Biodiversity Conservation Act 2016* (BC Act).

**Threatened fauna** is the species of fauna that are listed as critically endangered, endangered or vulnerable threatened species.

**Threatened flora** is the species of flora that are listed as critically endangered, endangered or vulnerable threatened species.

The assessment of the conservation status of threatened species is in accordance with the BC Act listing criteria and the requirements of [Ministerial Guideline Number 1](#) and [Ministerial Guideline Number 2](#) that adopts the use of the International Union for Conservation of Nature (IUCN) [Red List of Threatened Species Categories and Criteria](#)<sup>3</sup>, and is based on the national distribution of the species.

### CR Critically endangered species

Threatened species considered to be “*facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with criteria set out in the ministerial guidelines*”.

Listed as critically endangered under section 19(1)(a) of the BC Act in accordance with the criteria set out in section 20 and the ministerial guidelines.

Examples of use:

- The western ringtail possum (*Pseudocheirus occidentalis*) is listed as a critically endangered threatened species under the *Biodiversity Conservation Act 2016*.
- Western ringtail possum is listed as critically endangered under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: CR.

### EN Endangered species

Threatened species considered to be “*facing a very high risk of extinction in the wild in the near future, as determined in accordance with criteria set out in the ministerial guidelines*”.

Listed as endangered under section 19(1)(b) of the BC Act in accordance with the criteria set out in section 21 and the ministerial guidelines.

Examples of use:

- *Caladenia hopperiana* is listed as an endangered threatened species under the *Biodiversity Conservation Act 2016*.
- *Caladenia hopperiana* is listed as endangered under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: EN.



**VU Vulnerable species**

Threatened species considered to be “*facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with criteria set out in the ministerial guidelines*”.

Listed as vulnerable under section 19(1)(c) of the BC Act in accordance with the criteria set out in section 22 and the ministerial guidelines.

Examples of use:

- The forest red-tailed black cockatoo (*Calyptorhynchus banksii naso*) is listed as a vulnerable threatened species under the *Biodiversity Conservation Act 2016*.
- Forest red-tailed black cockatoo is listed as vulnerable under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: VU.

**Extinct species**

Listed by order of the Minister as extinct under section 23(1) of the BC Act as extinct or extinct in the wild.

**EX Extinct species**

Species where “*there is no reasonable doubt that the last member of the species has died*”, and listing is otherwise in accordance with the ministerial guidelines (section 24 of the BC Act).

Examples of use:

- *Acacia kingiana* is listed as an extinct species under the *Biodiversity Conservation Act 2016*.
- *Acacia kingiana* is listed as extinct under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: EX.

**EW Extinct in the wild species**

Species that “*is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; and it has not been recorded in its known habitat or expected habitat, at appropriate seasons, anywhere in its past range, despite surveys over a time frame appropriate to its life cycle and form*”, and listing is otherwise in accordance with the ministerial guidelines (section 25 of the BC Act).

Currently there are no fauna or flora species listed as extinct in the wild.

**SP Specially protected species**

Listed by order of the Minister as specially protected under section 13(1) of the BC Act. Meeting one or more of the following categories: species of special conservation interest; migratory species; cetaceans; species subject to international agreement; or species otherwise in need of special protection.

Species that are listed as threatened species (critically endangered, endangered, or vulnerable) or extinct species under the BC Act cannot also be listed as specially protected species.

**MI Migratory species**

Fauna that periodically or occasionally visit Australia or an external Territory or the exclusive economic zone; or the species is subject of an international agreement that relates to the protection of migratory species and that binds the Commonwealth; and listing is otherwise in accordance with the ministerial guidelines (section 15 of the BC Act).

Migratory species include birds that are subject to an agreement between the government of Australia and the governments of Japan (JAMBA)<sup>4</sup>, China (CAMBA)<sup>5</sup> or The Republic of Korea (ROKAMBA)<sup>6</sup>, and fauna subject to the *Convention on the Conservation of Migratory Species of Wild Animals* (Bonn Convention)<sup>7</sup>, an environmental treaty under the United Nations Environment Program. Migratory species listed under the BC Act are a subset of the migratory animals, that are known to visit Western Australia, protected under the international agreements or treaties, excluding species that are listed as Threatened species.

Examples of use:

- The wedge-tailed shearwater (*Ardenna pacifica*) is listed as a specially protected migratory species under the *Biodiversity Conservation Act 2016*.
- Wedge-tailed shearwater is listed as migratory under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: MI.



**CD Species of special conservation interest (conservation dependent)**

Species of special conservation need that are dependent on ongoing conservation intervention to prevent it becoming eligible for listing as threatened, and listing is otherwise in accordance with the ministerial guidelines (section 14 of the BC Act).

Currently only fauna are listed as species of special conservation interest.

Examples of use:

- The wambenger, south-western brush-tailed phascogale (*Phascogale tapoatafa wambenger*) is listed as a specially protected species of special conservation interest under the *Biodiversity Conservation Act 2016*.
- Wambenger, south-western brush-tailed phascogale, is listed as conservation dependent under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: CD.

**OS Species otherwise in need of special protection (other specially protected)**

Species otherwise in need of special protection to ensure their conservation, and listing is otherwise in accordance with the ministerial guidelines (section 18 of the BC Act).

Currently only fauna are listed as species otherwise in need of special protection.

Examples of use:

- The dugong (*Dugong dugon*) is listed as a specially protected species otherwise in need of special protection under the *Biodiversity Conservation Act 2016*.
- Dugon is listed as other specially protected fauna under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table: column heading: BC Act, row text: OS.

**P Priority species**

Priority is not a listing category under the BC Act. The Priority Flora and Fauna lists are maintained by the department and are published on the department's website.

All fauna and flora are protected in WA following the provisions in Part 10 of the BC Act. The protection applies even when a species is not listed as threatened or specially protected, and regardless of land tenure (State managed land (Crown land), private land, or Commonwealth land).

Species that may possibly be threatened species that do not meet the criteria for listing under the BC Act because of insufficient survey or are otherwise data deficient, are added to the Priority Fauna or Priority Flora Lists under Priorities 1, 2 or 3. These three categories are ranked in order of prioritisation for survey and evaluation of conservation status so that consideration can be given to potential listing as threatened.

Species that are adequately known, meet criteria for near threatened, or are rare but not threatened, or that have been recently removed from the threatened species list or conservation dependent or other specially protected fauna lists for other than taxonomic reasons, are placed in Priority 4. These species require regular monitoring.

Assessment of priority status is based on the Western Australian distribution of the species, unless the distribution in WA is part of a contiguous population extending into adjacent States, as defined by the known spread of locations.

**1 Priority 1: Poorly-known species - known from few locations, none on conservation lands**

Species that are known from one or a few locations (generally five or less) which are potentially at risk. All occurrences are either: very small; or on lands not managed for conservation, for example, agricultural or pastoral lands, urban areas, road and rail reserves, gravel reserves and active mineral leases; or otherwise under threat of habitat destruction or degradation.

Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements for threatened listing and appear to be under immediate threat from known threatening processes. These species are in urgent need of further survey.

Examples of use:

- *Borya stenophylla* is listed as a Priority 1 species by the Department of Biodiversity, Conservation and Attractions.
- *Borya stenophylla* is listed as Priority 1 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P1.



## 2 Priority 2: Poorly-known species - known from few locations, some on conservation lands

Species that are known from one or a few locations (generally five or less), some of which are on lands managed primarily for nature conservation, for example, national parks, conservation parks, nature reserves and other lands with secure tenure being managed for conservation.

Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements for threatened listing and appear to be under threat from known threatening processes. These species are in urgent need of further survey.

Examples of use:

- *Caladenia nivalis* is listed as a Priority 2 species by the Department of Biodiversity, Conservation and Attractions.
- *Caladenia nivalis* is listed as Priority 2 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P2.

## 3 Priority 3: Poorly-known species - known from several locations

Species that are known from several locations and the species does not appear to be under imminent threat or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat.

Species may be included if they are comparatively well known from several locations but do not meet adequacy of survey requirements and known threatening processes exist that could affect them. These species need further survey.

Examples of use:

- *Acacia nitidula* is listed as a Priority 3 species by the Department of Biodiversity, Conservation and Attractions.
- *Acacia nitidula* is listed as Priority 3 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P3.

## 4 Priority 4: Rare, Near Threatened and other species in need of monitoring

(a) Rare. Species that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection but could be if present circumstances change. These species are usually represented on conservation lands.

(b) Near Threatened. Species that are considered to have been adequately surveyed and that are close to qualifying for vulnerable but are not listed as a conservation dependent specially protected species.

(c) Species that have been removed from the list of threatened species or lists of conservation dependent or other specially protected species, during the past five years for reasons other than taxonomy.

(d) Other species in need of monitoring.

Examples of use:

- *Banksia aculeata* is listed as a Priority 4 species by the Department of Biodiversity, Conservation and Attractions.
- *Banksia aculeata* is listed as Priority 4 on the DBCA Priority Flora List.
- Listing reference in a table: column heading: DBCA, row text: P4.

<sup>1</sup> The definition of flora includes algae, fungi, and lichens.

<sup>2</sup> Species includes all taxa (plural of taxon - a classificatory group of any taxonomic rank, e.g. a family, genus, species or any infraspecific category i.e. subspecies or variety, or a distinct population).

<sup>3</sup> Western Australia has assigned species to threat categories using the *IUCN Red List of Threatened Species Categories and Criteria* since 1996 (referencing all criteria).

<sup>4</sup> JAMBA - first included in the WA migratory species list in 1980.

<sup>5</sup> CAMBA - first included in the WA migratory species list in 2010.

<sup>6</sup> ROKAMBA - first included in the WA migratory species list in 2010.

<sup>7</sup> Bonn Convention (Birds) - first included in the WA migratory species list in 2015.



## Appendix B PMST Search





Australian Government

Department of Climate Change, Energy,  
the Environment and Water

# EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected. Please see the caveat for interpretation of information provided here.

Report created: 04-Dec-2024

[Summary](#)

[Details](#)

[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



# Summary

## Matters of National Environment Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

|                                                              |      |
|--------------------------------------------------------------|------|
| <a href="#">World Heritage Properties:</a>                   | None |
| <a href="#">National Heritage Places:</a>                    | None |
| <a href="#">Wetlands of International Importance (Ramsar</a> | 2    |
| <a href="#">Great Barrier Reef Marine Park:</a>              | None |
| <a href="#">Commonwealth Marine Area:</a>                    | 1    |
| <a href="#">Listed Threatened Ecological Communities:</a>    | None |
| <a href="#">Listed Threatened Species:</a>                   | 32   |
| <a href="#">Listed Migratory Species:</a>                    | 34   |

## Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <https://www.dcceew.gov.au/parks-heritage/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

|                                                                     |      |
|---------------------------------------------------------------------|------|
| <a href="#">Commonwealth Lands:</a>                                 | 85   |
| <a href="#">Commonwealth Heritage Places:</a>                       | 10   |
| <a href="#">Listed Marine Species:</a>                              | 58   |
| <a href="#">Whales and Other Cetaceans:</a>                         | 24   |
| <a href="#">Critical Habitats:</a>                                  | None |
| <a href="#">Commonwealth Reserves Terrestrial:</a>                  | 1    |
| <a href="#">Australian Marine Parks:</a>                            | 1    |
| <a href="#">Habitat Critical to the Survival of Marine Turtles:</a> | None |

## Extra Information

This part of the report provides information that may also be relevant to the area you have

|                                                         |      |
|---------------------------------------------------------|------|
| <a href="#">State and Territory Reserves:</a>           | None |
| <a href="#">Regional Forest Agreements:</a>             | None |
| <a href="#">Nationally Important Wetlands:</a>          | 2    |
| <a href="#">EPBC Act Referrals:</a>                     | 63   |
| <a href="#">Key Ecological Features (Marine):</a>       | None |
| <a href="#">Biologically Important Areas:</a>           | None |
| <a href="#">Bioregional Assessments:</a>                | None |
| <a href="#">Geological and Bioregional Assessments:</a> | None |



# Details

## Matters of National Environmental Significance

| Wetlands of International Importance (Ramsar Wetlands) |                    | [ Resource Information ] |
|--------------------------------------------------------|--------------------|--------------------------|
| Ramsar Site Name                                       | Proximity          |                          |
| <a href="#">Hosnies spring</a>                         | Within Ramsar site |                          |
| <a href="#">The dales</a>                              | Within Ramsar site |                          |

| Commonwealth Marine Area                                                                                                                                                                                                                                                                                                                                                                           | [ Resource Information ] |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Approval is required for a proposed activity that is located within the Commonwealth Marine Area which has, will have, or is likely to have a significant impact on the environment. Approval may be required for a proposed action taken outside a Commonwealth Marine Area but which has, may have or is likely to have a significant impact on the environment in the Commonwealth Marine Area. |                          |
| Feature Name                                                                                                                                                                                                                                                                                                                                                                                       |                          |
| Commonwealth Marine Areas (EPBC Act)                                                                                                                                                                                                                                                                                                                                                               |                          |

| Listed Threatened Species                                                                                                  |                       | [ <u>Resource Information</u> ]                             |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------------------------------------|
| Status of Conservation Dependent and Extinct are not MNES under the EPBC Act.<br>Number is the current name ID.            |                       |                                                             |
| Scientific Name                                                                                                            | Threatened Category   | Presence Text                                               |
| BIRD                                                                                                                       |                       |                                                             |
| <a href="#">Accipiter hiogaster natalis</a><br>Christmas Island Goshawk [82408]                                            | Endangered            | Species or species<br>habitat known to<br>occur within area |
| <a href="#">Calidris acuminata</a><br>Sharp-tailed Sandpiper [874]                                                         | Vulnerable            | Species or species<br>habitat known to<br>occur within area |
| <a href="#">Calidris canutus</a><br>Red Knot, Knot [855]                                                                   | Vulnerable            | Species or species<br>habitat may occur<br>within area      |
| <a href="#">Calidris ferruginea</a><br>Curlew Sandpiper [856]                                                              | Critically Endangered | Species or species<br>habitat known to<br>occur within area |
| <a href="#">Chalcophaps indica natalis</a><br>Christmas Island Emerald Dove,<br>Emerald Dove (Christmas Island)<br>[67030] | Endangered            | Species or species<br>habitat known to<br>occur within area |



| Scientific Name                                                                                                                   | Threatened Category   | Presence Text                                          |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------|
| <a href="#">Fregata andrewsi</a><br>Christmas Island Frigatebird, Andrew's Frigatebird [1011]                                     | Endangered            | Breeding known to occur within area                    |
| <a href="#">Ninox natalis</a><br>Christmas Island Hawk-Owl, Christmas Boobook [66671]                                             | Vulnerable            | Species or species habitat known to occur within area  |
| <a href="#">Papasula abbotti</a><br>Abbott's Booby [59297]                                                                        | Endangered            | Species or species habitat known to occur within area  |
| <a href="#">Phaethon lepturus fulvus</a><br>Christmas Island White-tailed Tropicbird, Golden Bosunbird [26021]                    | Endangered            | Breeding known to occur within area                    |
| <a href="#">Phaethon rubricauda westralis</a><br>Red-tailed Tropicbird (Indian Ocean), Indian Ocean Red-tailed Tropicbird [91824] | Endangered            | Breeding known to occur within area                    |
| <a href="#">Turdus poliocephalus erythropleurus</a><br>Christmas Island Thrush [67122]                                            | Endangered            | Species or species habitat likely to occur within area |
| MAMMAL                                                                                                                            |                       |                                                        |
| <a href="#">Balaenoptera borealis</a><br>Sei Whale [34]                                                                           | Vulnerable            | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera musculus</a><br>Blue Whale [36]                                                                          | Endangered            | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera physalus</a><br>Fin Whale [37]                                                                           | Vulnerable            | Species or species habitat likely to occur within area |
| <a href="#">Crocidura trichura</a><br>Christmas Island Shrew [86568]                                                              | Critically Endangered | Species or species habitat likely to occur within area |
| <a href="#">Pteropus natalis</a><br>Christmas Island Flying-fox, Christmas Island Fruit-bat [87611]                               | Critically Endangered | Species or species habitat known to occur within area  |
| PLANT                                                                                                                             |                       |                                                        |



| Scientific Name                                                                                                    | Threatened Category   | Presence Text                                          |
|--------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------|
| <a href="#">Asplenium listeri</a><br>Christmas Island Spleenwort [65865]                                           | Critically Endangered | Species or species habitat known to occur within area  |
| <a href="#">Pneumatopteris truncata</a><br>fern [68812]                                                            | Critically Endangered | Species or species habitat known to occur within area  |
| <a href="#">Tectaria devexa</a><br>Cave Fern [14767]                                                               | Endangered            | Species or species habitat likely to occur within area |
| REPTILE                                                                                                            |                       |                                                        |
| <a href="#">Caretta caretta</a><br>Loggerhead Turtle [1763]                                                        | Endangered            | Species or species habitat likely to occur within area |
| <a href="#">Chelonia mydas</a><br>Green Turtle [1765]                                                              | Vulnerable            | Species or species habitat likely to occur within area |
| <a href="#">Cryptoblepharus egeriae</a><br>Christmas Island Blue-tailed Skink, Blue-tailed Snake-eyed Skink [1526] | Critically Endangered | Species or species habitat likely to occur within area |
| <a href="#">Cyrtodactylus sadleiri</a><br>Christmas Island Giant Gecko [86865]                                     | Endangered            | Species or species habitat known to occur within area  |
| <a href="#">Dermochelys coriacea</a><br>Leatherback Turtle, Leathery Turtle, Luth [1768]                           | Endangered            | Species or species habitat likely to occur within area |
| <a href="#">Eretmochelys imbricata</a><br>Hawksbill Turtle [1766]                                                  | Vulnerable            | Species or species habitat likely to occur within area |
| <a href="#">Lepidochelys olivacea</a><br>Olive Ridley Turtle, Pacific Ridley Turtle [1767]                         | Endangered            | Species or species habitat likely to occur within area |
| <a href="#">Lepidodactylus listeri</a><br>Christmas Island Gecko, Lister's Gecko [1711]                            | Critically Endangered | Species or species habitat known to occur within area  |



| Scientific Name                                                                                                   | Threatened Category | Presence Text                                          |
|-------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------|
| <a href="#">Natator depressus</a><br>Flatback Turtle [59257]                                                      | Vulnerable          | Species or species habitat likely to occur within area |
| <a href="#">Ramphotyphlops exocoeti</a><br>Christmas Island Blind Snake, Christmas Island Pink Blind Snake [1262] | Vulnerable          | Species or species habitat likely to occur within area |

| SHARK                                                                            |                        |                                                        |
|----------------------------------------------------------------------------------|------------------------|--------------------------------------------------------|
| <a href="#">Carcharodon carcharias</a><br>White Shark, Great White Shark [64470] | Vulnerable             | Species or species habitat may occur within area       |
| <a href="#">Rhincodon typus</a><br>Whale Shark [66680]                           | Vulnerable             | Species or species habitat may occur within area       |
| <a href="#">Sphyrna lewini</a><br>Scalloped Hammerhead [85267]                   | Conservation Dependent | Species or species habitat likely to occur within area |

| Listed Migratory Species                                                                      |                     | [ Resource Information ]                               |
|-----------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------|
| Scientific Name                                                                               | Threatened Category | Presence Text                                          |
| Migratory Marine Birds                                                                        |                     |                                                        |
| <a href="#">Anous stolidus</a><br>Common Noddy [825]                                          |                     | Species or species habitat likely to occur within area |
| <a href="#">Fregata andrewsi</a><br>Christmas Island Frigatebird, Andrew's Frigatebird [1011] | Endangered          | Breeding known to occur within area                    |
| <a href="#">Fregata ariel</a><br>Lesser Frigatebird, Least Frigatebird [1012]                 |                     | Species or species habitat known to occur within area  |
| <a href="#">Fregata minor</a><br>Great Frigatebird, Greater Frigatebird [1013]                |                     | Breeding known to occur within area                    |
| <a href="#">Phaethon lepturus</a><br>White-tailed Tropicbird [1014]                           |                     | Breeding known to occur within area                    |
| <a href="#">Phaethon rubricauda</a><br>Red-tailed Tropicbird [994]                            |                     | Breeding known to occur within area                    |



| Scientific Name                                                                          | Threatened Category | Presence Text                                          |
|------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------|
| <a href="#">Sula leucogaster</a><br>Brown Booby [1022]                                   |                     | Breeding known to occur within area                    |
| <a href="#">Sula sula</a><br>Red-footed Booby [1023]                                     |                     | Breeding known to occur within area                    |
| Migratory Marine Species                                                                 |                     |                                                        |
| <a href="#">Balaenoptera borealis</a><br>Sei Whale [34]                                  | Vulnerable          | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera edeni</a><br>Bryde's Whale [35]                                 |                     | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera musculus</a><br>Blue Whale [36]                                 | Endangered          | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera physalus</a><br>Fin Whale [37]                                  | Vulnerable          | Species or species habitat likely to occur within area |
| <a href="#">Carcharhinus longimanus</a><br>Oceanic Whitetip Shark [84108]                |                     | Species or species habitat may occur within area       |
| <a href="#">Carcharodon carcharias</a><br>White Shark, Great White Shark [64470]         | Vulnerable          | Species or species habitat may occur within area       |
| <a href="#">Caretta caretta</a><br>Loggerhead Turtle [1763]                              | Endangered          | Species or species habitat likely to occur within area |
| <a href="#">Chelonia mydas</a><br>Green Turtle [1765]                                    | Vulnerable          | Species or species habitat likely to occur within area |
| <a href="#">Dermochelys coriacea</a><br>Leatherback Turtle, Leathery Turtle, Luth [1768] | Endangered          | Species or species habitat likely to occur within area |



| Scientific Name                                                                            | Threatened Category | Presence Text                                          |
|--------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------|
| <a href="#">Eretmochelys imbricata</a><br>Hawksbill Turtle [1766]                          | Vulnerable          | Species or species habitat likely to occur within area |
| <a href="#">Lepidochelys olivacea</a><br>Olive Ridley Turtle, Pacific Ridley Turtle [1767] | Endangered          | Species or species habitat likely to occur within area |
| <a href="#">Megaptera novaeangliae</a><br>Humpback Whale [38]                              |                     | Species or species habitat may occur within area       |
| <a href="#">Mobula birostris as Manta birostris</a><br>Giant Manta Ray [90034]             |                     | Species or species habitat known to occur within area  |
| <a href="#">Natator depressus</a><br>Flatback Turtle [59257]                               | Vulnerable          | Species or species habitat likely to occur within area |
| <a href="#">Orcinus orca</a><br>Killer Whale, Orca [46]                                    |                     | Species or species habitat may occur within area       |
| <a href="#">Physeter macrocephalus</a><br>Sperm Whale [59]                                 |                     | Species or species habitat may occur within area       |
| <a href="#">Rhincodon typus</a><br>Whale Shark [66680]                                     | Vulnerable          | Species or species habitat may occur within area       |
| Migratory Terrestrial Species                                                              |                     |                                                        |
| <a href="#">Cecropis daurica</a><br>Red-rumped Swallow [80610]                             |                     | Species or species habitat known to occur within area  |
| <a href="#">Hirundo rustica</a><br>Barn Swallow [662]                                      |                     | Species or species habitat known to occur within area  |
| <a href="#">Motacilla cinerea</a><br>Grey Wagtail [642]                                    |                     | Species or species habitat known to occur within area  |



| Scientific Name                                                    | Threatened Category   | Presence Text                                         |
|--------------------------------------------------------------------|-----------------------|-------------------------------------------------------|
| <a href="#">Motacilla flava</a><br>Yellow Wagtail [644]            |                       | Species or species habitat known to occur within area |
| Migratory Wetlands Species                                         |                       |                                                       |
| <a href="#">Actitis hypoleucos</a><br>Common Sandpiper [59309]     |                       | Species or species habitat known to occur within area |
| <a href="#">Calidris acuminata</a><br>Sharp-tailed Sandpiper [874] | Vulnerable            | Species or species habitat known to occur within area |
| <a href="#">Calidris canutus</a><br>Red Knot, Knot [855]           | Vulnerable            | Species or species habitat may occur within area      |
| <a href="#">Calidris ferruginea</a><br>Curlew Sandpiper [856]      | Critically Endangered | Species or species habitat known to occur within area |
| <a href="#">Calidris melanotos</a><br>Pectoral Sandpiper [858]     |                       | Species or species habitat may occur within area      |

### Other Matters Protected by the EPBC Act

| Commonwealth Lands                                                                                                                                                                                                                                                                                                                                        | [ Resource Information ] |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information. |                          |
| Commonwealth Land Name                                                                                                                                                                                                                                                                                                                                    | State                    |
| Environment and Heritage                                                                                                                                                                                                                                                                                                                                  |                          |
| Commonwealth Land - Christmas Island National Park [94102]                                                                                                                                                                                                                                                                                                | CI                       |
| Commonwealth Land - Christmas Island National Park [94103]                                                                                                                                                                                                                                                                                                | CI                       |
| Commonwealth Land - Christmas Island National Park [94105]                                                                                                                                                                                                                                                                                                | CI                       |
| Commonwealth Land - Christmas Island National Park [94104]                                                                                                                                                                                                                                                                                                | CI                       |
| Commonwealth Land - Christmas Island National Park [94101]                                                                                                                                                                                                                                                                                                | CI                       |
| Unknown                                                                                                                                                                                                                                                                                                                                                   |                          |
| Commonwealth Land - [94202]                                                                                                                                                                                                                                                                                                                               | CI                       |



| Commonwealth Land Name      | State |
|-----------------------------|-------|
| Commonwealth Land - [94213] | CI    |
| Commonwealth Land - [94212] | CI    |
| Commonwealth Land - [94211] | CI    |
| Commonwealth Land - [94217] | CI    |
| Commonwealth Land - [94214] | CI    |
| Commonwealth Land - [94240] | CI    |
| Commonwealth Land - [94218] | CI    |
| Commonwealth Land - [94244] | CI    |
| Commonwealth Land - [94201] | CI    |
| Commonwealth Land - [94204] | CI    |
| Commonwealth Land - [94210] | CI    |
| Commonwealth Land - [94242] | CI    |
| Commonwealth Land - [94216] | CI    |
| Commonwealth Land - [94221] | CI    |
| Commonwealth Land - [94209] | CI    |
| Commonwealth Land - [94206] | CI    |
| Commonwealth Land - [94249] | CI    |
| Commonwealth Land - [94226] | CI    |
| Commonwealth Land - [94225] | CI    |
| Commonwealth Land - [94239] | CI    |
| Commonwealth Land - [94254] | CI    |
| Commonwealth Land - [94280] | CI    |
| Commonwealth Land - [94232] | CI    |
| Commonwealth Land - [94234] | CI    |
| Commonwealth Land - [94260] | CI    |
| Commonwealth Land - [94233] | CI    |
| Commonwealth Land - [94230] | CI    |



| Commonwealth Land Name      | State |
|-----------------------------|-------|
| Commonwealth Land - [94250] | CI    |
| Commonwealth Land - [94228] | CI    |
| Commonwealth Land - [94251] | CI    |
| Commonwealth Land - [94223] | CI    |
| Commonwealth Land - [94262] | CI    |
| Commonwealth Land - [94224] | CI    |
| Commonwealth Land - [94227] | CI    |
| Commonwealth Land - [94220] | CI    |
| Commonwealth Land - [94222] | CI    |
| Commonwealth Land - [94229] | CI    |
| Commonwealth Land - [94238] | CI    |
| Commonwealth Land - [94243] | CI    |
| Commonwealth Land - [94235] | CI    |
| Commonwealth Land - [94215] | CI    |
| Commonwealth Land - [94241] | CI    |
| Commonwealth Land - [94247] | CI    |
| Commonwealth Land - [94278] | CI    |
| Commonwealth Land - [94208] | CI    |
| Commonwealth Land - [94205] | CI    |
| Commonwealth Land - [94275] | CI    |
| Commonwealth Land - [94245] | CI    |
| Commonwealth Land - [94248] | CI    |
| Commonwealth Land - [94258] | CI    |
| Commonwealth Land - [94207] | CI    |
| Commonwealth Land - [94246] | CI    |
| Commonwealth Land - [94273] | CI    |
| Commonwealth Land - [94270] | CI    |



| Commonwealth Land Name      | State |
|-----------------------------|-------|
| Commonwealth Land - [94274] | CI    |
| Commonwealth Land - [94272] | CI    |
| Commonwealth Land - [94219] | CI    |
| Commonwealth Land - [94269] | CI    |
| Commonwealth Land - [94271] | CI    |
| Commonwealth Land - [94279] | CI    |
| Commonwealth Land - [94277] | CI    |
| Commonwealth Land - [94276] | CI    |
| Commonwealth Land - [94265] | CI    |
| Commonwealth Land - [94264] | CI    |
| Commonwealth Land - [94267] | CI    |
| Commonwealth Land - [94266] | CI    |
| Commonwealth Land - [94203] | CI    |
| Commonwealth Land - [94268] | CI    |
| Commonwealth Land - [94263] | CI    |
| Commonwealth Land - [94261] | CI    |
| Commonwealth Land - [94259] | CI    |
| Commonwealth Land - [94257] | CI    |
| Commonwealth Land - [94236] | CI    |
| Commonwealth Land - [94231] | CI    |
| Commonwealth Land - [94253] | CI    |
| Commonwealth Land - [94252] | CI    |
| Commonwealth Land - [94256] | CI    |
| Commonwealth Land - [94255] | CI    |
| Commonwealth Land - [94237] | CI    |

| Commonwealth Heritage Places |       |        | [ Resource Information ] |
|------------------------------|-------|--------|--------------------------|
| Name                         | State | Status |                          |
| Historic                     |       |        |                          |



| Name                                                | State | Status       |
|-----------------------------------------------------|-------|--------------|
| <a href="#">Administrators House Precinct</a>       | EXT   | Listed place |
| <a href="#">Drumsite Industrial Area</a>            | EXT   | Listed place |
| <a href="#">Industrial and Administrative Group</a> | EXT   | Listed place |
| <a href="#">Malay Kampong Group</a>                 | EXT   | Listed place |
| <a href="#">Malay Kampong Precinct</a>              | EXT   | Listed place |
| <a href="#">Phosphate Hill Historic Area</a>        | EXT   | Listed place |
| <a href="#">Poon Saan Group</a>                     | EXT   | Listed place |
| <a href="#">Settlement Christmas Island</a>         | EXT   | Listed place |
| <a href="#">South Point Settlement Remains</a>      | EXT   | Listed place |

|                                                |     |              |
|------------------------------------------------|-----|--------------|
| Natural                                        |     |              |
| <a href="#">Christmas Island Natural Areas</a> | EXT | Listed place |

| Listed Marine Species [ <a href="#">Resource Information</a> ]     |                       |                                                                           |
|--------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------|
| Scientific Name                                                    | Threatened Category   | Presence Text                                                             |
| Bird                                                               |                       |                                                                           |
| <a href="#">Actitis hypoleucos</a><br>Common Sandpiper [59309]     |                       | Species or species habitat known to occur within area                     |
| <a href="#">Anous stolidus</a><br>Common Noddy [825]               |                       | Species or species habitat likely to occur within area                    |
| <a href="#">Calidris acuminata</a><br>Sharp-tailed Sandpiper [874] | Vulnerable            | Species or species habitat known to occur within area                     |
| <a href="#">Calidris canutus</a><br>Red Knot, Knot [855]           | Vulnerable            | Species or species habitat may occur within area overfly marine area      |
| <a href="#">Calidris ferruginea</a><br>Curlew Sandpiper [856]      | Critically Endangered | Species or species habitat known to occur within area overfly marine area |



| Scientific Name                                                                                                | Threatened Category | Presence Text                                                             |
|----------------------------------------------------------------------------------------------------------------|---------------------|---------------------------------------------------------------------------|
| <a href="#">Calidris melanotos</a><br>Pectoral Sandpiper [858]                                                 |                     | Species or species habitat may occur within area overfly marine area      |
| <a href="#">Cecropis daurica as Hirundo daurica</a><br>Red-rumped Swallow [80610]                              |                     | Species or species habitat known to occur within area overfly marine area |
| <a href="#">Fregata andrewsi</a><br>Christmas Island Frigatebird, Andrew's Frigatebird [1011]                  | Endangered          | Breeding known to occur within area                                       |
| <a href="#">Fregata ariel</a><br>Lesser Frigatebird, Least Frigatebird [1012]                                  |                     | Species or species habitat known to occur within area                     |
| <a href="#">Fregata minor</a><br>Great Frigatebird, Greater Frigatebird [1013]                                 |                     | Breeding known to occur within area                                       |
| <a href="#">Hirundo rustica</a><br>Barn Swallow [662]                                                          |                     | Species or species habitat known to occur within area overfly marine area |
| <a href="#">Motacilla cinerea</a><br>Grey Wagtail [642]                                                        |                     | Species or species habitat known to occur within area overfly marine area |
| <a href="#">Motacilla flava</a><br>Yellow Wagtail [644]                                                        |                     | Species or species habitat known to occur within area overfly marine area |
| <a href="#">Papasula abbotti</a><br>Abbott's Booby [59297]                                                     | Endangered          | Species or species habitat known to occur within area                     |
| <a href="#">Phaethon lepturus</a><br>White-tailed Tropicbird [1014]                                            |                     | Breeding known to occur within area                                       |
| <a href="#">Phaethon lepturus fulvus</a><br>Christmas Island White-tailed Tropicbird, Golden Bosunbird [26021] | Endangered          | Breeding known to occur within area                                       |



| Scientific Name                                                                                                        | Threatened Category | Presence Text                                    |
|------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------|
| <a href="#">Phaethon rubricauda</a><br>Red-tailed Tropicbird [994]                                                     |                     | Breeding known to occur within area              |
| <a href="#">Sula leucogaster</a><br>Brown Booby [1022]                                                                 |                     | Breeding known to occur within area              |
| <a href="#">Sula sula</a><br>Red-footed Booby [1023]                                                                   |                     | Breeding known to occur within area              |
| Fish                                                                                                                   |                     |                                                  |
| <a href="#">Choeroichthys brachysoma</a><br>Pacific Short-bodied Pipefish, Short-bodied Pipefish [66194]               |                     | Species or species habitat may occur within area |
| <a href="#">Choeroichthys sculptus</a><br>Sculptured Pipefish [66197]                                                  |                     | Species or species habitat may occur within area |
| <a href="#">Corythoichthys amplexus</a><br>Fijian Banded Pipefish, Brown-banded Pipefish [66199]                       |                     | Species or species habitat may occur within area |
| <a href="#">Corythoichthys flavofasciatus</a><br>Reticulate Pipefish, Yellow-banded Pipefish, Network Pipefish [66200] |                     | Species or species habitat may occur within area |
| <a href="#">Corythoichthys haematopterus</a><br>Reef-top Pipefish [66201]                                              |                     | Species or species habitat may occur within area |
| <a href="#">Corythoichthys intestinalis</a><br>Australian Messmate Pipefish, Banded Pipefish [66202]                   |                     | Species or species habitat may occur within area |
| <a href="#">Corythoichthys schultzi</a><br>Schultz's Pipefish [66205]                                                  |                     | Species or species habitat may occur within area |
| <a href="#">Cosmocampus banneri</a><br>Roughridge Pipefish [66206]                                                     |                     | Species or species habitat may occur within area |
| <a href="#">Cosmocampus maxweberi</a><br>Maxweber's Pipefish [66209]                                                   |                     | Species or species habitat may occur within area |



| Scientific Name                                                                                                                | Threatened Category | Presence Text                                    |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------|
| <a href="#">Doryrhamphus baldwini</a><br>Redstripe Pipefish [66718]                                                            |                     | Species or species habitat may occur within area |
| <a href="#">Doryrhamphus dactyliophorus</a><br>Banded Pipefish, Ringed Pipefish [66210]                                        |                     | Species or species habitat may occur within area |
| <a href="#">Doryrhamphus excisus</a><br>Bluestripe Pipefish, Indian Blue-stripe Pipefish, Pacific Blue-stripe Pipefish [66211] |                     | Species or species habitat may occur within area |
| <a href="#">Doryrhamphus janssi</a><br>Cleaner Pipefish, Janss' Pipefish [66212]                                               |                     | Species or species habitat may occur within area |
| <a href="#">Doryrhamphus negrosensis</a><br>Flagtail Pipefish, Masthead Island Pipefish [66213]                                |                     | Species or species habitat may occur within area |
| <a href="#">Halicampus brocki</a><br>Brock's Pipefish [66219]                                                                  |                     | Species or species habitat may occur within area |
| <a href="#">Halicampus dunckeri</a><br>Red-hair Pipefish, Duncker's Pipefish [66220]                                           |                     | Species or species habitat may occur within area |
| <a href="#">Halicampus macrorhynchus</a><br>Whiskered Pipefish, Ornate Pipefish [66222]                                        |                     | Species or species habitat may occur within area |
| <a href="#">Halicampus mataafae</a><br>Samoan Pipefish [66223]                                                                 |                     | Species or species habitat may occur within area |
| <a href="#">Halicampus nitidus</a><br>Glittering Pipefish [66224]                                                              |                     | Species or species habitat may occur within area |
| <a href="#">Halicampus spinirostris</a><br>Spiny-snout Pipefish [66225]                                                        |                     | Species or species habitat may occur within area |



| Scientific Name                                                                                                       | Threatened Category | Presence Text                                    |
|-----------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------|
| <a href="#">Hippichthys cyanospilos</a><br>Blue-speckled Pipefish, Blue-spotted Pipefish [66228]                      |                     | Species or species habitat may occur within area |
| <a href="#">Hippichthys heptagonus</a><br>Madura Pipefish, Reticulated Freshwater Pipefish [66229]                    |                     | Species or species habitat may occur within area |
| <a href="#">Hippichthys penicillus</a><br>Beady Pipefish, Steep-nosed Pipefish [66231]                                |                     | Species or species habitat may occur within area |
| <a href="#">Hippichthys spicifer</a><br>Belly-barred Pipefish, Banded Freshwater Pipefish [66232]                     |                     | Species or species habitat may occur within area |
| <a href="#">Hippocampus histrix</a><br>Spiny Seahorse, Thorny Seahorse [66236]                                        |                     | Species or species habitat may occur within area |
| <a href="#">Hippocampus kuda</a><br>Spotted Seahorse, Yellow Seahorse [66237]                                         |                     | Species or species habitat may occur within area |
| <a href="#">Hippocampus spinosissimus</a><br>Hedgehog Seahorse [66239]                                                |                     | Species or species habitat may occur within area |
| <a href="#">Micrognathus brevirostris</a><br>thorntail Pipefish, Thorn-tailed Pipefish [66254]                        |                     | Species or species habitat may occur within area |
| <a href="#">Micrognathus micronotopterus</a><br>Tidepool Pipefish [66255]                                             |                     | Species or species habitat may occur within area |
| <a href="#">Solegnathus lettiensis</a><br>Gunther's Pipehorse, Indonesian Pipefish [66273]                            |                     | Species or species habitat may occur within area |
| <a href="#">Syngnathoides biaculeatus</a><br>Double-end Pipehorse, Double-ended Pipehorse, Alligator Pipefish [66279] |                     | Species or species habitat may occur within area |



| Scientific Name                                                                                                             | Threatened Category | Presence Text                                    |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------|
| <a href="#">Trachyrhamphus bicoarctatus</a><br>Bentstick Pipefish, Bend Stick Pipefish, Short-tailed Pipefish [66280]       |                     | Species or species habitat may occur within area |
| <a href="#">Trachyrhamphus longirostris</a><br>Straightstick Pipefish, Long-nosed Pipefish, Straight Stick Pipefish [66281] |                     | Species or species habitat may occur within area |

| Reptile                                                                                    |            |                                                        |
|--------------------------------------------------------------------------------------------|------------|--------------------------------------------------------|
| <a href="#">Caretta caretta</a><br>Loggerhead Turtle [1763]                                | Endangered | Species or species habitat likely to occur within area |
| <a href="#">Chelonia mydas</a><br>Green Turtle [1765]                                      | Vulnerable | Species or species habitat likely to occur within area |
| <a href="#">Dermochelys coriacea</a><br>Leatherback Turtle, Leathery Turtle, Luth [1768]   | Endangered | Species or species habitat likely to occur within area |
| <a href="#">Eretmochelys imbricata</a><br>Hawksbill Turtle [1766]                          | Vulnerable | Species or species habitat likely to occur within area |
| <a href="#">Lepidochelys olivacea</a><br>Olive Ridley Turtle, Pacific Ridley Turtle [1767] | Endangered | Species or species habitat likely to occur within area |
| <a href="#">Natator depressus</a><br>Flatback Turtle [59257]                               | Vulnerable | Species or species habitat likely to occur within area |

| Whales and Other Cetaceans <span>[ Resource Information ]</span> |            |                                                        |
|------------------------------------------------------------------|------------|--------------------------------------------------------|
| Current Scientific Name                                          | Status     | Type of Presence                                       |
| Mammal                                                           |            |                                                        |
| <a href="#">Balaenoptera borealis</a><br>Sei Whale [34]          | Vulnerable | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera edeni</a><br>Bryde's Whale [35]         |            | Species or species habitat likely to occur within area |



| Current Scientific Name                                                               | Status     | Type of Presence                                       |
|---------------------------------------------------------------------------------------|------------|--------------------------------------------------------|
| <a href="#">Balaenoptera musculus</a><br>Blue Whale [36]                              | Endangered | Species or species habitat likely to occur within area |
| <a href="#">Balaenoptera physalus</a><br>Fin Whale [37]                               | Vulnerable | Species or species habitat likely to occur within area |
| <a href="#">Delphinus delphis</a><br>Common Dolphin, Short-beaked Common Dolphin [60] |            | Species or species habitat may occur within area       |
| <a href="#">Feresa attenuata</a><br>Pygmy Killer Whale [61]                           |            | Species or species habitat may occur within area       |
| <a href="#">Globicephala macrorhynchus</a><br>Short-finned Pilot Whale [62]           |            | Species or species habitat may occur within area       |
| <a href="#">Grampus griseus</a><br>Risso's Dolphin, Grampus [64]                      |            | Species or species habitat may occur within area       |
| <a href="#">Indopacetus pacificus</a><br>Longman's Beaked Whale [72]                  |            | Species or species habitat may occur within area       |
| <a href="#">Kogia breviceps</a><br>Pygmy Sperm Whale [57]                             |            | Species or species habitat may occur within area       |
| <a href="#">Kogia sima</a><br>Dwarf Sperm Whale [85043]                               |            | Species or species habitat may occur within area       |
| <a href="#">Lagenodelphis hosei</a><br>Fraser's Dolphin, Sarawak Dolphin [41]         |            | Species or species habitat may occur within area       |
| <a href="#">Megaptera novaeangliae</a><br>Humpback Whale [38]                         |            | Species or species habitat may occur within area       |



| Current Scientific Name                                                                                                 | Status | Type of Presence                                 |
|-------------------------------------------------------------------------------------------------------------------------|--------|--------------------------------------------------|
| <a href="#">Mesoplodon densirostris</a><br>Blainville's Beaked Whale, Dense-beaked Whale [74]                           |        | Species or species habitat may occur within area |
| <a href="#">Mesoplodon ginkgodens</a><br>Ginkgo-toothed Beaked Whale, Ginkgo-toothed Whale, Ginkgo Beaked Whale [59564] |        | Species or species habitat may occur within area |
| <a href="#">Orcinus orca</a><br>Killer Whale, Orca [46]                                                                 |        | Species or species habitat may occur within area |
| <a href="#">Peponocephala electra</a><br>Melon-headed Whale [47]                                                        |        | Species or species habitat may occur within area |
| <a href="#">Physeter macrocephalus</a><br>Sperm Whale [59]                                                              |        | Species or species habitat may occur within area |
| <a href="#">Stenella attenuata</a><br>Spotted Dolphin, Pantropical Spotted Dolphin [51]                                 |        | Species or species habitat may occur within area |
| <a href="#">Stenella coeruleoalba</a><br>Striped Dolphin, Euphrosyne Dolphin [52]                                       |        | Species or species habitat may occur within area |
| <a href="#">Stenella longirostris</a><br>Long-snouted Spinner Dolphin [29]                                              |        | Species or species habitat may occur within area |
| <a href="#">Steno bredanensis</a><br>Rough-toothed Dolphin [30]                                                         |        | Species or species habitat may occur within area |
| <a href="#">Tursiops truncatus s. str.</a><br>Bottlenose Dolphin [68417]                                                |        | Species or species habitat may occur within area |
| <a href="#">Ziphius cavirostris</a><br>Cuvier's Beaked Whale, Goose-beaked Whale [56]                                   |        | Species or species habitat may occur within area |



| Name             | State | Type                            |
|------------------|-------|---------------------------------|
| Christmas Island | EXT   | National Park<br>(Commonwealth) |

| Australian Marine Parks |                                   | [ Resource Information ] |
|-------------------------|-----------------------------------|--------------------------|
| Park Name               | Zone & IUCN Categories            |                          |
| Christmas Island        | Habitat Protection Zone (IUCN IV) |                          |

### Extra Information

| Nationally Important Wetlands                     |       | [ Resource Information ] |
|---------------------------------------------------|-------|--------------------------|
| Wetland Name                                      | State |                          |
| <a href="#">"The Dales", Christmas Island</a>     | EXT   |                          |
| <a href="#">Hosine's Spring, Christmas Island</a> | EXT   |                          |

| EPBC Act Referrals                                                                            |            |                   | [ Resource Information ] |
|-----------------------------------------------------------------------------------------------|------------|-------------------|--------------------------|
| Title of referral                                                                             | Reference  | Referral Outcome  | Assessment Status        |
|                                                                                               |            |                   |                          |
| <a href="#">Marine Route Survey for Subsea Fibre Optic Data Cable System - Australia West</a> | 2024/09826 |                   | Completed                |
|                                                                                               |            |                   |                          |
| Controlled action                                                                             |            |                   |                          |
| <a href="#">Christmas Island Airport Expansion</a>                                            | 2001/434   | Controlled Action | Post-Approval            |
|                                                                                               |            |                   |                          |
| <a href="#">Christmas Island Port Facility</a>                                                | 2001/435   | Controlled Action | Post-Approval            |
|                                                                                               |            |                   |                          |
| <a href="#">Construction of mobile phone tower</a>                                            | 2002/694   | Controlled Action | Completed                |
|                                                                                               |            |                   |                          |
| <a href="#">Cultural Appearance Upgrade of the Chinese Literary Association Building</a>      | 2007/3568  | Controlled Action | Completed                |
|                                                                                               |            |                   |                          |
| <a href="#">East Christmas Island Phosphate Mines (9 sites)</a>                               | 2001/487   | Controlled Action | Completed                |
|                                                                                               |            |                   |                          |
| <a href="#">Exploration for Mineable Phosphate, Christmas Island</a>                          | 2000/43    | Controlled Action | Completed                |
|                                                                                               |            |                   |                          |
| <a href="#">Lily Beach Recreational Facilities</a>                                            | 2001/395   | Controlled Action | Post-Approval            |
|                                                                                               |            |                   |                          |
| <a href="#">Lily Beach Rock Pool Development</a>                                              | 2001/400   | Controlled Action | Completed                |
|                                                                                               |            |                   |                          |
| <a href="#">Phosphate Mining in South Point Christmas Island</a>                              | 2012/6653  | Controlled Action | Post-Approval            |



| Title of referral                                                                                | Reference | Referral Outcome      | Assessment Status |
|--------------------------------------------------------------------------------------------------|-----------|-----------------------|-------------------|
| Controlled action                                                                                |           |                       |                   |
| <a href="#">Proposed exploration drilling programme for Christmas Island</a>                     | 2016/7779 | Controlled Action     | Completed         |
| <a href="#">Road Upgrade/Construction between Lily Beach Road and Port Faci</a>                  | 2001/436  | Controlled Action     | Post-Approval     |
| <a href="#">Salvage, transport and processing of phosphate resource with extended airport si</a> | 2003/1217 | Controlled Action     | Post-Approval     |
| <a href="#">Yellow Crazy Ant Biological Control</a>                                              | 2013/6836 | Controlled Action     | Post-Approval     |
| Not controlled action                                                                            |           |                       |                   |
| <a href="#">96-108 Gaze Road - Residential upgrade</a>                                           | 2006/2632 | Not Controlled Action | Completed         |
| <a href="#">Aerial Baiting, Yellow Crazy Ant Supercolonies, Christmas Island, WA</a>             | 2019/8492 | Not Controlled Action | Completed         |
| <a href="#">Boat Ramp Construction</a>                                                           | 2001/237  | Not Controlled Action | Completed         |
| <a href="#">Building of a carport adjacent to residential house</a>                              | 2004/1538 | Not Controlled Action | Completed         |
| <a href="#">Christmas Island/Construction of a double storey shed/carport at MQ387 Gaze Road</a> | 2004/1561 | Not Controlled Action | Completed         |
| <a href="#">Christmas Island Fuel Consolidation Project, Christmas Island</a>                    | 2012/6454 | Not Controlled Action | Completed         |
| <a href="#">Community Recreation Centre</a>                                                      | 2003/1279 | Not Controlled Action | Completed         |
| <a href="#">courtyard shower &amp; handbasin facilities</a>                                      | 2006/2803 | Not Controlled Action | Completed         |
| <a href="#">Dwelling demolition, maintenance and carpark/carport/storage shed works</a>          | 2004/1837 | Not Controlled Action | Completed         |
| <a href="#">Extension of a Masonary Brick Wall adjacent to the Poon Saan Club by 500 mm</a>      | 2004/1564 | Not Controlled Action | Completed         |
| <a href="#">Flying Fish Cove Christmas Island Boat Ramp Maintenance</a>                          | 2021/8924 | Not Controlled Action | Completed         |
| <a href="#">Flying Fish Cove Landslide Mitigation Project</a>                                    | 2020/8616 | Not Controlled Action | Completed         |
| <a href="#">Garage and Office Facilities</a>                                                     | 2004/1919 | Not Controlled Action | Completed         |



| Title of referral                                                                                                   | Reference | Referral Outcome      | Assessment Status |
|---------------------------------------------------------------------------------------------------------------------|-----------|-----------------------|-------------------|
| Not controlled action                                                                                               |           |                       |                   |
| <a href="#">Housing and Garden Maintenance Works</a>                                                                | 2004/1487 | Not Controlled Action | Completed         |
| <a href="#">Hydroponics Research Program</a>                                                                        | 2007/3338 | Not Controlled Action | Completed         |
| <a href="#">Identification of unmarked grave, exhumation/identification of remains which may belong to a sailor</a> | 2006/2992 | Not Controlled Action | Completed         |
| <a href="#">Internal and external modifications Lot 1014 Gaze Road</a>                                              | 2004/1807 | Not Controlled Action | Completed         |
| <a href="#">Light Industrial Subdivision Development</a>                                                            | 2004/1799 | Not Controlled Action | Completed         |
| <a href="#">Lot 1056 Extensions and Alterations</a>                                                                 | 2004/1801 | Not Controlled Action | Completed         |
| <a href="#">Maintenance of Tai Jin House, Smith Point</a>                                                           | 2009/4933 | Not Controlled Action | Completed         |
| <a href="#">Mobile Radio Communications System Upgrade</a>                                                          | 2002/718  | Not Controlled Action | Completed         |
| <a href="#">Placement of bitumen/ concrete on rail sections of heritage listed incline, Christmas Island</a>        | 2013/7009 | Not Controlled Action | Completed         |
| <a href="#">Power Station Diesel Generator Replacement</a>                                                          | 2009/4685 | Not Controlled Action | Completed         |
| <a href="#">Proposed sale or lease of Crown land, 11 lots, Christmas Island</a>                                     | 2018/8220 | Not Controlled Action | Completed         |
| <a href="#">Realignment of Gaze Road Service Road and Gaze Road Junction</a>                                        | 2004/1735 | Not Controlled Action | Completed         |
| <a href="#">Refurbishment and Extension of Seaview Lodge</a>                                                        | 2012/6353 | Not Controlled Action | Completed         |
| <a href="#">renovate free-standing servant's quarters</a>                                                           | 2006/2811 | Not Controlled Action | Completed         |
| <a href="#">Replacement of deteriorating flat roof at rear of Mosque and extending side verandahs, Christmas Is</a> | 2013/6851 | Not Controlled Action | Completed         |
| <a href="#">Residential upgrade, 2 Coconut Grove</a>                                                                | 2007/3295 | Not Controlled Action | Completed         |
| <a href="#">Stormwater Remediation Project, Christmas Island</a>                                                    | 2019/8467 | Not Controlled Action | Completed         |



| Title of referral                                                                                           | Reference | Referral Outcome                          | Assessment Status |
|-------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|-------------------|
| Not controlled action                                                                                       |           |                                           |                   |
| <a href="#">Subdivision of Lot 571 on DP 26701</a>                                                          | 2008/4230 | Not Controlled Action                     | Completed         |
| <a href="#">Subdivision of Part 7 of Lot 1014</a>                                                           | 2009/4851 | Not Controlled Action                     | Completed         |
| <a href="#">Supermarket Extensions</a>                                                                      | 2006/2515 | Not Controlled Action                     | Completed         |
| <a href="#">Upgrade of Residence, Coconut Grove</a>                                                         | 2006/2728 | Not Controlled Action                     | Completed         |
| <a href="#">Verandah Extension to Existing Breezeway Unit, Gaze Road</a>                                    | 2005/1970 | Not Controlled Action                     | Completed         |
| Not controlled action (particular manner)                                                                   |           |                                           |                   |
| <a href="#">Addition of Verandah to Block of Four Units</a>                                                 | 2005/2315 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Aerial Baiting of Yellow Crazy Ants</a>                                                         | 2012/6438 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Asbestos Removal from Commonwealth Owned Assests including Commonwealth Heritage</a>            | 2009/4873 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Baiting Efficacy Trial of Feral Cat Bait and PAPP Toxicant</a>                                  | 2008/4383 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Commonwealth Marine/Flying Fish Cove Jetty Extension</a>                                        | 2012/6675 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Crazy Ant Aerial Baiting Control Program</a>                                                    | 2002/722  | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Helicopter baiting of exotic yellow crazy ant supercolonies, Christmas Island, Indian Ocean</a> | 2009/5016 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">INDIGO Marine Cable Route Survey (INDIGO)</a>                                                   | 2017/7996 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">New Housing Program</a>                                                                         | 2011/6056 | Not Controlled Action                     | Post-Approval     |



| Title of referral                                                                                        | Reference | Referral Outcome                          | Assessment Status |
|----------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|-------------------|
| Not controlled action (particular manner)                                                                |           |                                           |                   |
|                                                                                                          |           | (Particular Manner)                       |                   |
| <a href="#">Swimming Pool modification</a>                                                               | 2007/3312 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Trials of a bait delivery system for the control of Yellow Crazy Ants</a>                    | 2009/4763 | Not Controlled Action (Particular Manner) | Post-Approval     |
| <a href="#">Water supply upgrade</a>                                                                     | 2005/2269 | Not Controlled Action (Particular Manner) | Post-Approval     |
| Referral decision                                                                                        |           |                                           |                   |
| <a href="#">Alterations and Improvements to existing residence at Lot 3015 Gaze Rd, Christmas Island</a> | 2009/5039 | Referral Decision                         | Completed         |
| <a href="#">Rocky Point Dwelling Redevelopment</a>                                                       | 2005/2203 | Referral Decision                         | Referral Decision |



# Caveat

## 1 PURPOSE

This report is designed to assist in identifying the location of matters of national environmental significance (MNES) and other matters protected by the Environment Protection and Biodiversity Conservation Act 1999 (Cth) (EPBC Act) which may be relevant in determining obligations and requirements under the EPBC Act.

The report contains the mapped locations of:

- World and National Heritage properties;
- Wetlands of International and National Importance;
- Commonwealth and State/Territory reserves;
- distribution of listed threatened, migratory and marine species;
- listed threatened ecological communities; and
- other information that may be useful as an indicator of potential habitat value.

## 2 DISCLAIMER

This report is not intended to be exhaustive and should only be relied upon as a general guide as mapped data is not available for all species or ecological communities listed under the EPBC Act (see below). Persons seeking to use the information contained in this report to inform the referral of a proposed action under the EPBC Act should consider the limitations noted below and whether additional information is required to determine the existence and location of MNES and other protected matters.

Where data is available to inform the mapping of protected species, the presence type (e.g. known, likely or may occur) that can be determined from the data is indicated in general terms. It is the responsibility of any person using or relying on the information in this report to ensure that it is suitable for the circumstances of any proposed use. The Commonwealth cannot accept responsibility for the consequences of any use of the report or any part thereof. To the maximum extent allowed under governing law, the Commonwealth will not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on the contents of this report.

## 3 DATA SOURCES

### Threatened ecological communities

For threatened ecological communities where the distribution is well known, maps are generated based on information contained in recovery plans, State vegetation maps and remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

### Threatened, migratory and marine species

Threatened, migratory and marine species distributions have been discerned through a variety of methods. Where distributions are well known and if time permits, distributions are inferred from either thematic spatial data (i.e. vegetation, soils, geology, elevation, aspect, terrain, etc.) together with point locations and described habitat; or modelled (MAXENT or BIOCLIM habitat modelling) using point locations and environmental data layers.

Where little information is available for a species or large number of maps are required in a short time-frame, maps are derived either from 0.04 or 0.02 decimal degree cells; by an automated process using polygon capture techniques (static two kilometre grid cells, alpha-hull and convex hull); or captured manually or by using topographic features (national park boundaries, islands, etc.).

In the early stages of the distribution mapping process (1999-early 2000s) distributions were defined by degree blocks, 100K or 250K map sheets to rapidly create distribution maps. More detailed distribution mapping methods are used to update these distributions when time permits.

## 4 LIMITATIONS

The following species and ecological communities have not been mapped and do not appear in this report:

- threatened species listed as extinct or considered vagrants;
- some recently listed species and ecological communities;
- some listed migratory and listed marine species, which are not listed as threatened species; and
- migratory species that are very widespread, vagrant, or only occur in Australia in small numbers.

The following groups have been mapped, but may not cover the complete distribution of the species:

- listed migratory and/or listed marine seabirds, which are not listed as threatened, have only been mapped for recorded breeding sites; and
- seals which have only been mapped for breeding sites near the Australian continent

The breeding sites may be important for the protection of the Commonwealth Marine environment.

Refer to the metadata for the feature group (using the Resource Information link) for the currency of the information.



# Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Department of Land and Resource Management, Northern Territory](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- [-Natural history museums of Australia](#)
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- [-Australian Tropical Herbarium, Cairns](#)
- [-eBird Australia](#)
- [-Australian Government – Australian Antarctic Data Centre](#)
- [-Museum and Art Gallery of the Northern Territory](#)
- [-Australian Government National Environmental Science Program](#)
- [-Australian Institute of Marine Science](#)
- [-Reef Life Survey Australia](#)
- [-American Museum of Natural History](#)
- [-Queen Victoria Museum and Art Gallery, Inveresk, Tasmania](#)
- [-Tasmanian Museum and Art Gallery, Hobart, Tasmania](#)
- [-Other groups and individuals](#)

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.



Please feel free to provide feedback via the [Contact us](#) page.

[© Commonwealth of Australia](#)

Department of Climate Change, Energy, the Environment and Water

GPO Box 3090

Canberra ACT 2601 Australia

+61 2 6274 1111



## Appendix C Flora Species List

| Family           |   | Taxon                            | Status                            |
|------------------|---|----------------------------------|-----------------------------------|
| ACANTHACEAE      | * | <i>Asystasia gangetica</i>       |                                   |
| APOCYNACEAE      |   | <i>Hoya aldrichii</i>            |                                   |
|                  |   | <i>Ochrosia ackeringae</i>       |                                   |
| ARALIACEAE       |   | <i>Schefflera elliptica</i>      |                                   |
| ARECACEAE        |   | <i>Arenga listeri</i>            |                                   |
| ASPLENIACEAE     |   | <i>Asplenium nidus</i>           |                                   |
| ASTERACEAE       | * | <i>Mikania micrantha</i>         | NAQS target species               |
| BORAGINACEAE     |   | <i>Carmona retusa</i>            |                                   |
|                  |   | <i>Ehretia javanica</i>          |                                   |
|                  | * | <i>Varronia curassavica</i>      |                                   |
| CANNABACEAE      |   | <i>Celtis timorensis</i>         |                                   |
| CARICACEAE       | * | <i>Carica papaya</i>             |                                   |
| COMBRETACEAE     |   | <i>Terminalia catappa</i>        |                                   |
| DAVALLIACEAE     |   | <i>Davalia solida</i>            |                                   |
|                  |   | <i>Nephrolepis biserrata</i>     |                                   |
| DIOSCOREACEAE    |   | <i>Dioscorea alata</i>           |                                   |
| EUPHORBIACEAE    |   | <i>Alchornia rugosa</i>          |                                   |
|                  |   | <i>Aleurites mollucana</i>       |                                   |
|                  | * | <i>Euphorbia cyathoflora</i>     |                                   |
|                  |   | <i>Macaranga tanarius</i>        |                                   |
| FABACEAE         |   | ? <i>Caesalpinia pulcherrima</i> |                                   |
|                  | * | <i>Delonix regia</i>             |                                   |
|                  |   | <i>Inocarpus fagifer</i>         |                                   |
|                  |   | <i>Pongamia pinata</i>           |                                   |
| FLACOURTIACEAE   | * | <i>Muntingia calabura</i>        |                                   |
| HERNANDIACEAE    |   | <i>Hernandia ovigera</i>         |                                   |
| LAMIACEAE        | * | <i>Hyptis capitata</i>           |                                   |
| LECTHYTHIDACEAE  |   | <i>Barringtonia racemosa</i>     |                                   |
| LOMARIOPSIDACEAE |   | <i>Bolbitis heteroclita</i>      |                                   |
| MALVACEAE        |   | <i>Berrya cordifolia</i>         |                                   |
|                  |   | <i>Grewia insularis</i>          |                                   |
|                  |   | <i>Kleinhovia hospita</i>        |                                   |
| MELIACEAE        |   | ? <i>Melia azedarach</i>         |                                   |
|                  |   | <i>Dysoxylum gaudichaudianum</i> |                                   |
| MENISPERMACEAE   |   | <i>Pachygone ovata</i>           |                                   |
| MIMOSACEAE       | * | <i>Leucaena leucocephala</i>     |                                   |
| MIMOSACEAE       | * | <i>Mimosa pudica</i>             | Declared Pest s12 (C2 Prohibited) |
| MORACEAE         |   | <i>Ficus microcarpa</i>          |                                   |
|                  |   | <i>Maclura cochinchinensis</i>   |                                   |
| MUSACEAE         | * | <i>Musa sp.</i>                  |                                   |



| Family        |   | Taxon                             | Status |
|---------------|---|-----------------------------------|--------|
| MYRTACEAE     |   | <i>Syzygium nervosum</i>          |        |
| NYCTAGINACEAE |   | <i>Pisonia grandis</i>            |        |
|               |   | <i>Pisonia umbellifera</i>        |        |
| ORCHIDACEAE   |   | <i>Corymborkis veratrifolia</i>   |        |
| PANDANACEAE   |   | <i>Pandanus elatus</i>            |        |
| POLYPODIACEAE |   | <i>Pyrrosia lanceolata</i>        |        |
| RUTACEAE      | * | <i>Clausena excavata</i>          |        |
|               |   | <i>Triphasia trifolia</i>         |        |
| SAPINDACEAE   |   | <i>Tristiropsis acutangula</i>    |        |
| SAPOTACEAE    |   | <i>Planchonella nitida</i>        |        |
| TURNERACEAE   |   | <i>Turnera ulmifolia</i>          |        |
| VERBENACEAE   | * | <i>Stachytarpheta jamaicensis</i> |        |
| VITACEAE      |   | <i>Leea angulata</i>              |        |
| VITTARIACEAE  |   | <i>Vittaria elongata</i>          |        |



## Appendix D Site-Species Matrix (Flora)

|   | Taxon                               | R01 | R02 | R03 | R04 | R05 | R06 | R07 | Opp |
|---|-------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
|   | <i>Alchornia rugosa</i>             |     |     | +   |     |     | +   |     | +   |
|   | <i>Aleurites mollucana</i>          |     |     |     |     |     |     |     | +   |
|   | <i>Arenga listeri</i>               | +   | +   | +   | +   | +   | +   | +   |     |
|   | <i>Asplenium nidus</i>              |     |     |     | +   | +   | +   |     |     |
| * | <i>Asystasia gangetica</i>          |     |     |     |     |     |     |     | +   |
|   | <i>Barringtonia racemosa</i>        |     |     |     | +   | +   | +   |     |     |
|   | <i>Berrya cordifolia</i>            |     |     |     |     |     |     |     | +   |
|   | ? <i>Berrya cordifolia</i>          |     |     |     |     |     |     |     | +   |
|   | <i>Bolbitis heteroclita</i>         |     |     |     |     |     |     |     | +   |
|   | ? <i>Caesalpinia pulcherrima</i>    |     |     |     |     |     |     |     | +   |
|   | <i>Carica papaya</i>                |     |     |     |     |     |     |     | +   |
|   | <i>Carmona retusa</i>               |     |     |     |     |     |     | +   |     |
|   | <i>Celtis timorensis</i>            | +   | +   | +   |     |     | +   |     |     |
|   | <i>Clausena excavata</i>            | +   | +   | +   |     |     |     | +   |     |
|   | <i>Corymborkis veratrifolia</i>     |     |     |     | +   | +   |     |     |     |
|   | <i>Davalia solida</i>               |     |     |     | +   |     | +   |     |     |
|   | <i>Delonix regia</i>                |     |     |     |     |     |     |     | +   |
|   | <i>Dioscorea alata</i>              |     | +   | +   |     |     |     | +   |     |
|   | <i>Dysoxylum gaudichaudianum</i>    |     |     |     | +   | +   | +   |     |     |
|   | ? <i>Dysoxylon gaudichaudianum</i>  |     |     |     |     |     |     | +   |     |
|   | <i>Ehretia javanica</i>             |     |     |     | +   |     |     |     |     |
| * | <i>Euphorbia cyathiflora</i>        |     |     |     |     |     |     |     | +   |
|   | <i>Ficus microcarpa</i>             | +   | +   |     |     |     | +   |     |     |
|   | <i>Grewia insularis</i>             |     |     |     |     |     |     | +   |     |
|   | <i>Hernandia ovigera</i>            |     |     |     |     |     |     |     | +   |
|   | <i>Hoya aldrichii</i>               |     | +   |     | +   |     |     |     |     |
| * | <i>Hyptis capitata</i>              |     |     |     |     |     |     |     | +   |
|   | Indet. Seedling with serrate leaves |     | +   |     |     |     |     |     |     |
|   | <i>Inocarpus fagifer</i>            |     |     |     | +   | +   | +   |     |     |
|   | <i>Kleinhovia hospita</i>           |     | +   |     |     |     |     | +   |     |
|   | <i>Leea angulata</i>                |     |     |     |     |     |     |     | +   |
|   | <i>Leucaena leucocephala</i>        |     | +   |     |     |     |     |     | +   |
|   | <i>Macaranga tanarius</i>           | +   |     |     |     |     |     |     | +   |
|   | <i>Maclura cochinchinensis</i>      | +   |     | +   | +   |     |     | +   |     |
|   | ? <i>Melia azedarach</i>            |     |     | +   |     |     |     |     |     |
| * | <i>Mikania micrantha</i>            |     |     |     |     |     |     |     | +   |
| * | <i>Mimosa pudica</i>                |     |     |     |     |     |     |     | +   |
| * | <i>Muntingia calabura</i>           |     |     |     |     |     |     |     | +   |
|   | <i>Musa</i> sp.                     |     |     |     |     |     |     |     | +   |
|   | <i>Nephrolepis biserrata</i>        |     |     |     | +   | +   |     |     |     |



| Taxon                               | R01 | R02 | R03 | R04 | R05 | R06 | R07 | Opp |
|-------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| <i>?Nephrolepis bisserata</i>       |     |     |     |     |     | +   |     |     |
| <i>Ochrosia ackeringae</i>          |     | +   | +   |     |     |     | +   |     |
| <i>Pachygone ovata</i>              |     |     |     |     |     |     |     | +   |
| <i>Pandanus elatus</i>              |     |     |     | +   | +   | +   |     |     |
| <i>Pisonia grandis</i>              |     | +   |     |     |     |     |     |     |
| <i>Pisonia umbellifera</i>          |     |     |     |     |     |     |     | +   |
| <i>Planchonella nitida</i>          |     |     | +   |     |     |     |     |     |
| <i>Pongamia pinata</i>              |     |     | +   |     |     |     |     |     |
| <i>Pyrrosia lanceolata</i>          | +   |     |     |     |     | +   | +   |     |
| <i>Schefflera elliptica</i>         |     |     |     | +   | +   | +   |     |     |
| * <i>Stachytarpheta jamaicensis</i> |     |     |     |     |     |     |     | +   |
| <i>Syzygium nervosum</i>            |     |     |     |     |     |     |     | +   |
| <i>Syzygium nervosum</i>            |     |     | +   |     | +   | +   |     |     |
| <i>Terminalia catappa</i>           |     |     |     |     |     |     |     | +   |
| <i>Triphasia trifolia</i>           | +   |     |     |     |     |     |     |     |
| <i>Tristiropsis acutangula</i>      | +   | +   | +   | +   | +   | +   | +   |     |
| <i>Turnera ulmifolia</i>            | +   |     |     |     |     |     |     | +   |
| * <i>Varronia curassavica</i>       |     |     |     |     |     |     |     | +   |
| <i>Vittaria elongata</i>            |     |     |     | +   |     |     |     |     |



## Appendix E    Relevé Data



**Project:** 67277

**Date:** 2024-09-11

**Site:** R01 **Coordinates:** -10.4200149, 105.6763253 **Datum:** WGS84

**Site Type:** Releve

**Site Size:** 10 x 10 m **Site Marker:** No marker (temporary site)

**Photo Location:** NW Corner

**Landform:** terrace

**Aspect:** Slope:

**Outcropping:** yes

**Rock Type:** Limestone

**Soil Type:** Phosphatic loam

**Soil Notes:** Loam

**Surface:** 3% bare ground, 85% outcropping, 12% litter

**Years Since Fire:** yrs

**Large Trees Present (>500 mm DBH):**

**Condition:** Very Good

**Disturbance Notes:** Weeds

**Vegetation Description:** Semi-deciduous forest



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|--------------------------------|-------------|-----------|----------------|---------|
| * <i>Clausena excavata</i>     | 300         | 3         |                |         |
| <i>Celtis timorensis</i>       | 10          | 20        |                |         |
| <i>Macaranga tanarius</i>      | 2000        | 15        |                |         |
| <i>Ficus microcarpa</i>        | 18          | 10        |                |         |
| <i>Arenga listeri</i>          | 12          | 15        |                |         |
| <i>Tristiropsis acutangula</i> | 150         | 1         |                |         |
| <i>Maclura cochinchinensis</i> |             | 3         |                |         |



| Taxon                      | Height<br>(cm) | Cover<br>(%) | Cover<br>(Dead<br>%) | Comment |
|----------------------------|----------------|--------------|----------------------|---------|
| * <i>Turnera ulmifolia</i> | 150            | 0            |                      |         |
| <i>Pyrrosia lanceolata</i> | Epiphyte       |              |                      |         |
| <i>Triphasia trifolia</i>  |                |              |                      | Opp     |



**Project:** 67277

**Date:** 2024-09-11

**Site:** R02 **Coordinates:** -10.4198465, 105.6814042 **Datum:** WGS84

**Site Type:** Releve

**Site Size:** **Site Marker:** No marker (temporary site)

**Photo Location:** from east looking west

**Landform:** slope

**Aspect:** N **Slope:** 5

**Outcropping:** yes

**Rock Type:** Limestone

**Soil Type:** Phosphatic loam

**Soil Notes:** Loam

**Surface:** 1% bare ground, 60% outcropping, 39% litter

**Years Since Fire:** yrs

**Large Trees Present (>500 mm DBH):**

**Condition:** Excellent

**Disturbance Notes:** Weeds

**Vegetation Description:** Semi-deciduous forest



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|--------------------------------|-------------|-----------|----------------|---------|
| <i>Ochrosia ackeringae</i>     | 1200        | 75        |                |         |
| <i>Hoya aldrichii</i>          | Epiphyte    | 0         |                |         |
| <i>Arenga listeri</i>          | 150         | 2         |                |         |
| <i>Ficus microcarpa</i>        | 1800        | 30        |                |         |
| <i>Tristiropsis acutangula</i> | 1800        | 10        |                |         |
| <i>Alchornea rugosa</i>        | 100         | 0         |                |         |
| <i>Berrya cordifolia</i>       | 1800        | 10        |                |         |



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment                      |
|--------------------------------|-------------|-----------|----------------|------------------------------|
| Indet.                         | 90          | 0         |                | Seedling with serrate leaves |
| <i>Dioscorea alata</i>         | 40          | 0         |                |                              |
| * <i>Leucaena leucocephala</i> | 600         | 1         |                |                              |
| * <i>Clausena excavata</i>     | 100         | 1         |                |                              |
| <i>Celtis timorensis</i>       | 35          | 0         |                | Seedling                     |
| <i>Pisonia grandis</i>         | 800         | 0         |                |                              |
| <i>Kleinhovia hospita</i>      | 1800        | 0         |                |                              |
| <i>Berrya cordifolia</i>       |             |           |                | Opp                          |
| <i>Alchornia rugosa</i>        |             |           |                | Opp                          |
| * <i>Turnera ulmifolia</i>     |             |           |                | Opp                          |



**Project:** 67277

**Date:** 2024-09-11

**Site:** R03 **Coordinates:** -10.421034, 105.681972 **Datum:** WGS84

**Site Type:** Releve

**Site Size:** **Site Marker:** No marker (temporary site)

**Photo Location:** Centre

**Landform:** slope

**Aspect:** N **Slope:** 5

**Outcropping:** yes

**Rock Type:** Limestone

**Soil Type:** Phosphatic loam

**Soil Notes:** Loam

**Surface:** 15% bare ground, 40% outcropping, 45% litter

**Years Since Fire:** yrs

**Large Trees Present (>500 mm DBH):**

**Condition:** Very Good

**Disturbance Notes:** Trash, weeds

**Vegetation Description:** Semi-deciduous forest



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|--------------------------------|-------------|-----------|----------------|---------|
| <i>Syzygium nervosum</i>       | 1500        | 2         |                |         |
| <i>Dioscorea alata</i>         | 30          | 0         |                |         |
| <i>Arenga listeri</i>          | 400         | 15        |                |         |
| <i>Maclura cochinchinensis</i> | Liane       | 5         |                |         |
| <i>Tristiropsis acutangula</i> | 1500        | 5         |                |         |
| <i>Ochrosia ackeringae</i>     | 1200        | 30        |                |         |
| * <i>Clausena excavata</i>     | 50          | 0         |                |         |



| Taxon                            | Height (cm) | Cover (%) | Cover (Dead %) | Comment                                                      |
|----------------------------------|-------------|-----------|----------------|--------------------------------------------------------------|
| <i>Planchonella nitida</i>       | 300         | 0         |                | Saplings                                                     |
| <i>Pongamia pinata</i>           |             |           |                |                                                              |
| <i>Celtis timorensis</i>         | 1000        | 3         |                |                                                              |
| <i>Alchornia rugosa</i>          | 300         | 0         |                |                                                              |
| ? <i>Caesalpinia pulcherrima</i> |             |           |                | Opp, sterile                                                 |
| ? <i>Melia azedarach</i>         |             |           |                | Too many canopy species with leaves mixing to confidently ID |
| <i>Pisonia umbellifera</i>       |             |           |                | Opp                                                          |



**Project:** 67277

**Date:** 2024-09-12

**Site:** R04 **Coordinates:** -10.4346309, 105.676317 **Datum:** WGS84

**Site Type:** Releve

**Site Size:** 10 x 10 m **Site Marker:** No marker (temporary site)

**Photo Location:** NW Corner

**Landform:** slope

**Aspect:** NW **Slope:** 2

**Outcropping:** yes

**Rock Type:** Limestone

**Soil Type:** Phosphatic loam

**Soil Notes:** Loam

**Surface:** 60% bare ground, 15% outcropping, 25% litter

**Years Since Fire:** yrs

**Large Trees Present (>500 mm DBH):** yes

**Condition:** Very Good

**Disturbance Notes:** ?young, check veg map

**Vegetation Description:** Closed canopy evergreen forest regrowth



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|--------------------------------|-------------|-----------|----------------|---------|
| <i>Inocarpus fagifer</i>       | 2000        | 40        | 0              |         |
| <i>Ehretia javanica</i>        | 30000       | 20        |                |         |
| <i>Asplenium nidus</i>         | Epiphyte    | 1         |                |         |
| <i>Davalia solida</i>          | Epiphyte    | 0         |                |         |
| <i>Tristiropsis acutangula</i> | 1500        | 5         |                |         |
| <i>Hoya aldrichii</i>          | Epiphyte    | 0         |                |         |
| <i>Barringtonia racemosa</i>   | 1200        | 10        |                |         |



| Taxon                            | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|----------------------------------|-------------|-----------|----------------|---------|
| <i>Dysoxylum gaudichaudianum</i> | 1000        | 1         |                |         |
| <i>Vittaria elongata</i>         | Epiphyte    | 0         |                |         |
| <i>Arenga listeri</i>            | 1500        | 1         |                |         |
| <i>Pandanus elatus</i>           | 400         | 0         |                |         |
| <i>Corymborkis veratrifolia</i>  | 100         | 0         |                |         |
| <i>Maclura cochinchinensis</i>   | Liane       | 0         |                |         |
| <i>Schefflera elliptica</i>      | Liane       | 1         |                |         |
| <i>Asplenium nidus</i>           | Epiphyte    |           |                |         |
| <i>Nephrolepis biserrata</i>     | Epiphyte    |           |                |         |



**Project:** 67277  
**Site:** R05 **Coordinates:** -10.4334548, 105.6799128 **Datum:** WGS84  
**Site Size:** 10 x 10 m **Site Marker:** No marker (temporary site)

**Date:** 2024-09-12  
**Site Type:** Releve  
**Photo Location:** Centre

**Landform:** slope  
**Outcropping:** yes  
**Soil Type:** Phosphatic loam  
**Surface:** 70% bare ground, 5% outcropping, 25% litter  
**Large Trees Present (>500 mm DBH):** yes  
**Condition:** Excellent,Pristine

**Aspect:** N **Slope:** 1  
**Rock Type:** Limestone  
**Soil Notes:** Loam  
**Years Since Fire:** yrs

**Disturbance Notes:** Minor Trash

**Vegetation Description:** Closed canopy evergreen forest



| Taxon                           | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|---------------------------------|-------------|-----------|----------------|---------|
| <i>Nephrolepis biserrata</i>    | 100         | 3         |                |         |
| <i>Corymborkis veratrifolia</i> | 70          | 1         |                |         |
| <i>Tristiropsis acutangula</i>  | 120         | 1         |                |         |
| <i>Arenga listeri</i>           | 150         | 1         |                |         |
| <i>Pandanus elatus</i>          | 200         | 1         |                |         |
| <i>Syzygium nervosum</i>        | 3000        | 35        |                |         |
| <i>Barringtonia racemosa</i>    | 1800        | 80        |                |         |



| Taxon                            | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|----------------------------------|-------------|-----------|----------------|---------|
| <i>Dysoxylum gaudichaudianum</i> | 2500        | 2         |                |         |
| <i>Asplenium nidus</i>           | Epiphyte    | 0.5       |                |         |
| <i>Schefflera elliptica</i>      | Liane       | 2         |                |         |
| <i>Inocarpus fagifer</i>         | 400         | 0         |                |         |



**Project:** 67277

**Date:** 2024-09-13

**Site:** R06 **Coordinates:** -10.4374289, 105.669785 **Datum:** WGS84

**Site Type:** Releve

**Site Size:** 10 x 10 m **Site Marker:** No marker (temporary site)

**Photo Location:** NW Corner

**Landform:** slope

**Aspect:** NW **Slope:** 10

**Outcropping:** yes

**Rock Type:** Limestone

**Soil Type:** Phosphatic loam

**Soil Notes:** Loam

**Surface:** 60% bare ground, 30% outcropping, 10% litter

**Years Since Fire:** yrs

**Large Trees Present (>500 mm DBH):** yes

**Condition:** Excellent

**Disturbance Notes:**

**Vegetation Description:** Closed canopy evergreen forest



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|--------------------------------|-------------|-----------|----------------|---------|
| <i>Ficus microcarpa</i>        | 2000        | 70        |                |         |
| <i>Inocarpus fagifer</i>       | 1500        | 60        |                |         |
| <i>Arenga listeri</i>          | 1000        | 10        |                |         |
| <i>Pyrrosia lanceolata</i>     | Epiphyte    | 0         |                |         |
| <i>Tristiropsis acutangula</i> | 150         | 0         |                |         |
| <i>Schefflera elliptica</i>    | Liane       | 1         |                |         |
| <i>Pandanus elatus</i>         | 100         | 1         |                |         |



| Taxon                            | Height (cm) | Cover (%) | Cover (Dead %) | Comment       |
|----------------------------------|-------------|-----------|----------------|---------------|
| <i>Asplenium nidus</i>           | Epiphyte    | 0         |                |               |
| <i>Syzygium nervosum</i>         |             | 2         |                |               |
| <i>Barringtonia racemosa</i>     | 1000        | 5         |                |               |
| <i>Alchornia rugosa</i>          | 250         | 1         |                |               |
| ? <i>Celtis timorensis</i>       | 120         | 0         |                | Seedling      |
| <i>Dysoxylum gaudichaudianum</i> | 2500        | 1         |                |               |
| <i>Davalia solida</i>            | Epiphyte    | 0         |                |               |
| ? <i>Nephrolepis bisserata</i>   | Epiphyte    | 0         |                | Growing in U2 |



**Project:** 67277

**Date:** 2024-09-16

**Site:** R07 **Coordinates:** -10.4199228, 105.6796412 **Datum:** WGS84

**Site Type:** Releve

**Site Size:** 10 x 10 m **Site Marker:** No marker (temporary site)

**Photo Location:** facing south

**Landform:** slope

**Aspect:** N **Slope:** 3

**Outcropping:** yes

**Rock Type:** Limestone

**Soil Type:** Phosphatic loam

**Soil Notes:** Shallow gritty loam

**Surface:** 1% bare ground, 70% outcropping, 29% litter

**Years Since Fire:** yrs

**Large Trees Present (>500 mm DBH):** no

**Condition:** Good

**Disturbance Notes:** Weeds, trash, chicken coop

**Vegetation Description:** Semi-deciduous forest/scrub



| Taxon                              | Height (cm) | Cover (%) | Cover (Dead %) | Comment  |
|------------------------------------|-------------|-----------|----------------|----------|
| <i>Ochrosia ackeringae</i>         | 800         | 60        |                |          |
| * <i>Clausena excavata</i>         | 300         | 0         |                |          |
| <i>Kleinhovia hospita</i>          | 900         | 2         |                |          |
| <i>Tristiropsis acutangula</i>     | 600         | 3         |                |          |
| <i>Arenga listeri</i>              | 250         | 2         |                |          |
| ? <i>Dysoxylon gaudichaudianum</i> |             | 0         |                | Seedling |
| <i>Maclura cochinchinensis</i>     | Liane       | 1         |                |          |



| Taxon                          | Height (cm) | Cover (%) | Cover (Dead %) | Comment |
|--------------------------------|-------------|-----------|----------------|---------|
| * <i>Carica papaya</i>         |             |           |                | Opp     |
| * <i>Musa sp.</i>              |             |           |                | Opp     |
| <i>Grewia insularis</i>        | 700         | 2         |                |         |
| <i>Dioscorea alata</i>         | Liane       | 0.5       |                |         |
| * <i>Leucaena leucocephala</i> |             |           |                | Opp     |
| <i>Pyrrosia lanceolata</i>     | Epiphyte    | 0         |                |         |
| <i>Carmona retusa</i>          |             |           |                | Opp     |



© JBS&G

This document is and shall remain the property of JBS&G. The document may only be used for the purposes for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorised use of this document in any form whatsoever is prohibited

#### 1.1.1.1 Document Distribution

| Rev No. | Copies         | Recipient   | Date        |
|---------|----------------|-------------|-------------|
| 1       | 1 x electronic | Hervé Calmy | 14 May 2025 |

#### 1.1.1.2 Document Status

| Rev No. | Author   | Reviewer Name | Approved for Issue Name | Signature                                                                            | Date        |
|---------|----------|---------------|-------------------------|--------------------------------------------------------------------------------------|-------------|
| 1       | R. Pratt | A. Latto      | A Latto                 |  | 14 May 2025 |





#### Adelaide

Kaurna Country | 100 Hutt St,  
Adelaide, SA 5000  
T: 08 8431 7113

#### Brisbane

Turrbal/Yuggera Country | Level 37,  
123 Eagle Street, Brisbane, QLD 4000  
T: 07 3211 5350

#### Bunbury

Wardandi Country | 177 Spencer  
Street Bunbury, WA 6230  
T: 08 9792 4797

#### Canberra

Ngunnawal Country | Level 1, The Realm  
18 National Circuit Barton, ACT 2600  
T: 02 6198 3278

#### Darwin

Larrakia Country | Suite G1, Level 1,  
48-50 Smith Street, Darwin NT 0800  
T: 08 8943 0600

#### Hobart

Muwununa/Nuenon Country | Level 2,  
137 Liverpool Street, Hobart TAS 7000  
T: 03 6208 3700

#### Melbourne

Wurundjeri Country | Level 19,  
31 Queen Street, Melbourne VIC 3000  
T: 03 9642 0599

#### Newcastle

Awabakal/Worimi Country | 61 / 63  
Parry Street Newcastle West, NSW 2302  
T: 02 8245 0300

#### Perth

Whadjuk Country | Allendale Square,  
Level 9, 77 St Georges Terrace, WA 6000  
T: 08 9380 3100

#### Sydney

Gadigal Country | Level 8,  
179 Elizabeth Street, Sydney, NSW 2000  
T: 02 8245 0300

#### Wollongong

Dharawal Country | Suite 1A, 280 - 286  
Keira Street, Wollongong, NSW 2500  
T: 02 4225 2647



© JBS&G

This document is and shall remain the property of JBS&G. The document may only be used for the purposes for which it was commissioned and in accordance with the Terms of Engagement for the commission.

Unauthorised use of this document in any form whatsoever is prohibited

#### Document Distribution

| Rev No. | Copies          | Recipient | Date      |
|---------|-----------------|-----------|-----------|
| 2       | Electronic copy | Chris Su  | 10/2/2026 |

#### Document Status

| Rev No. | Author                   | Reviewer Name | Approved for Issue |                                                                                      |           |
|---------|--------------------------|---------------|--------------------|--------------------------------------------------------------------------------------|-----------|
|         |                          |               | Name               | Signature                                                                            | Date      |
| 2       | B. Hollyock,<br>R. Pratt | A. Latto      | Annette Latto      |  | 10/2/2026 |





#### Adelaide

Kaurna Country | 100 Hutt St,  
Adelaide, SA 5000  
T: 08 8431 7113

#### Brisbane

Turrbal/Yuggera Country | Level 37,  
123 Eagle Street, Brisbane, QLD 4000  
T: 07 3211 5350

#### Bunbury

Wardandi Country | 177 Spencer  
Street Bunbury, WA 6230  
T: 08 9792 4797

#### Canberra

Ngunnawal Country | Level 1, The Realm  
18 National Circuit Barton, ACT 2600  
T: 02 6198 3278

#### Darwin

Larrakia Country | Suite G1, Level 1,  
48-50 Smith Street, Darwin NT 0800  
T: 08 8943 0600

#### Hobart

Muwununa/Nuenon Country | Level 6,  
111 Macquarie Street Hobart, TAS 7000  
T: 03 6108 9054

#### Melbourne

Wurundjeri Country | Level 19,  
31 Queen Street, Melbourne VIC 3000  
T: 03 9642 0599

#### Newcastle

Awabakal/Worimi Country | 61 / 63  
Parry Street Newcastle West, NSW 2302  
T: 02 8245 0300

#### Perth

Whadjuk Country | Allendale Square,  
Level 9, 77 St Georges Terrace, WA 6000  
T: 08 9380 3100

#### Sydney

Gadigal Country | Level 1,  
50 Margaret Street, Sydney, NSW 2000  
T: 02 8245 0300

#### Wollongong

Dharawal Country | Suite 1A, 280 - 286  
Keira Street, Wollongong, NSW 2500  
T: 02 4225 2647